MEYEK-SNIFFEN CO

N2. 5 EAST NINETEENTH ST

NEW YORK

CATALOGUE "D"

INDEX.

BASINS,		Тне "Агрна," .			295-298
				28	8-292, 501, 502
		·· '' Capitol,'' .		 	304
		· · · · Pemberton,"		 	293, 303
BATHS,		·· · · Royal " Porcela	AIN,	 	5-73
		" Brighton," . " Capitol," . " Pemberton," . " Royal" Porcela	Roman,	 	5, 6-39
			FRENCH,	 	. 5, 6, 40-73
				 	. 5, 6, 40-73 . 74, 75 . 76-137
		Porcelain Enameled	Iron,		. 76-137
		The "Persian." . " "Parian," . " "Arabian," .		 	77-91
		" "Parian," .		 	. 92-110 . 111-116 . 117-124
		" "ARABIAN," .		 	111-116
		·· "Ionian," . ·· "Exian," .		 	117-124
				 	125-132
		Porcelain Enameled	Iron Pool,	 	138
			" Sitz,	 	134-136
					. 137
		Shower and Needle S	SPRAY, .		141-151
BIDET,		THE "EM-Ess," .		 	152
DRINKING FOUNTA	INS,	THE "EM-Ess," THE "EM-Ess" DOHE		 	318
FAUCETS,		THE "EM-Ess" DOHE	RTY,	 	348-351
				 ,,,,,	,, 000, 000, 000
	9	BRARY OF CONGR			367, 370
		BRARY OF CONGR	ESS.		371-380
			_		381-382
GREASE TRAP,	O.C	N . Y . S		 	314-317
GLASS HOLDER, .	Cty	ap. Coppright Yo		 	138
HYDRANT,		63 30 T)) (P		 	388
LAVATORIES,		Shelf 150	55	 	270-300
	100	.M6	-189h	 	271-287
	UN	TITED STATES OF AME	RICA.	 	300
				 	299-300
				 	315
SINKS		THE "ROYAL" PORCEL	AN KITCHEN,	 	318-328
		THE "ROYAL" PORCEI " "LONDON BUFF," " "YORKSHIRE" KI " "ROYAL" PORCEI " "MODEL" SLOP,		 	318-328
		" "Yorkshire" Ki	TCHEN, .		318-328
		" "Royal" Porcei	LAIN SLOP, .	 	326-330
		" "Model" Slop,		 	324, 326
SOAP HOLDER, .				 	100
SPONGE HOLDER,				 	138
STREET WASHER.	,	THE "EM-Ess" MURD	оск,	 	, . 38
SUPPLY PIPES, .				 	31
TRAPS,		Basin,		 	509, 310
TOILET PAPER HO	DLDERS,			 	133
TOWEL RACKS, .		THE "SURETY," " "OXFORD,"		 	159, 149
URINALS,		THE "SURETY,"		 	330, 33
		" "Oxford," .		 	. , 558, 55
WASH TUBS,		" "ROYAL" PORCE	LAIN,	 	, . 551-55
		" Yorkshire,"		 	331-33
WATER-CLOSETS,		" "Brighton,".		 	155-19
		THE "EM-ESS" MURD BASIN, "OXFORD," "ROYAL" PORCE! "YORKSHIRE," "BRIGHTON," "VORTEX," "PEMBERTON" "HELLYER-ONFOR "SERVIAN." "PEDESTAL ARTIS		 	192-23
		" "PEMBERTON"		• . •	
		" "HELLYER-OXFOR	RD,"	 	. 246-253, 26
		" "SERVIAN." .		 	
		" PEDESTAL ARTIS	AN, .	 	
		" "Adblphi," . " "Hellyer-Artis, " "Hellyer" Shor " "EM-Ess" Parso		 	261-26
		" "HELLYER-ARTIS	AN,	 	
		" "HELLYER" SHOP	RT HOPPER,	 	207, 26
		" "EM-Ess" Parso	NS,	 	340-34







ě

ILLUSTRATED CATALOGUE

"D"

THE MEYER-SNIFFEN CO. LIMITED

No. 5 EAST 19TH STREET

BRANCH SHOWROOM:
No. 180 DEVONSHIRE ST., BOSTON

NEW YORK

MANUFACTURERS AND IMPORTERS OF

SANITARY SPECIALTIES

AND

SUPERIOR BRASS-WORK





Entered according to Act of Congress in the year 1895, by

The Meyer-Sniffen Co., Limited,
in the office of the Librarian of Congress, at Washington, D. C.

INTRODUCTION.

A PPROVED Plumbing Appliances, such as are used in the best modern practice, are so varied in character and construction, that we, at considerable expense, issue this catalogue "D," for the convenience of those who either plan or execute plumbing work; the intention being to illustrate and describe, in a concise manner, the line of appliances manufactured and sold by us for use in the plumbing of buildings.

The illustrations show the combinations that are usually furnished together to form a complete apparatus, and will, it is hoped, enable those interested to make any desired selections.

These combinations are, however, only types of those that may be made from the various styles of fittings and appliances that we supply with baths, water-closets, showers, basins, etc., and though a selection may be readily made by reference to the plate numbers, we invite correspondence on this subject where special arrangements are required.

The experience of a quarter of a century, added to a modern plant and skilled craftsmen, gives us unexcelled facilities for manufacturing an unsurpassed grade of goods, and for furnishing to order special fittings and appliances that may be required in the best modern practice in this branch of sanitary engineering.

In calling attention to the following illustrations, intended to show, so far as possible, the mechanical and structural details of our various manufactures, we desire to emphasize the fact that no illustrations, however skillfully the engraver's and printer's art may be employed, can adequately indicate the advantages of fine workmanship in every detail and part of a sanitary appliance.

Yet this careful workmanship is of the utmost importance to secure the satisfactory working of any apparatus, and it is the attention and labor expended on every mechanical detail of our various specialties that has secured for our manufactures the reputation they have acquired. A critical examination and comparison, therefore, with other appliances said to be similar (and, as illustrated, apparently so,) is urgently requested. Such an examination of actual apparatus will show existing differences that more than justify the apparent difference in price.

Respectfully,

THE MEYER-SNIFFEN CO., LIMITED.

NEW YORK, JULY 1, 1895.

TO THE TRADE.

THE prices applied to our Illustrated Catalogue "D," supercede all previous lists. Customers are requested to designate the plate numbers shown therein when ordering goods.

The prices shown herein are for goods as they stand unpacked in our New York warehouse.

Packing, boxing and carting are invariably extra items, and are charged at cost.

All goods are shipped at the risk of the purchaser. Our responsibility ceases when the goods leave our store in good order and are properly receipted for by the transportation agent.

All claims for corrections or deductions from invoices must be made within ten days from receipt of goods.

Whenever an error in shipment occurs customers are requested not to return goods so shipped until they have conferred with the New York office; otherwise they will be held responsible for damages sustained in transportation and must pay freight charges and incidental expenses.

THE MEYER-SNIFFEN CO., LIMITED,

No. 5 East 19th Street,

New York.

BRANCH SHOWROOM:

180 DEVONSHIRE ST., BOSTON, MASS.

THE "ROYAL" PORCELAIN BATHS.

POR the past sixteen years we have imported from the famous potteries of Rufford & Co., Stourbridge, England, a large number of their baths.

Experience with the "ROYAL" PORCELAIN BATH justifies us in claiming great superiority over any other make of bath that is *molded* and *glazed* in one piece. In a sanitary point of view too much can hardly be said in favor of their use. The manufacturers, who are the pioneers in this industry, have profited by over thirty years' experience, and are, without doubt, producing the most perfect article of its kind in the world. It is absolutely non-absorbent, being composed of a peculiarly hard body and a glazing that is unsurpassed even in much smaller articles of other manufacture.

The body being of the nature of a fire-brick is a good non-conductor of heat, and consequently the bath requires but little, if any, more hot water than an ordinary tub. The glazing is made of the world renowned Royal Worcester Clay.

THE "ROYAL" PORCELAIN BATH.

ROLL RIM.-GLAZED OUTSIDE.

PLATE 1-C or 1-D consists of the "Royal" Porcelain Glazed Rim Roman Bath, glazed outside, with hot and cold supply fittings, and "Capitol" waste, nickel-plated, and marble feet.

PLATE 2-C or 2-D consists of the "ROYAL" Porcelain Roll Rim French Shape Bath, glazed outside, with hot and cold supply fittings, and "Capitol" waste, nickel-plated, and marble feet.

DIMENSIONS.

PLATE 1-C or 1-D.

5-foot bath: length, 5 feet; width, 2 feet $5\frac{1}{2}$ inches. Width of space necessary to include fittings, 2 feet 11 inches. $5\frac{1}{2}$ -foot bath: length, 5 feet 6 inches; width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet 1 inch.

PLATE 2-C or 2-D.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches. 6-foot bath: length, 6 feet 2 inches; width, 2 feet 7 inches. 5½-foot bath: length, 5 feet 8 inches; width, 2 feet 7 inches. Add for space necessary to include fittings, 6 inches.

SIZES,	5 Ft.	5½ Ft.	6 Ft.
The "Royal" Porcelain Glazed Rim Roman Bath, Plate 1-C or 1-D, as described,	\$295.00	\$300.00	
" Roll Rim French Shape Bath, Plate 2-C or 2-D, as described,	270.00	275.00	\$300.00
Add, if fittings are silver-plated,	30.00	30.00	30.00
1¼-inch Italian marble floor, 6 feet by 3 feet,	36.00	36.00	36.00



PLATE 1-C.


THE "ROYAL" PORCELAIN ROMAN BATH, GLAZED INSIDE AND OUT.



THE "ROYAL" PORCELAIN BATH, GLAZED INSIDE AND OUT.



GLAZED ROLL RIM.



Copyright, 1893, by The Meyer-Sniffen Co., Limited.

PLATE 3-D.


PLATE 3-D consists of the "Royal" Porcelain Glazed Roll Rim Roman Bath, finished outside in Enamel Paint Process with Grecian Gold Band, "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

DIMENSIONS.

5-foot bath: length, 5 feet; width, 2 feet 5½ inches. Width of space necessary to include fittings, 2 feet 11 inches. 5½-foot bath: length, 5 feet 6 inches; width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet 1 inch.

SIZES.		
	5 Ft.	5½ Ft.
The "ROYAL" Porcelain Glazed Roll Rim Roman Bath, Plate 8-D, as described	\$260.00	\$265.00
Add, if fittings are silver-plated, 1½-inch Italian marble floor slab 6 feet by 3 feet,	30.00	30.00
	36.00	36.00

GLAZED ROLL RIM.



Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited.

PLATE 4-D.


PLATE 4-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory with Gold Band, Enamel Paint Process; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

DIMENSIONS.

5-foot bath: length, 5 feet; width, 2 feet 5½ inches. Width of space necessary to include fittings, 2 feet 11 inches. 5½-foot bath: length, 5 feet 6 inches; width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet 1 inch.

SIZES,									•			5 Ft.	5½ Ft.
	ROYAL											\$255.00	\$260.00
	if fittin ch Itali											30.00 36.00	30.00 36.00

GLAZED ROLL RIM.



Copyright, 1893, by The Meyer-Sniffen Co., Limited

PLATE 5-D.


PLATE 5-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

DIMENSIONS.

5-foot bath: length, 5 feet; width, 2 feet 5½ inches. Width of space necessary to include fittings, 2 feet 11 inches. 5½-foot bath: length, 5 feet 6 inches; width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet 1 inch.

sizes,		•							•			5 ft.	5½ ft.
The "F												\$295.00	\$300.00
Add, if 1¼-incl													36,00

GLAZED ROLL RIM.



Copyright, 1893, by The Meyer-Sniffen Co., Limited

PLATE 6-D.


PLATE 6-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet,

DIMENSIONS.

5-foot bath: length, 5 feet; width, 2 feet 5½ inches. Width of space necessary to include fittings, 2 feet 11 inches. 5½-foot bath: length, 5 feet 6 inches; width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet 1 inch.

SIZES,																				·		5 Ft.	5½ Ft.
The "	Roy	AL'	Por	rcelai	n G1	azed	Roll	Rim	Rom	nan i	Bath,	Plate	е	6-D,	as	desc	ribed					\$295.00	\$300.00
Add,																						30.00	30.00
1¼-in	ch It	alıa	ııı m	arble	Hoo	r slai	b, 6 f	eet b	y 8 16	eet,			4.		•		•	•	•		•	36,00	36.00

GLAZED ROLL RIM.



Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited.

PLATE 7-D.


PLATE 7-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

DIMENSIONS.

5-foot bath: length, 5 feet; width, 2 feet 5½ inches. Width of space necessary to include fittings, 2 feet 11 inches. 5½-foot bath: length, 5 feet 6 inches; width, 2 feet 8 inches. Width of space necessary to include fittings, 2 feet 1 inch.

SIZES,															٠		5 Ft.	5½ Ft.
The "																		\$295.00
Add,																	30.00	30.00
1¼-in	ch Ital	lian	ma	rble f	loor	slab,	6 fe	et by	3 feet							•	36.00	36.00

GLAZED ROLL RIM.



Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited.

PLATE 8-D.


PLATE 8-D consists of the "Royal," Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory, Enamel Paint Process, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and turned porcelain feet.

DIMENSIONS.

5-foot bath: length, 5 feet; width, 2 feet 5½ inches. Width of space necessary to include fittings, 2 feet 11 inches. 5½-foot bath: length, 5 feet 6 inches; width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet 1 inches.

SIZES,								,			•	5 Ft.	5½ Ft.
The "ROYAL" Porcelain Glazed Roll Rim Roman	Bath	, Plate	e 8-	D, as	desc	ribed	ι,					\$235.00	\$240.00
Add, if fittings are silver-plated,										•		30.00 36.00	36 00
14-inch Italian marble floor slab, 6 feet by 3 feet,							•			*		30.00	55 56

GLAZED ROLL RIM.



Copyright, 1893, by The Meyer-Sniffen Co., Limited.


PLATE 9-D.

PLATE 9-D consists of the "Royal" Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory, Enamel Paint Process, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and pedestal porcelain feet.

DIMENSIONS.

5-foot bath: length, 5 feet; width, 2 feet 5½ inches. Width of space necessary to include fittings, 2 feet 11 inches. 5½-foot bath: length, 5 feet 6 inches; width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet 1 inch.

SIZES,										,		5 Ft.	5½ Ft.
The "ROYAL" Po Add, if fittings ar 11/4-inch Italian m	e silver-p	lated	,									30.00	\$240.00 30.00 36.00



Copyright, 1893, by The Meyer-Sniffen Co., Limited,

PLATE 10-D.

PLATE 10-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory with Grecian Gold Band, Enamel Paint Process, automatic hand-spray; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marbie feet.


DIMENSIONS.

5-foot bath: length, 5 feet; width, 2 feet 5½ inches. Width of space necessary to include fittings, 2 feet 11 inches. 5½-foot bath: length, 5 feet 6 inches; width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet 1 inch.

Note.—The automatic hand-spray (patented) illustrated with above bath, is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it, and may be used equally as well where the cold water is under the same or greater pressure than the hot.

											P	RIC	ES.						 	
SIZES,																	•		5 Ft.	5½ Ft.
The "	· Ro	DYAL	" Po	orcela	in (Glazed	Roll	Rim	Roman	Bath,	Plate	10-	D,	as d	escri	bed,			\$295.00	
1¼-in	ich :	Italia	an m	arble	flo	or slal	o, 6 fe	eet by	3 feet,										36.00	36.00



Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited.

PLATE 11-D.

PLATE 11-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory, Enamel Paint Process, automatic hand-spray, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and turned porcelain feet.

DIMENSIONS.

5-foot bath: length, 5 feet; width, 2 feet 5½ inches. Width of space necessary to include fittings, 2 feet 11 inches. 5½-foot bath: length, 5 feet 6 inches; width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet 1 inch.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it, and may be used equally as well where the cold water is under the same or greater pressure than the hot.

P	R	I	C	E	S	
---	---	---	---	---	---	--

SIZES,																		 5 Ft.	5½ Ft.
The " I	ROYAI	." Po	rcela	in G	lazed	Rol	1 Rim	Roma	n Bath	, Plate	e 11	-D,	as de	escrit	oed			\$285.00	
11/4-incl	h Ital	ian m	arble	e floc	or sla	b, 6:	feet b	y 3 feet	t, .								•	36.00	36.00



Converight 1893 by THE MEYER-SNIFFEN Co., Limited

PLATE 12-D.

PLATE 12-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, automatic hand-spray, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

DIMENSIONS.


5-foot bath: length, 5-feet; width, 2-feet 5½ inches. Width of space necessary to include fittings, 2-feet 11 inches. 5½-foot bath: length, 5-feet 6 inches; width, 2-feet 8 inches. Width of space necessary to include fittings, 3-feet 1 inch.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it, and may be used equally as well where the cold water is under the same or greater pressure than the hot.

P	R	Ι	C	E	S.

SIZES,																		5 Ft.	5½ Ft.
The " I	ROYAI	." Po	orcela	in G	lazeo	l Rol	l Rin	Roma	an Bath	, Pl	ate 12	-D, a	s des	scribe	ed,			\$320.00	
1¼-incl	n Itali	an n	narbl	e floc	or sla	b, 6 f	eet b	y 3 fee	t, .									36.00	36.00



Convright, 1893, by THE MEYER-SNIFFEN Co., Limited.

PLATE 15-D.

PLATE '15-D consists of the "Royal" Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory with Grecian Gold Band, Enamel Paint Process, automatic hand-spray; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and pedestal porcelain feet.


DIMENSIONS.

5-foot bath: length, 5 feet; width, 2 feet $5\frac{7}{24}$ inches. Width of space necessary to include fittings, 2 feet 11 inches. $5\frac{7}{24}$ -foot bath: length, 5 feet 6 inches; width, 2 feet 8 inches. Width of space necessary to include fittings, 2 feet 1 inch.

Note.—The automatic hand-spray (patented) illustrated with above bath, is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it, and may be used equally as well where the cold water is under the same or greater pressure than the hot.

											- P	RIC	E5.	•				 		
SIZES,																			5 Ft.	5½ Ft.
The "	Ro	YAL	" Po	rcela	n Gl	azed	Roll	Rim	Romai	Bath,	Plate	15-	D,	as des	cribe	d,			\$280.00	\$295.00
1¼-in	ch I	Italia	an m	arble	floor	r slab	, 6 fe	et by	3 feet,									,	36.00	36.00



Copyright, 1893, by The Meyer-Sniffen Co., Limited.

PLATE 16-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory with Grecian Gold Band, Enamel Paint Process, shower and hand-spray, automatic regulating valve, ring and rubber curtain; 'Capitol" waste and hot and cold supply fittings-polished brass or nickel plated-and marble feet.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water. PRICES

SIZES,		5 Ft. 5½ Ft
The "ROYAL" Porcelain Glazed Roll Rim Roman Bath, Plate 16-D, as described 1½-inch Italian marble floor slab, 6 feet by 3 feet,		\$320.00 \$325.0 36.00 \$6.0



Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited.

PLATE 13-D.

PLATE 18-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, automatic hand-spray, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

DIMENSIONS.

5-foot bath: length, 5 feet; width, 2 feet 5½ inches. Width of space necessary to include fittings, 2 feet 11 inches. 5½-foot bath: length, 5 feet 6 inches; width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet 1 inch.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it, and may be used equally as well where the cold water is under the same or greater pressure than the hot.

P	к	и	U.	Ŀ	5	

SIZES,						,												5 Ft.	5½ Ft.
The "F										Plat	te 13-	D, 2	as des	cribe	d			\$320.00	
1¼-inch	ı Itali	an n	narble	e floo	r sla	b, 6 f	eet by	y 3 fee	et,									36.00	36.00



Copyright, 1893, by The Meyer-Sniffen Co., Limited.

PLATE 14 D.

PLATE 14-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, automatic hand-spray, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

DIMENSIONS.

5-foot bath: length, 5 feet; width, 2 feet 5½ inches. Width of space necessary to include fittings, 2 feet 11 inches. 5½-foot bath: length, 5 feet 6 inches; width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet 1 inch.

- Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it, and may be used equally as well where the cold water is under the same or greater pressure than the hot.

P	R	Ι	C	E	S	

SIZES,								. ,										 5 Ft.	5½ Ft.
The "	Roya	L"P	orcela	in G	lazed	Roll	Rim	Roman	Bath	, Plate	14-I), as	desc	ribed	,			\$315.00	
1/4-1110	en Ita	man i	narbi	e flo	or slat	0.616	et by	3 feet,					٠	_ ·				36.00	36.00



Copyright, 1893, by The Mayer-Sniffen Co., Limited

PLATE 19-D.

PLATE 19-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, shower and hand-sp. ay, automatic regulating valve, ring and rubber curtain, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

For dimensions see Plate 3-D.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

PRICES.

SIZES.																5 Ft.	5½ Ft.
								Roman								\$360.00	\$365 00 36.00
1¼-in	ch Ital	ian r	narble	e floo	r sia	0, 6 1	eet b	y 3 feet,		•		•	٠.	٠		 30.00	00.00



Copyright, 1893, by The Meyer-Sniffen Co., Limited.


PLATE 20-D.

PLATE 20-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, Embossed and finished outside in White or Ivory and Gold, Enamel Paint Process, shower and hand-spray, automatic regulating valve, ring and rubber curtain. with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

For dimensions see Plate 3-D.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

PRICES.		
SIZES,	. 5 Ft.	5½ Ft.
The "ROYAL" Porcelain Glazed Roll Rim Roman Bath, Plate 20-D, as described, 1½-inch Italian marble floor slab, 6 feet by 3 feet,		\$360.00
1/4 1001 1101 1101 1101 1101 1101 1101 1		



Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited.


PLATE 17-D.

PLATE 17-D consists of the "Royal" Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory with Gold Bands, Enamel Paint Process, shower and hand-spray, automatic regulating valve, ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

PRICES

SIZES,																	5 Ft.	5½ Ft.
The "																	\$315.00 36.00	\$320.00 36.00
1 /4 -111	cii ita	HELLI .	mati bi	0 1100	Siab	, 0 10	or by	o rece,	<u> </u>		•	 •		:_	•	•	 00.00	00.00



Copyright, 1893, by The Meyer-Sniffen Co., Limited.

PLATE 18-D.

PLATE 18-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, shower and hand spray, automatic regulating valve, ring and rubber curtain, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

For dimensions see Plate 3-D.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

TATOLO.	
SIZES,	 5 Ft. 5½ Ft.
The "ROYAL" Porcelain Glazed Roll Rim Roman Bath, Plate 18-D, as described. 1¼-inch Italian marble floor slab, 6 feet by 3 feet,	\$360.00 \$365.00 36.00 36.00
7	




Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited

PLATE 23-D.

PLATE 23-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory with Gold Bands, Enamel Paint Process, shower and bath supply apparatus with douche and pull, large oval curtain ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

A feature of the shower combination is the arrangement of the hot and cold valves on the wall to supply both bath and shower, and the combination of the douche in connection with the shower.

					PR	ICES	•								
SIZES,															
The "ROYAL" Porcelain	Glazed Ro oor slab, 6	ll Rim : feet by	Roman 3 feet,	Bath,	Plate 2	3–D, a	as des	cribe	d,	:	:	:	:	\$335.00 36.00	\$340.00




Copyright, 1893, by The Meyer-Sniffen Co., Limited

PLATE 24-D.

PLATE 24-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, shower and bath supply apparatus with douche and pull, large oval curtain ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

A feature of the shower combination is the arrangement of the hot and cold valves on the wall to supply both bath and shower, and the combination of the douche in connection with the shower.

PRICES.	
SIZES,	5 Ft. 5½ Ft.
The "ROYAL" Porcelain Glazed Roll Rim Roman Bath, Plate 24-D, as described,	\$375.00 \$380.00
1¼-inch Italian marble floor slab, 6 feet by 3 feet,	36.00 36.00



Copyright, 1893, by The Meyer-Sniffen Co., Limited.


PLATE 21-D.

PLATE 21-D consists of the "Royal" Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory, Enamel Paint Process, shower and hand-spray, automatic regulating valve, ring and rubber curtain, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and turned porcelain feet.

For dimensions see Plate 3-D.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

PRICES.			
SIZES,			5 Ft. 5½ Ft.
The "ROYAL" Porcelain Glazed Roll Rim Roman Bath, Plate 21-D, as described, 1½-inch Italian marble floor slab, 6 feet by 3 feet,	: : :	: :	\$300.00 \$305.00 36.00 \$6.00




Copyright, 1833, by The Meyer-Sniffen Co., Limited

PLATE 22-D.

PLATE 22-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory with Grecian Gold Band, Enamel Paint Process, shower and bath supply apparatus with douche and pull, large oval curtain ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

A feature of the shower combination is the arrangement of the hot and cold valves on the wall to supply both bath and shower, and the combination of the douche in connection with the shower.

PRICES.		
SIZES,	5 Ft.	5½ Ft.
The "ROYAL" Porcelain Glazed Roll Rim Roman Bath, Plate 22-D, as described, 1¼-inch Italian marble floor slab, 6 feet by 3 feet,	\$340.00 36.00	\$345.00 36.00




Copyright, 1803, by THE MEYER-SNIFFEN Co., Limited

PLATE 27-D.

PLATE 27-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory, Enamel Paint Process, shower and bath supply apparatus with douche and pull, large oval curtain ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and turned porcelain feet.

A feature of the shower combination is the arrangement of the hot and cold valves on the wall to supply both bath and shower, and the combination of the douche in connection with the shower.

											PRI	CES.						
SIZES,																	5 Ft.	5½ Ft.
																	\$315.00	
14-inch	ı Ital	ian n	narbl	e floo	or sla	b, 6 fe	eet b	y 3 tee	t,								36.00	36.00



Copyright, 1895, by The Meyer-Sniffen Co., Limite


PLATE 28-D.

PLATE 28-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory with Grecian Gold Band, Enamel Paint Process, Needle Spray Apparatus, special shower and douche, ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—all nickel-plated—and marble feet.

For dimensions see Plate 15-D. When ordering, state if needle spray is to be at right as shown, or at the left.

SIZES,	٠																		5 Ft.	5½ Ft.
The "F	ROYA	ι" Po	rcela	in G	lazed	Roll	Rım	Roma	n Bath	ı, Plat	te 28-	-D, a	s des	cribe	đ,	,			\$550.00	\$555.00
1¼-incl	ı Ital	ian n	arble	e floo:	r slai	b, 6 fe	et b	y 3 feet	t, ,								,		36.00	36.00

THE "ROYAL" PORCELAIN ROMAN BATH.




Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited.

PLATE 25-D.

PLATE 25-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, embossed and finished outside in White or Ivory and Gold, Enamel Paint Process, shower and bath supply apparatus with douche and pull, large oval curtain ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

A feature of the shower combination is the arrangement of the hot and cold valves on the wall to supply both bath and shower, and the combination of the douche in connection with the shower.

		PK.	ICES.				 		
SIZES,								5 Ft.	5½ Ft.
The "ROYAL" Porcelain Glazed Roll Rim Roman 14-inch Italian marble floor slab, 6 feet by 3 feet,	Bath,	Plate 2	5–D, as	s describ	oed, .	:	:	\$375.00 36.00	\$380.00



Copyright, 1893, by The Meyer-Sniffen Co., Limited


PLATE 26-D.

PLATE 26-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, Embossed and finished outside in White or Ivory and Gold, Enamel Paint Process, shower and bath apparatus with douche and pull, large oval curtain ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble fect.

A feature of the shower combination is the arrangement of the hot and cold valves on the wall to supply both bath and shower, and the combination of the douche in connection with the shower.

PRICES.

											_											
SIZES,					٠		٠														5 Ft.	5½ Ft.
The "Ro	oyaL Itali	." Po	rcela arbl	in G e floc	lazed or sla	l Roll b, 6 f	Rim eet by	Roma 3 fee	an Bath t, .	, Plat	e 26	5–D,	as de	scrib	ed,	:	:	:	:	:	\$370.00 36.00	



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.


PLATE 29-D.

PLATE 29-D consists of the "Royal" Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory, Enamel Paint Process, Needle Spray Apparatus, special shower and douche, ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—all nickei-plated—and turned porcelain feet.

For dimensions see Plate 15-D. When ordering, state if needle spray is to be at right as shown, or at the left.

P	R	T	C	E	S	

SIZES,																		5 Ft.	5% Ft.
							n Roman	Bath	, Plat	te 29-	D, a	s des	scribe	d,	,			\$525.00	\$530.00
Add, 1f	glaze	d out	side	and:	marbl	e feet,												60.00	60.00
11/4-incl	h Itali	an ma	arble	floor	· slab,	6 feet b	y 3 feet,									,		36.00	36.00




Copyright, 1795, by The Meyer-Sniffen Co., Limited.

PLATE 30-D.

PLATE 30-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, finished outside in White or Ivory, with Gold Bands, Enamel Paint Process, Needle Spray Apparatus, special shower and douche, ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—all nickel-plated—and marble feet.

For dimensions see Plate 15-D. When ordering state if needle spray is to be at right as shown, or at the left.

		FRICES.		
SIZES,			 	 5 Ft. 5½ Ft.
The "ROYAL" Porcelain Glazed Roll Rim R				
14-inch Italian marble floor slab, 6 feet by 8	feet	· . · · ·	 	 36.00 36.00



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.


PLATE 31-D.

PLATE 31-D consists of the "ROYAL" Porcelain Glazed Roll Rim Roman Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, Needle Spray Apparatus, special shower and douche, ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—all nickel-plated—and marble feet.

For dimensions see Plate 15-D. When ordering, state if needle spray is to be at right as shown, or at the left.

P	D	Т	C	F	C
7	"		-	v	2

SIZES,														٠	5 Ft.	5½ Ft.
								Roman							\$580.00	\$585.00
11/4-ine	ch Itali	an n	narbl	e floc	or slal	b, 6 f	eet by	y 3 feet,		 ۰				-	36.00	36.00




Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 32-D.

PLATE 32-D consists of the "Royal" Porcelain Glazed Roll Rim Roman Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, Needle Spray Apparatus, special shower and douche, ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—all nickel-plated—and marble feet.

For dimensions see Plate 15-D. When ordering, state if needle spray is to be at right as shown, or at the left.

											PRI	CES	· .						
SIZES,																		5 Ft.	5½ Ft.
The "F										, Pla	te 32	-D,	as de	scrib	ed,			\$585.00 36.00	\$590.00 36.00
11/ incl	h Ital	ian r	narh	le flo	or sla	b. 6	feet b	v 3 f	eet.									 00.00	00.00



Copyright, 1895, by The Meyer-Sniffen Co., Limited.


PLATE 33-D.

PLATE 33-D consists of the "Royal" Porcelain Glazed Roll Rim Roman Bath, Embossed and finished outside in White or Ivory and Gold, Enamel Paint Process, Needle Spray Apparatus, special shower and douche, ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—all nickel-plated—and marble feet.

For dimensions see Plate 15-D. When ordering, state if needle spray is to be at right as shown, or at the left.

			1.	RICES	•								
SIZES,												5 Ft.	5½ Ft.
The "ROYAL" Porcelain Glazed R	oll Rim Roman	Bath,	Plate	33-D,	as des	scribed	١, ,	•				\$585.00 36.00	
14-men marbie noor stab, e	rect by 8 rect,	•	•	·			• •		,	•	•	1 00.00	00.00

GLAZED ROLL RIM



Copyright, 1893, by The Meyer-Sniffen Co , Limited.

PLATE 34-D.

PLATE 34-D consists of the "Royal" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory with Grecian Gold Band, Enamel Paint Process; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet,

DIMENSIONS.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.

6-foot bath: length, 6 feet 2 inches; width, 2 feet 7 inches.


5½-foot bath: length, 5 feet 8 inches; width, 2 feet 7 inches.

Add for space necessary to include fittings, 6 inches.

When ordering, state if fittings are to be at left as shown, or at the right.

SIZES,	5 Ft.	5½ Ft. 6 Ft.
The "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, Plate 34-D, as described,	\$245.00	\$250.00 \$265.00
Add, if fittings are silver-plated,		30.00 30.00
1¼-inch Italian marble floor slab, 6 feet by 3 feet,	36.00	36.00 36.00

GLAZED ROLL RIM.



Copyright, 1893, by The Meyer-Sniffen Co., Limited.

PLATE 35-D.

PLATE 35-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory with Gold Bands, Enamel Paint Process; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

DIMENSIONS.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.

6-foot bath: length, 6 feet 2 inches; width, 2 feet 7 inches.


6-foot bath: length, 6 feet 2 inches; width, 2 feet 7 inches.

6-foot bath: length, 6 feet 2 inches; width, 2 feet 7 inches.

When ordering, state if fittings are to be at left as shown, or at the right.

SIZES,	• (•			•														5 Ft.	5½ Ft.	6 Ft.
The "	Royai	." Po	orcelai	n G	lazed	Roll	Rim	Frei	ch	Shape	Bat	h, P	late	35–D.	as de	scri	bed,		\$240.00	\$245.00	\$260.00
Add, it																			30,00	30.00	30.00
11/4-inc	h Ital	ian n	narble	floo	or slab	, 6 fe	et b	3 fe	et,										36.00	36.00	36,00

GLAZED ROLL RIM.



Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited.

PLATE 36-D

PLATE 36-D consists of the "Royal" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory Enamel Paint Process, with "Capitol" weste and hot and cold supply fittings—polished brass or nickel-plated—and turned porcelain feet.


DIMENSIONS.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.
5½-foot bath: length, 5 feet 8 inches; width, 2 feet 7 inches.

When ordering, state if fittings are to be at left as shown, or at the right.

7, 40 40011004, 1 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7,	SIZES,												5 Ft.	5½ Ft.	6 Ft.
Add, if fittings are silver plated,	The "ROYAL" Porc	elain Glaze	d Roll Ri	m French	Shape	Bath	Plate 8	86-D,	as d	escrib	ed,		\$220.00	\$225.00	\$240.00
	Add, if fittings are	silver plate	ed,										30.00	30.00	30.00
1½-inch Italian marble floor slab, 6 feet by 3 feet,	11/4-inch Italian ma	rble floor sla	ab, 6 feet	by 3 feet	, .					>			36.00	36.00	36.00

GLAZED ROLL RIM.



Copyright, 1895, by The Mever-Sniffen Co., Limited.

PLATE 37-D.

PLATE 37-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory with Gold Bands, Enamel Paint Process, "Capitol" waste, and hot and cold supply fittings—polished brass or nickel-plated—and turned porcelain feet.

Note.—The water is supplied to the bath near the top through a nozzle adapted to connect a rubber tube and hand-spray.

DIMENSIONS.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.

6-foot bath; length, 6 feet 2 inches; width, 2 feet 7 inches.


6-foot bath; length, 6 feet 2 inches; width, 2 feet 7 inches.

Add for space necessary to include fittings, 6 inches.

When ordering, state if fittings are to be at left as shown, or at the right.

SIZES,					•					•		5 Ft.	5½ Ft.	6 Ft.
The "F Add, if 11/4-inch	fittin	gs a	re sil	ver-p	olated		 					30.00	\$230.00 30.00 36.00	\$245.00 30.00 36.00

GLAZED ROLL RIM.



Copyright, 1893, by The Meyer-Sniffen Co., Limited,

PLATE 38-D.

PLATE 38-D consists of the "Royal" Porcelain Glazed Roll Rim French Shape Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

DIMENSIONS.

5-foot bath : length, 5 feet 2 inches ; width, 2 feet 7 inches.
5½-foot bath : length, 5 feet 2 inches ; width, 2 feet 7 inches.
Add for space necessary to include fittings, 6 inches.

When ordering, state if fittings are to be at left as shown, or at the right.

SIZES,	 5 ft.	5½ ft.	6 Ft.
The "Royal" Porcelain Glazed Roll Rim French Shape Bath, Plate 38-D, as described	\$280.00	\$285,00 30,00	\$300.00 30.00
Add, if fittings are silver-plated,		36.00	36.00

GLAZED ROLL RIM.



Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited,

PLATE 39-D.

PLATE 39-D consists of the "Royal" Porcelain Glazed Roll Rim French Shape Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

DIMENSIONS.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.

5½-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.


6-foot bath: length, 6 feet 2 inches; width, 2 feet 7 inches.

Add for space necessary to include fittings, 6 inches.

When ordering, state if fittings are to be at left as shown, or at the right.

SIZES,						5 ft.	5½ ft.	6 Ft.
The "ROYAL" Porcelain Glazed Roll Rim Freuch Sha Add, if fittings are silver-plated,	٠.		1.			\$280,00 30,00 36,00	\$285,00 30.00 36.00	\$300.00 30.00 36.00

GLAZED ROLL RIM.



Copyright, 1893, by THE MEYER SNIFFEN Co., Limited

PLATE 40-D.

PLATE 40-D consists of the "Royal" Porcelain Glazed Roll Rim French Shape Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.


DIMENSIONS.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.
5½-foot bath: length, 5 feet 8 inches; width, 2 feet 7 inches.
4dd for space necessary to include fittings, 6 inches.

When ordering, state if fittings are to be at left as shown, or at the right.

SIZES,	5 Ft.	5½ Ft.	6 Ft.
The "Royat" Porcelain Glazed Roll Rim French Shape Bath, Plate 40-D, as described Add, if fittings are silver plated,	\$275.00 30.00	\$280.00 30.00	\$300.00 30.00
1¼-inch Italian marble floor slab, 6 feet by 3 feet,	36.00	36.00	36.00

GLAZED ROLL RIM.



Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited.

PLATE 41-D.

PLATE 41-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory with Grecian Gold Band, Enamel Paint Process; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and pedestal porcelain feet.

DIMENSIONS.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.

6-foot bath: length, 6 feet 2 inches; width, 2 feet 7 inches.


6-foot bath: length, 6 feet 2 inches; width, 2 feet 7 inches.

6-foot bath: length, 6 feet 2 inches; width, 2 feet 7 inches.

When ordering, state if fittings are to be at left as shown, or at the right.

SIZES,																			5 Ft.	5½ Ft.	6 Ft.
The "	Royal	" Po	rcelair	Gla	zed	Roll	Rim	Fren	ich s	Shape	Bat	h, Pl	late	41-D,	as (lescr	ibed,		\$235.00	\$240.00	\$255.00
Add, it	f fittin	gs ai	e silv	er-pla	ated	,													30.00	30.00	30.00
1¼-inc	h Itali	an m	arble	floor	slab	, 6 fe	et by	7 3 fe	et,										36.00	36.00	36.00

GLAZED ROLL RIM.



Copyright, 1893, by The Meyer-Sniffen Co., Limited,

PLATE 42-D.

PLATE 42-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, PANELED and finished outside in White or Ivory, Enamel Paint Process, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.


DIMENSIONS.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches. Add for space necessary to include fittings, 6 inches. 5½-foot bath: length, 5 feet 8 inches; width, 2 feet 7 inches. Add for space necessary to include fittings, 6 inches.

When ordering, state if fittings are to be at left as shown, or at the right.

SIZES,																	5 Ft.	5½ Ft.
The "Add, i	if fitti	ngs	are:	silve	er-pl	ated,											\$260.00 30.00	\$265.00 30.00
1¼-inc	ch Ita	lian	mai	rble	floo	r slat	, 6 fc	eet by	7 3 fe	eet,					,		36.00	36.00

GLAZED ROLL RIM.



Copyright, 1895, by TRE MEYER-SNIFFEN Co., Limited.

PLATE 43-D.

49 PLATE 43-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory with Gold Bands, Enamel Paint Process; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated— and marble feet.


Note.—The water is supplied to the bath near the top through a nozzle adapted to connect a rubber tube and hand srpay.

DIMENSIONS.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.
51/2-foot bath: length, 5 feet 8 inches; width, 2 feet 7 inches.
4dd for space necessary to include fittings, 6 inches.

When ordering, state if fittings are to be at left as shown, or at the right.

SIZES, .										٠				5 Ft.	5½ Ft.	6 Ft.
The "Roy															\$245.00	
Add, if fitt:	ngs a	re sil	lver-p	olated	l,									30.00	30.00	30.00
14-inch It	alian	marb	le flo	or sla	b, 6 i	feet b	y 3 f	eet,					٠	36.00	36.00	36.00



Copyright, 1893, by The Meyer-Sniffen Co., Limited

PLATE 44-D.

PLATE 44-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory with Grecian Gold Band, Enamel Paint Process, automatic hand-spray, "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

DIMENSIONS.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.

Add for space necessary to include fittings, 6 inches.


When ordering, state if fittings are to be at left as shown, or at the right.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it, and may be used equally as well where the cold water is under the same or greater pressure than the hot.

P	ĸ	Ţ	C	E	S

SIZES,									•	5 ft.	5½ ft.	6 ft.
The "R										\$275.00 36.00		



Copyright, 1893, by The Meyer-Sniffen Co., Limited.

PLATE 45-D.

PLATE 45-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or lvory with Gold Bands, Enamel Paint Process, automatic hand-spray, "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

DIMENSIONS.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.

6-foot bath: length, 6 feet 2 inches; width, 2 feet 7 inches.

6-foot bath: length, 6 feet 2 inches; width, 2 feet 7 inches.

6-foot bath: length, 6 feet 2 inches; width, 2 feet 7 inches.

6-foot bath: length, 6 feet 2 inches; width, 2 feet 7 inches.


When ordering, state if fittings are to be at left as shown, or at the right.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it, and may be used equally as well where the cold water is under the same or greater pressure than the hot.

R			

SIZES,										••	5 ft.	5½ ft.	6 ft.
The "ROYAL" Porcel	ain Glaze le floor sl	d Roll R ab, 6 feet	m Frenc by 3 fee	h Shape t, .	Bath	, Plate	45-D,	as desc	ribed,		\$270.00 36.00	\$275.00 36.00	\$290.00 36.00



Copyright, 1893, by The Meyer-Sniffen Co., Limited.

PLATE 46-D.

PLATE 46-D consists of the "Royal" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory, Enamel Paint Process, automatic hand-spray, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and turned porcelain feet.

DIMENSIONS.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.

6-foot bath: length, 6 feet 2 inches; width, 2 feet 7 inches.

5½-foot bath: length, 5 feet 8 inches; width, 2 feet 7 inches.

Add for space necessary to include fittings, 6 inches.


When ordering, state if fittings are to be at left as shown, or at the right.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it, and may be used equally as well where the cold water is under the same or greater pressure than the hot.

$_{\mathrm{PI}}$			

	-				-				 			
SIZES, .							 			5 Ft.	51/2 Ft.	6 Ft.
The " ROYAL										\$250.00	\$255.00	\$270.00
1 4-inch Italia	n marbl	e floor :	slab, 6	feet by	3 feet,	 				36.00	36.00	36.00



Copyright, 1895, by The Meyer-Sniffen' Co., Limited

PLATE 47-D.

PLATE 47-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory with Grecian Gold Band, Enamel Paint Process, automatic hand-spray, "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and pedestal porcelain feet.

DIMENSIONS.

5-foot bath : length, 5 feet 2 inches; width, 2 feet 7 inches.

5½-foot bath : length, 5 feet 2 inches; width, 2 feet 7 inches.

5½-foot bath : length, 5 feet 8 inches; width, 2 feet 7 inches.

4dd for space necessary to include fittings, 6 inches.


When ordering, state if fittings are to be at left as shown, or at the right.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it, and may be used equally as well where the cold water is under the same or greater pressure than the hot.

R			

SIZES,						•	•				٠	•			•			٠	5 ft.	5½ ft.	6 ft.
The "	Roy	AL	" Po	rcelai	n Gl	azed	Roll	Rim	French	Shap	e Bat	h, Pl	ate	47-D	, as d	escr	ribed,		\$260.00	\$265.00	\$280.00
1%-inc	h It	alia	an m	arble	floor	slab	, 6 fe	et by	3 feet,										 36.00	36,00	00.83



Copyright, 1893, by The Meyer-Sniffen Co., Limited

PLATE 48-D.

PLATE 48-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, embossed and finished outside in White or Ivory and Gold, Enamel Paint Process, automatic hand-spray, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel plated—and marble feet.

DIMENSIONS.

5-toot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.
5½-foot bath: length, 5 feet 8 inches; width, 2 feet 7 inches.
When ordering, state if fittings are to be at left as shown, or at the right.

Note.—The automatic hand spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it, and may be used equally as well where the cold water is under the same or greater pressure than the hot.

	PR	ICES.				
SIZES,	 		 	5 Ft.	5½ Ft.	6 Ft.
The "ROYAL" Porcelain Glazed Roll Rim 1¼-inch Italian marble floor slab, 6 feet by				\$310,00 36.00	\$315.00 36.00	\$340.00 36.00
	 	the state of the s	 			



Copyright, 1893, by THE MEYER SNIFFEN Co., Limited.

PLATE 49-D.

PLATE 49-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, Embossed and finished outside in White or Ivory and Gold, Enamel Paint Process, automatic hand-spray, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

DIMENSIONS.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.
5½-foot bath: length, 5 feet 8 inches; width, 2 feet 7 inches.
When ordering, state if fittings are to be at left as shown, or at the right.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it, and may be used equally as well where the cold water is under the same or greater pressure than the hot.

						F	PRIC	ES.						
SIZES,											·	5 Ft.	5½ Ft.	6 Ft
The " 1¼-inc												\$310,00 36,00		



Copyright, 1893, by The Meyer-Sniffen Co., Limited.

PLATE 50-D.

PLATE 50-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, automatic hand-spray, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

DIMENSIONS,

5-foot bath : length, 5 feet 2 inches; width, 2 feet 7 inches.

6-foot bath : length, 6 feet 2 inches; width, 2 feet 7 inches.

6-foot bath : length, 6 feet 2 inches; width, 2 feet 7 inches.

6-foot bath : length, 6 feet 2 inches; width, 2 feet 7 inches.


6-foot bath : length, 6 feet 2 inches; width, 2 feet 7 inches.

When ordering, state if fittings are to be at left as shown or at the right.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it, and may be used equally as well where the cold water is under the same or greater pressure than the hot.

SIZES,																	5 Ft.	5½ Ft.	6 Ft.
The "	Royai	ι" F	orcela	in G	lazed	Roll	Rim	French	Shape	Bath	Plate	50-D	, as	describ	ed,			\$310.00	
1¼-inc	h Ital	ian	marble	flo	or slal	o, 6 fe	eet by	3 feet,									36.00	36.00	36.00



Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited.

PLATE 51-D.

PLATE 51-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, PANELED and finished outside in White or Ivory, Enamel Paint Process, automatic hand-spray, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel plated—and marble feet.

DIMENSIONS.

5-foot bath: length, 5 feet 2 inches; width, 2 feet 7 inches.

Add for space necessary to include fittings, 6 inches.

Add for space necessary to include fittings, 6 inches.


Add for space necessary to include fittings, 6 inches.

When ordering, state if fittings are to be at left as shown, or at the right.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it, and may be used equally as well where the cold water is under the same or greater pressure than the hot.

SIZES,		<u>. </u>		•	_ • _	_ •														5 Ft.	5½ Ft.
The " h	COYAL	"Po	rcelai	in G	lazed	Roll	Rim	Fre	nch S	Shape	e Bati	i, Pl	ate	51-D	, as	descr	ibed			\$290.00	
14-inch	1 Itan	an n	larble	пос	or sta	b. 6 t	eet b	y 3 f	eet,			'_								36.00	36.00




Copyright, 1893, by The Meyer-Sniffen Co., Limited.

PLATE 52-D.

PLATE 52-D consists of the "Royal" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory with Grecian Gold Band, Enamel Paint Process, Needle Spray Apparatus, shower and douche, large oval ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—all nickel-plated—and marble feet.

For dimensions see Plate 34 D. When ordering, state if fittings are to be at left as shown, or at the right.

SIZES,	
	. 6 Ft.
The "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, Plate 52-D, as described, \$350.00 \$350.00 \$36.00	0 \$365.00 0 36.00




Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited.

PLATE 53-D.

PLATE 58-D consists of the "Royal" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory with Gold Bands, Enamel Paint Process, Needle Spray Apparatus, shower and douche, large oval ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—all nickel-plated—and marble feet.

For dimensions see Plate 34 D. When ordering, state if fittings are to be at left as shown, or at the right.

PRICES.			
SIZES	5 Ft.	5½ Ft.	6 Ft.
The "Royal Forceiain Glazed Ron Rim French Shape Bath, Face of 2, as a second	\$340.00	\$345.00 \$	36.00
1¼-inch Italian marble floor slab, 6 feet by 3 feet,	30.00	50.00	50.00



Converget 1893 by THE MEYER-SNIKEEN CO., Limited.

PLATE 54-D.


PLATE 54-D consists of the "Royal." Porcelain Glazed Roll Rim French Shape Bath, Embossed and finished outside in White or Ivory and Gold, Enamel Paint Process, Needle Spray Apparatus, shower and douche, large oval ring and rubber curtain, with "Capitol" waste and hot and cold supply fittings—all nickel-plated—and marble feet.

For dimensions see Plate 34 D. When ordering, state if fittings are to be at left as shown, or at the right.

PRICES.	CES.
---------	------

	5 Ft. 5½ Ft.	6 Ft.
SIZES,	\$385,00 \$390.00	\$405.00
The "Royal" Porcelain Glazed Roll Rill French Shape Dath, Flate of D, as described,	36.00 36.00	
14-inch Italian marble floor slab, 6 feet by 3 feet,		

The "Royal" Porcelain Bath. Glazed Roll Rim.



Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited,


PLATE 55-D.

PLATE 55-D consists of the "Royal" Porcelain Glazed Roll Rim French Shape Bath, Embossed and finished outside in White or Ivory and Gold, Enamel Paint Process, Needle Spray Apparatus, shower and douche, large oval ring and rubber curtain, with "Capitol" waste and hot and cold supply fittings—all nickel-plated—and marble feet.

For dimensions see Plate 34 D. When ordering, state if fittings are to be at left as shown, or at the right.

P	R.	C	E	S
	1	-	-	~.

SIZES,																				5 Ft.	5½ Ft.	6 Ft.
The "R	oyal Itali	" Po an m	rcela	in G1	azed r sla	Roll b, 6	Rim feet t	Frencoy 3 fe	eh Sl	aape	Bath	, Pla	te 8	5-D,	as d	escrit	ed .	:	:	\$380.00 36.00		\$400.00 36.00




Copyright, 1893, by The Meyer-Sniffen Co., Limited.

PLATE 56-D.

PLATE 56-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, Needle Spray Apparatus, shower and douche, large oval ring and rubber curtain, with "Capitol" waste and hot and cold supply fittings—all nickel-plated—and marble feet.

For dimensions see Plate 34 D. When ordering, state if fittings are to be at left as shown, or at the right,

PRICES.		
SIZES,	5 Ft.	5½ Ft. 6 Ft.
	\$385.00	\$390.00 \$405.00 36.00 36.00
1¼-inch Italian marble floor slab, 6 feet by 3 feet,	00.00	30.00 30.00




Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited.

PLATE 57-D.

PLATE 57-D°consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory, Enamel Paint Process, Needle Spray Apparatus, shower and douche, large oval ring and rubber curtain, with "Capitol" waste and hot and cold supply fittings—all nickel-plated—and turned porcelain feet.

For dimensions see Plate 34 D. When ordering, state if fittings are to be at left as shown, or at the right.

										1.	KICE.	·			 			
SIZES,	:															5 Ft.	5 1/2 Ft.	6 Ft.
The "R	OYAI	," Po	rcela	in Gl	azed	Roll I	Rim	French	Shape	Bath	Plate	57-D.	as des	cribed		\$335.00	\$340.00	\$355.00 36.00
1 % -IIICII	1 tall	an n	iaibie	поот	. Slau	, orec	et by	o reet,	•	•						1 90.00	90,00	00.00



Copyright, 1893, by The Meyer-Sniffen Co., Limited.


PLATE 58-D.

PLATE 58-D consists of the "Royal" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory with Grecian Gold Band, Enamel Paint Process, shower and hand-spray, automatic regulating valve, ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

For dimensions see Plate 34 D. When ordering, state if fittings are to be at left as shown, or at the right.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

TRICES.		
SIZES,	. 5 Ft.	5½ Ft. 6 Ft.
The "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, Plate 58-D, as described. 1½-inch Italian marble floor slab, 6 feet by 3 feet,		\$305.00 \$320.00 36.00 36.00
1/4-men realization men ble moor stab, o rece by 6 rece,	. 50,00	00.00



Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited.


PLATE 59-D.

PLATE 59-D consists of the "Royal" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory with Gold Bands, Enamel Paint Process, shower and hand-spray, automatic regulating valve, ring and rubber curtain; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

For dimensions see Plate 34 D. When ordering, state if fittings are to be at left as shown, or at the right.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

					CICI35.								
SIZES,											5 Ft.	5½ Ft.	6 Ft.
The "ROYAL" Porcelain Glaz 1¼-inch Italian marble floor	zed Roll Rim slab, 6 feet b	French y 3 feet,	Shape	Bath,	Plate	59-D, a	s descr	ibed,	:	:	\$295.00 36.00		\$315.00 36.00



Copyright, 1893, by The Meyer-Sniffen Co., Limited.


PLATE 60-D.

PLATE 60-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, shower and hand-spray, automatic regulating valve, ring and rubber curtain, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

For dimensions see Plate 34 D. When ordering, state if fittings are to be at left as shown, or at the right.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

PRICES.		
SIZES,	. 5 Ft.	5 1/2 Ft. 6 Ft.
The "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, Plate 60-D, as described, .	. \$330.00	\$335.00 \$350.00
1¼-inch Italian marble floor slab, 6 feet by 3 feet.	. 50.00	00.00) 00.00



Copyright, 1893, by The Meyer-Sniffen Co., Limited.

PLATE 61-D.

PLATE 61-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, shower and hand-spray, automatic regulating valve, ring and rubber curtain, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.


For dimensions see Plate 34 D. When ordering, state if fittings are to be at left as shown, or at the right.

A feature of this shower appara us is the arrangement of the hot and cold supply to shower in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding.

The hot-water valve can then be used to regulate the temperature of the water.

PRICES.

SIZES.																	5 Ft.	5½ Ft.	6 Ft.
The " I	2	" De		- C1	hono.	D o11	Dim	Dance		Oh on o	Dodh	D1	01 1	 3			4990 00	000= 00	0020 00
																	\$550,00	\$335 00 36.00	\$300.00
1¼-incl	1 Itan	an m	arbie	поот	siar	, 6 16	eet by	' 5 Ie	et,	•	•					 	36.00	36.00	36.00



Copyright, 1593, by THE MEYER-SNIFFEN Co., Lunited.


PLATE 62 -D.

PLATE 62-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, EMBOSSED and finished outside in White or Ivory and Gold, Enamel Paint Process, shower and hand-spray, automatic regulating valve, ring and rubber curtain, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

For dimensions see Plate 34 D. When ordering, state if fittings are to be at left as shown, or at the right.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

	5 Ft. 5)	½ Ft. 6 Ft.
The "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, Plate 62-D, as described, 1½-inch Italian marble floor slab, 6 feet by 3 feet.		30 00 \$345.00 36.00 \$6.00



Copyright, 1893, by The Meyer-Sniffen Co., Limited.

PLATE 63 - D.


PLATE 63-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory, Enamel Paint Process, shower and hand-spray, automatic regulating valve, ring and rubber curtain, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and turned porcelain feet.

For dimensions see Plate 36 D. When ordering, state if fittings are to be at left as shown, or at the right.

A feature of the shower apparatus is the arrangement of the hot and cold supply to shower in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

PRICES.

SIZES,																				5 Ft.	5½ Ft.	6 Ft.
The "	Roy	AL"	Po	rcela	in G1	azed	Roll	Rim	Fren	ch S	Shape	Bath,	Plate	63-	D, a	s de	escrib	ed,		\$275,00		
11/4-in	ch It	alia	n m	arbl	e floo	r slal	b, 6 f	eet b	y 3 fe	eet,										36.00	36.00	36.00




Copyright, 1893, by THE MEYER-SNIFFEN Co., Limited.

PLATE 64-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, PANELED and finished outside in White or Ivory, Enamel Paint Process, shower and hand-spray, automatic regulating valve, ring and rubber curtain, with "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

For dimensions see Plate 42 D. When ordering, state if fittings are to be at left as shown, or at the right.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

				P	RICE	٥.						
SIZES,											5 Ft.	5½ Ft.
The "ROYAL" Porcelain Gla	azed Roll Ri	m French	Shape	Bath	, Plate	64-D	, as	described	, .			\$320.00



Copyright, 1895, by The Meyer-Sniffen Co., Limited.


PLATE 65-D.

PLATE 65-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory with Grecian Gold Band, Enamel Paint Process, NEEDLE SPRAY, shower, douche, ring and curtain; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

For dimensions see Plate 34-D. When ordering, state if fittings are to be at left as shown, or at the right.

The curtain may completely enclose the bather when taking a needle bath. It hangs within the tub and prevents the spraying of wall or floor. The arrangement of supply valves is unique and simple, special "Fuller" quick-opening Cocks being used.

			KICES.				
SIZES,						5 Ft.	5½ Ft. 6 Ft.
The "ROYAL" Porcelain Glaz	ed Roll Rim French lab, 6 feet by 3 feet	Shape Bath	, Plate 65-D,	as described,	: ;		\$525.00 \$540.00 36.00 \$6.00



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 66-D.


PLATE 66-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory with Gold Bands, Enamel Paint Process, NEEDLE SPRAY, shower, douche, ring and curtain; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and marble feet.

For dimensions see Plate 34-D. When ordering, state if fittings are to be at left as shown, or at the right.

The curtain may completely enclose the bather when taking a needle bath. It hangs within the tub and prevents the spraying of wall or floor. The arrangement of supply valves is unique and simple, special "Fuller" quick-opening Cocks being used.

		44	RICES.				
SIZES,					 5 Ft.	5½ Ft.	6 Ft.
The "ROYAL" Porcelain Glazed	Roll Rim French	Shape Bath,	Plate 66-D, as de	escribed,	 \$515.00 36.00	\$520.00 36.00	\$535.00 36.00
1 1/-inch Italian marbie noor siab	, o reer by a reer		· · · · · · · · · · · · · · · · · · ·				

THE "ROYAL" PORCELAIN BATH.



Copyright, 1895, by THE MUYER-SNIFFUN Co., Limited.

PLATE 67-D.

PLATE 67-D consists of the "ROYAL" Porcelain Glazed Roll Rim French Shape Bath, finished outside in White or Ivory, Enamel Paint Process, NEEDLE SPRAY, shower, douche, ring and curtain; "Capitol" waste and hot and cold supply fittings—polished brass or nickel-plated—and turned porcelain feet.

For dimensions see Plate 34-D. When ordering, state if fittings are to be at left as shown, or at the right.

The curtain may completely enclose the bather when taking a needle bath. It hangs within the tub and prevents the spraying of wall or floor. The arrangement of supply valves is unique and simple, special "Fuller" quick-opening cocks being used.

PRICES

	-																				
																			5 Ft.	5½ Ft.	6 Ft.
The "R 14-inch	OYAL Itali	." Po an m	rcelai arble	in Gl	azed r slat	Roll o, 6 f	Rim eet h	Free y 3 f	nch s eet.	Shape	Bati	h, Pla	ite 6	ĭ-D,	as d	escril	bed,	:	\$495.00 36.00	\$500.00 36.00	

THE "ROYAL" PORCELAIN SITZ BATH.

PLATE 3-C OR 68-D.

PLATE 3-C OR 68-D consists of the "ROYAL" Porcelain Glazed Rim Sitz Bath, glazed inside and out, with polished brass or nickel-plated supply fittings, "Capitol" waste, and marble supports.

PLATE 4-C or 69-D.

PLATE 4-C or 69-D consists of the "ROYAL" Porcelain Glazed Rim Sitz Bath, decorated outside in ivory, with gold band, with polished brass or nickel-plated supply fittings, "Capitol" waste, and brass legs.

Plate 3-C or 68-D, as described,				,			3	,	,		\$130.00
Add, if fittings are silver-plated,								,		٠	25.00
Plate 4-C or 69-D, as above described, .							,		ε		105.00
Add, if fittings and legs are silver-plated,											30.00
" " marble supports are preferred, .											20.00
11/4-inch Italian marble floor slab, size 31x2	5 inch	es,									9.00



PLATE 3-C.

THE "ROYAL" PORCELAIN SITZ BATH, GLAZED INSIDE AND OUT.
PLATE 3—C, consists of the "Royal" Porcelain Sitz Bath, Glazed inside and out, with Marble Supports, "Capitol" Waste and Brass Supply Pipes, all polished, nickel, or silver plated.



PLATE 4-C.

THE "ROYAL" PORCELAIN SITZ BATH, DECORATED OUTSIDE IN IVORY TINT, WITH GOLD BAND.

PLATE 4—C, consists of the "ROYAL" PORCELAIN SITZ BATH, with Glazed Rim, decorated outside in Ivory, with gold band. "Capitol" Waste. Brass Supply Pipes and Legs, all polished, nickel or silver plated.

Porcelain Enameled Iron Baths.

THE "PERSIAN,"

THE "PARIAN,"

THE "ARABIAN,"


THE "IONIAN,"

THE "EXIAN."

THE Porcelain Enameled Roll Rim Bath was first introduced in this country by us. Their popularity was instantaneous, and the increased demand has induced many concerns to go into their manufacture.

The Baths furnished by us and shown in the following illustrations are guaranteed to be unsurpassed in quality, and warranted for five years. Special attention is called to our designs, sizes, and SUPERIOR supply and waste valves and trimmings, which make up the value of a complete bath.

ROLL RIM.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 70-D.

PLATE 70-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Grecian Gold Band; "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

The supports of the "Persian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.


DIMENSIONS.

Lengths, 41/2 feet, 5 feet, 51/2 feet, and 6 feet over rim. Width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet,

רד	R	т	0	T	C

SIZES,								4½ Ft.	5 Ft.	5½ Ft.	6 Ft.
The "Persian" Bath, Plate 70-D, as described,								\$140.00	\$145.00	\$150.00	\$160.00
14-inch Italian marble floor slap, 3 feet 3 inches	wide,	6 inch	es lo	nger	than	bath	, .	30.00	33,00	36.00	39.00
Nickel-plated supply pipes to floor, extra, .								5.00	5.00	5.00	5.00

ROLL RIM.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited,

PLATE 71-D.

PLATE 71-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; "Capitol" waste and hot and cold supply fittings—nickel plated or polished brass.


The supports of the "Persian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.

DIMENSIONS.

 $Lengths, 4 \% \ feet, 5 \ feet, 5 \% \ feet, and 6 \ feet \ over \ rim. \\ Width, 2 \ feet \ 8 \ inches. \\ Width \ of \ space \ necessary \ to \ include \ fittings, 3 \ feet, 1 \ feet, 2 \ feet, 3 \ feet, 3 \ feet, 3 \ feet, 4 \ feet, 5 \ feet, 5$

	SIZES,														4½ Ft.	5 Ft.	5½ Ft.	6 Ft.
The	"PERSIAN"	Bath.	Plate	71-D,	as de	scribed									\$130.00	\$135.00	\$140.00	\$150.00
1¼-i	nch Italian	marbl	e floor	slab, 3	feet S	inches	wide,	6 inc	ches	longe	er tha	n Ba	th,		30.00	33.00	36.00	39.00
Nick	el-plated su	polv r	pipes to	floor.	extra.										5.00	5.00	5.00	5.00

ROLL RIM.



Copyright, 1851, by THE MEYER-SNIFFEN Co., Limited.

PLATE 72-D.

PLATE 73-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory; "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.


The supports of the "Persian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.

DIMENSIONS.

 $Lengths, 4 \% \ feet, 5 \ feet, 5 \% \ feet, and 6 \ feet \ over \ rim. \\ Width, 2 \ feet \ 8 \ inches. \\ Width \ of \ space \ necessary \ to \ include \ fittings, 3 \ feet. \\$

SIZES,	4½ Ft.	5 Ft.	5½ Ft.	6 Ft.
The "Persian" Bath, Plate 72-D, as described,	\$125.00	\$130.00	\$135.00	\$145.00
14-inch Italian marble floor slab, 3 feet 3 inches wide, 6 inches longer than Bath,	30.00	33.00	36.00	39.00
If Bath is unfinished outside (one coat of paint only), deduct	15.00	15.00	15.00	15.00
Nickel-plated supply pipes to floor, extra,	5 00	5.00	5.00	5.00

THE "Persian" Porcelain Enameled Iron Bath. Roll rim.



Copyright, 1894, by The Meyer-Sniffen Co., I imited

PLATE 73-D.

PLATE 73-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Grecian Band; automatic hand-spray, "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

The supports of the "Persian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.


DIMENSIONS.

Lengths, 41/2 feet, 5 feet, 51/2 feet, and 6 feet over rim. Width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

FRICES.				
SIZES,	4½ Ft.	5 Ft.	5½ Ft.	6 Ft.
The "Persian" Bath, Plate 73-D, as described	\$170.00	\$175.00	\$180.00	\$190.00
1¼-inch Italian marble floor slab, 3 feet 3 inches wide, 6 inches longer than Bath,	30.00	33.00	36.00	39.00
Nickel-plated supply pipes to floor, extra,	5.00	5.00	5.00	5.00

THE "Persian" Porcelain Enameled Iron Bath.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 74-D.

PLATE 74-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; automatic hand-spray, "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

The supports of the "Persian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains besides enhancing the artistic effect of this elegant fixture.

DIMENSIONS,


Lengths, 4½ feet, 5 feet, 5½ feet, and 6 feet over rim. Width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

P			

SIZES,	. 41/2	Ft. 5 Ft.	5½ Ft.	6 Ft.
The "Persian" Bath, Plate 74-D, as described,	. \$160	.00 \$165.00	\$170.00	\$180.00
14-inch Italian marble floor slab, 3 feet 3 inches wide, 6 inches longer than Bath, .	. 30	.00 33.00	36.00	39.00
Nickel-plated supply pipes to floor, extra, ,	. 5	.00 5.00	5.00	5.00

THE "Persian" Porcelain Enameled Iron Bath.



Copyright, 1894, by The Meyer-Smiffen Co., Limited.

PLATE 75-D.

PLATE 75-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory; automatic hand-spray, "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

The supports of the "Persian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.

DIMENSIONS.


Lengths, 4½ feet, 5 feet, 5½ feet, and 6 feet over rim. Width, 2 feet 8 inches. Width of space necessary to include fittings, 3 feet.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

F	'R	Ι	C	Е	5

											4½ Ft.	5 Ft.	5½ Ft.	6 Ft.
The "Persian" Bath											\$155.00	\$160.00	\$165.00	\$175.00
14-inch Italian marbl											30.00	33.00	36.00	39.00
If Bath is unfinished	outside ((one co	at of pair	t on	ly), (leduc	t				15.00	15.00	15.00	15.00
Nickel-plated supply p	pipes to	floor, e	extra,								5.00	5.00	5.00	5.00

THE "PERS:AN" PORCELAIN ENAMELED IRON BATH. ROLL RIM.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 76-D.

PLATE 76-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Grecian Gold Band; shower and hand-spray, automatic regulating valve, ring and rubber curtain, "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.


The supports of the "Persian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.

For dimensions see Plate 70-D.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower, in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

SIZES,	4½ Ft.	5 Ft.	51/2 Ft.	6 Ft.
The "Persian" Bath, Plate 76-D. as described,	\$200.00	\$205.00	\$210,00	\$220.00
14-inch Italian marble floor slab, 3 feet 3 inches wide, 6 inches longer than Bath,	30.00	33.00	36.00	39.00
Nickel-plated supply pipes to floor, extra,	5.00	5.00	5.00	5.00

THE "PERSIAN" PORCELAIN ENAMELED IRON BATH. ROLL RIM.



Copyright, 1891, by The Meyer Sniffen Co., Limited,

PLATE 77-D.

PLATE 77-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; shower and hand-spray, automatic regulating valve, ring and rubber curtain, "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

The supports of the "Persian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.


For dimensions see Plato 70-D.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower, in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

PRICES.

		I KICD	L).				
SIZES,				 4½ Ft.		5½ Ft.	
The "PERSIAN" Bath, Plate 77-D.				 \$190.00	\$195.00	\$200.00	\$210.00
14-inch Italian marble floor slab, 3				 30.00	33,00	36.00	39.00
Nickel-plated supply pipes to floor,	extra,			 5.00	5.00	5.00	5.00

THE "Persian" Porcelain Enameled Iron Bath. ROLL RIM.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 78-D.

PLATE 78-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory; shower and hand-spray, automatic regulating valve, ring and rubber curtain, "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.


The supports of the "Persian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.

For dimensions see Plate 70-D.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower, in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

SIZES,	4½ Ft.	5 Ft.	5½ Ft.	6 Ft.
The "Persian" Bath, Plate 78-D, as described,	\$185.00	\$190.00	\$195.00	\$205.00
14-inch Italian marble floor slab, 3 feet 3 inches wide, 6 inches longer than Bath, .	30.00	33.00	36.00	39.00
If Bath is unfinished outside (one coat of paint only), deduct ,	15.00	15.00	15.00	15.00
Nickel-plated supply pipes to floor, extra,	5.00	5.00	5.00	5.00

THE "PERSIAN" PORCELAIN ENAMELED IRON BATH. ROLL RIM.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 79-D.

PLATE 79-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Grecian Gold Band; shower and bath supply apparatus with douche and pulls, large oval curtain ring and rubber curtain, "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.


The supports of the "Persian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.

For dimensions see Plate 70-D.

A feature of the shower combination is the arrangement of the hot and cold valves on the wall to supply both bath and shower, and the combination of the douche in connection with the shower.

		PRIC	ES.					
SIZES					41% Ft.	5 Ft.	5% Ft.	6 Ft.
The "Persian" Bath, Plate 79-D, as describe	ed,				\$220,00	\$225.00	\$230,00	\$240.00
1. () 1 7 1 1 11 0 1. 1. 1 0 (4 0 ! 1					90.00	99 00	90 00	00 00

THE "Persian" Porcelain Enameled Iron Bath. ROLL RIM.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited

PLATE 80-D.

PLATE 80-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; shower and bath supply apparatus with douche and pulls, large oval curtain ring and rubber curtain, "Capitol" waste and hot and cold supply fittings—mickel-plated or polished brass.


The supports of the "Persian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.

For dimensions see Plate 70-D.

A feature of the shower combination is the arrangement of the hot and cold valves on the wall to supply both bath and shower, and the combination of the douche in connection with the shower.

PRICES.

THE "Persian" Porcelain Enameled Iron Bath.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 81-D.

PLATE 81-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory; shower and bath supply apparatus with douche and pulls, large oval curtain ring and rubber curtain, "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

The supports of the "Persian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.

For dimensions see Plate 70-D.

A feature of the shower combination is the arrangement of the hot and cold valves on the wall to supply both bath and shower, and the combination of the douche in connection with the shower.

1 KICIN.				
SIZES,	4½ Ft.	5 Ft.	5½ Ft.	6 Ft.
The "Persian" Bath, Plate 81-D, as described	\$205.00	\$210.00	\$215.00	\$225,00
1 1/4-inch Italian marble floor slab, 3 feet 3 inches wide, 6 inches longer than Bath,	80,00	33.00	36.00	39.00
f Bath is unfinished outside (one coat of paint only), deduct	15.00	15.00	15.00	15.00

THE "PERSIAN" PORCELAIN ENAMELED IRON BATH. ROLL RIM.




PLATE 82-D.

PLATE 82-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Grecian Gold Band; Needle Spray Apparatus, special shower and douche, ring and rubber curtain, "Capitol" waste and hot and cold supply fittings—all nickel-plated.


The supports of the "Presian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, beside enhancing the artistic effect of this elegant fixture.

For dimensions see Plate 70-D.

The feature of this shower and needle spray is the arrangement of the complete apparatus within the bath. The curtain is so adjusted that the spraying of wall or floor is entirely obviated.

5 Ft. 5½ Ft. 6 Ft. \$430.00 \$435.00 \$445.00 36.00 39.00 SIZES,
The "PERSIAN" Bath, Plate 82-D, as described,
14-inch Italian marble floor slab, 3 feet 3 inches wide, 6 inches longer than Bath,

THE "PERSIAN" PORCELAIN ENAMELED IRON BATH. ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 83-D.

PLATE 83-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; Needle Spray Apparatus, special shower and douche, ring and rubber curtain, "Capitol" waste, hot and cold supply fittings—all nickel-plated.


The supports of the "Persian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.

For dimensions see Plate 70-D.

The feature of this shower and needle spray is the arrangement of the complete apparatus within the bath. The curtain is so adjusted that the spraying of wall or floor is entirely obviated.

				CICE							W - / T3:	0.734
SIZES,								:		5 Ft.		6 Ft.
The "Persian" Bath, Plate 83-D, as described	i								\$420.00	Q-120.00	\$430.00	\$440.00
14-inch Italian marble floor slab, 3 feet 3 inch	es wide	e, 6	inche	s lon	ger th	nan I	Bath,		30.00	33.00	36.00	39.00

THE "Persian" Porcelain Enameled Iron Bath. Roll rim.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 84-D

PLATE 84-D consists of the "Persian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, Needle Spray Apparatus, special shower and douche, ring and rubber curtain, with "Capitol" waste, hot and cold supply fittings—all nickel-plated.

The feature of this shower and needle spray is the arrangement of the complete apparatus within the bath. The curtain is so adjusted that the spraying of wall or floor is entirely obviated.


The supports of the "Persian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.

For dimensions see Plate 70-D.

		PRICES.

	SIZES,															41/4 Ft.	5 Ft.	5 1/2 Ft.	6 Ft.
he '	'PERSIAN'	" Bath,	Plate	84-D.	as des	cribed.												\$425.00	
¼-ir	ch Italian	marb	le floor	slab.	3 feet	3 inches	wide	. 6	inches	lon	ger t	han	Bath		•	30.00	33.00	36.00	39.00
/T								, ,			8		20011,	•	•	80.00	00.00	30.00	00.00

ROLL RIM.



Copyright, 1894, by The Meyer-Sniffen Co . Limited.

PLATE 85-D,

PLATE 85-D consists of the "Parlan" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Grecian Gold Band; "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

The supports of the "Parian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.


DIMENSIONS.

Sizes, 4½ feet, 5 feet, 5½ feet, 6 feet, and 6½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 5 inches over rim.

When ordering, state if fittings are to be at left as shown, or at the right.

SIZES, .											. 4½ Fi	. 5 Ft.	5½ Ft.	6 Ft.	6 1/2 Ft.
The "PARIAN"	Bath, Plate	85-D	, as de	escribed,							. \$125.0	\$130.00	\$135.00	\$140.00	\$150,00
11/4-inch Italian	marble floo	or slab,	2 feet	6 inches	wide.	6 in	ches	long	er tha	an Ba	th. 25.0	27.00	30.00	33.00	36.00

ROLL RIM.



Copyright, 1894, by The Meyer-Sniffen Co , Limited.

PLATE 86-D.

PLATE 86-D consists of the "Parian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; "Capitol" waste and hot and cold supply fittings—nickel plated or polished brass.

The supports of the "Parian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.

DIMENSIONS.


Sizes, 4½ feet, 5 feet, 5½ feet, 6 feet, and 6½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 5 inches over rim.

When ordering, state if fittings are to be at left as shown, or at the right.

T	R	r	0	TO	c
	\mathbf{r}	т	u	£	c

SIZES, .													4½ Ft.	5 Ft.	5½ Ft.	6 Ft.	6½ Ft.
The "PARIAN"	" Bath,	Pla	te 86-L	, as d	escribed								\$120.00	\$125.00	\$130.00	\$135.00	\$145.00
11/4-inch Italian	n marb	le flo	or slab	, 2 fee	t 6 inche	s wide	, 6 in	iches	long	er th	an F	Bath,	25.00	27.00	30,00	33.00	36.00

ROLL RIM.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 87-D.

PLATE 87-D consists of the "PARIAN" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory; "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

The supports of the "Parian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.


DIMENSIONS.

Sizes, 4½ feet, 5 feet, 5½ feet, 6 feet, and 6½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 5 inches over rim.

When ordering, state if fittings are to be at left as shown, or at the right.

SIZES, .												5½ Ft.		
The "PARIAN"	Bath, I	Plate 8	87-D,	as de	scribe	a, .				\$115.00	\$120.00	\$125.00	\$130.00	\$140.00
11/4-inch Italian											27.00	30.00	33.00	36.00

ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited,

PLATE 88-D.

PLATE 88-D consists of the "Parlan" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

Note.—The water is supplied to the bath near the top through a nozzle adapted to connect a rubber tube and hand spray.

The supports of the "Parian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture,


DIMENSIONS.

Sizes, 4½ feet, 5 feet, 5½ feet, 6 feet, and 6½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 5 inches over rim.

When ordering, state if fittings are to be at left as shown, or at the right.

R			

SIZES,											4½ Ft.	5 Ft.	5 1/2 Ft.	6 Ft.	6½ Ft.
The "PARIAN" Bath, Pla	te 88-D,	as descri	ibed,								\$120.00	\$125.00	\$130.00	\$135.00	\$145.00
1 Wainch Italian marble flo	or slab.	2 feet 6 i	nches	wide.	6 in	ches	longe	er tha	an Bat	th.	25.00	27.00	30.00	33.00	36.00



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited

PLATE 89-D.

PLATE 89-D consists of the "Parlan" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Grecian Gold Band; automatic hand-spray, "Capitol" waste and not and cold supply fittings—nickel-plated or polished brass.

The supports of the "Parian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.


DIMENSIONS.

Sizes, 4½ feet, 5 feet, 5½ feet, 6 feet, and 6½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 5 inches over rim.

When ordering, state if fittings are to be at left as shown, or at the right.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

		PR	RICE	S.					
SIZES,					 41/2 Ft.	5 Ft.	5½ Ft.	6 Ft.	6½ Ft.
The "PARIAN" Bath, Plate 89-D, as described,					 \$155.00	\$160.00	\$165.00	\$170.00	\$180.00
14-inch Italian marble floor slab, 2 feet 6 inches								83.00	86,00



Copyright, 1891, by THE MEYER-SNIRREN CO. I imited

PLATE 90-D.

PLATE 90-D consists of the "Parian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; automatic hand-spray, "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

The supports of the 'Parian' Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.


DIMENSIONS.

Sizes, 4½ feet 5 feet, 5½ feet, 6 feet, and 6½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 5 inches over rim. When ordering, state if fittings are to be at left as shown, or at the right.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it.

SIZES, .													4% Ft.	5 Ft.	5% Ft.	6 Ft.	6 1/4 Ft.
The "Parian"																	
11/4-inch Italian	ı marl	ble fl	loor s	lab,	2 feet	6 inche	s wide	. 6 i	nches	long	er tha	n Bat	h. 25.00	27.00	30.00	33.00	36.00



Copyright, 1894, by The Meyer-Sniffen Co . Limited,

PLATE 91-D.

PLATE 91-D consists of the "Parian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory; automatic hand-spray, "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

The supports of the "Parian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.


DIMENSIONS.

Sizes: 4½ feet, 5 feet, 5½ feet, 6 feet, and 6½ feet length over rim. Add4 inches to include fittings. Width, 2 feet 5 inches over rim. When ordering, state if fittings are to be at left as shown, or at the right.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it.

SIZES										5 Ft.		6 Ft.	
The "PARIAN" Bath, Plate 91-I), as describ	oed							\$145.00	\$150.00	\$155.00	\$160.00	\$170.00
11/4-inch Italian marble floor slab	2 feet 6 inc	hes wide	e. 6 ir	ches	longe	r tha	n Ba	th,	25.00	27.00	30.00	33.00	36.00



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 92--D.

PLATE 92-D consists of the "Parlan" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Grecian Gold Band; shower and hand-spray, automatic regulating valve, ring and rubber curtain, "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.


The supports of the "Parian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.

For dimensions see Plate 85-D. When ordering, state if fittings are to be at left as shown, or at the right.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

PRICES.

SIZES,					,					5 Ft.			
The "PARIAN" Bath. Plate 92-												\$195.00	\$205.00
11/4-inch Italian marble floor sta	ab, 2 feet 6 inches	wide.	6 inc	ches	long	er tha	an Ba	th,	25.00	27.00	30.00	33.00	36.00



Copyright, 1894, by THE MEYER SNIFFEN Co., Limited.

PLATE 93-D.


PLATE 93-D consists of the "PARIAN" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; shower and hand-spray, automatic regulating valve, ring and rubber curtain, "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

The supports of the "Parian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.

For dimensions see Plate 85-D. When ordering, state if fittings are to be at left as shown, or at the right.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower, in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

SIZES, The "PARIAN" Bath, Plate 93-D, as described								4% Ft. \$175.00				
14-inch Italian marble floor slab, 2 feet 6 inches	wide	6 in	ches	longe	er tha	n Ba	ıth	25.00	27.00	30.00	33.00	36.00



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 94-D consists of the "Parlan" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory: shower and hand-spray, automatic regulating valve, ring and rubber curtain, "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.


The supports of the "Parian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains, besides enhancing the artistic effect of this elegant fixture.

For dimensions see Plate 85-D. When ordering, state if fittings are to be at left as shown, or at the right.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower, in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

SIZES,								4% Ft.	5 Ft.	5½ Ft.	6 Ft.	6½ Ft.
The "PARIAN" Bath, Plate										\$180.00	\$185.00	\$195.00
14-inch Italian marble floor	r slab, 2 te	et 6 inches w	ide,	6 inche	s lon	ger th	an Bath	, 25.00	27.00	30.00	33.00	36.00

ROLL RIM.



Copyright, 1834, by THE MEYER-SNIFFEN Co., Limited.

PLATE 95-D.

PLATE 95-D consists of the "PARIAN" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; "Capitol" waste, No. 6" Em-Ess" Fuller double bath cock, and pipes to floor—nickel-plated or polished brass.


Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design, claw pattern, holding a china ball, which protects the floor from corrosive stains.

DIMENSIONS.

Sizes, $4\frac{1}{2}$ feet, 5 feet, $5\frac{1}{2}$ feet, and $6\frac{1}{2}$ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 5 inches over rim. Width of rim, 3 inches. When ordering, state if fittings are to be at left as shown, or at the right.

SIZES,										4½ Ft.	5 Ft.	5½ Ft.	6 Ft.	6½ Ft.
The "PARIAN" Bath,	Plate 95-	D, as d	lescribed,							\$110.00	\$115.00	\$120.00	\$125.00	\$135.00
11/4-inch Italian marb	le floor sla	b, 2 fe	et 6 inche	s wide	6 inc	ches lo	nger	than	Bath.	25.00	27.00	30.00	33.00	36.00

ROLL RIM.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 96-D.

PLATE 96-D consists of the "Partan" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory; with "Capitol" waste, No. 6 "Em-Ess" Fuller double bath cock, and pipes to floor—nickel-plated or polished brass.


Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design, claw pattern, holding a china ball, which protects the floor from corrosive stains.

DIMENSIONS.

Sizes, 4½ feet, 5 feet, 5½ feet, 6 feet, and 6½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 5 inches over rim. Width of rim, 3 inches. When ordering, state if fittings are to be at left as shown, or at the right.

SIZES,							4½ Ft.	5 Ft.	5½ Ft.	6 Ft.	6½ Ft.
The "PARIAN" Bath, Plate 96-D, as described,							\$105.00	\$110.00	\$115.00	\$120.00	\$130.00
14-inch Italian marble floor slab, 2 feet 6 inches	wide,	6 inche	s long	er tha	an Ba	th,	25.00	27.00	30.00	33.00	36.00
If Bath is unfinished outside (one coat of paint of	nly),	leduct					15.00	15 00	15 00	15.00	15.00

ROLL RIM.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 97-D.

PLATE 97-D consists of the "Pakian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; No. 6 "Em-Ess" Fuller double bath cock, pipes to floor, and connected overflow and waste—nickel-plated or polished brass.

Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design, claw pattern, holding a china ball, which protects the floor from corrosive stains.

DIMENSIONS.

Sizes, 4% feet, 5 feet, 5½ feet, 6 feet, and 6½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 5 inches over rim, Width of rim, 3 inches. When ordering, state if fittings are to be at left as shown, or at the right,

P	R	T	C	\mathbf{E}	S

	SIZES, .													4½ Ft.	5 Ft.	5½ Ft.	6 Ft.	6½ Ft.
The '	'PARIAN"	Bath,	Plate	97-D	, as de	escribed,								\$95.00	\$100.00	\$105.00	\$110.00	\$120.00
11/-ir	ich Italian	marb	le floo	r slab,	2 feet	6 inches	wide	, 6 in	ches	longe	er tha	n Ba	th,	25.00	27.00	80.00	83,00	36.00

ROLL RIM.




PLATE 98-D consists of the "Parian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory; with No. 6 "Em-Ess" Fuller double bath cock, pipes to floor, and connected overflow and waste - nickel-plated or

Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design, claw pattern, holding a china ball, which protects the floor from corrosive stains.


DIMENSIONS.

Sizes, 4½ feet, 5 feet, 5½ feet, 6 feet, and 6½ feet length over rim. Add 4 inches to include fittings. Width, 3 feet 5 inches over rim. Width of rim, 3 inches. When ordering, state if fittings are to be at left as shown, or at the right.

PRICES.

The "Parian" Bath, Plate 98-D, as described, 61/2 Ft. 1¼-inch Italian marble floor slab, 2 feet 6 inches wide, 6 inches longer than Bath, . \$90.00 \$95.00 \$100.00 \$105.00 If Bath is unfinished outside (one coat of paint only), deduct \$15.00. If without supply pipes to floor, deduct \$5.00. 36.00 If connected overflow and waste are nickel-plated on the rough, deduct \$2.50. If furnished rough brass, deduct \$5.00.

ROLL RIM, WITH "YORK" WASTE.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 99-D.

PLATE 99-D consists of the "PARIAN" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Grecian Gold Band; "York" waste combination, and pipes to floor—nickel-plated or polished brass.

An important feature of this apparatus is the "York" waste. It is simpler and easier to operate than any other device and cannot get out of order. A slight turn of the handle (which is located on the rim) operates the stopper. The overflow is accessible and can be readily cleaned.

Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design, claw pattern, holding a china ball, which protects the floor from corrosive stains.


DIMENSIONS.

Sizes, 4½ feet, 5 feet, 5½ feet, 6 feet, and 6½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 5 inches over rim.

When ordering, state if fittings are to be at left as shown, or at the right.

		PF	RICE	S.							
SIZES,							41/2 Ft.	5 Ft.	5½ Ft.	6 Ft.	6½ Ft.
The "Parian" Bath, Plate 99-D, as described, .							\$130.00	\$135.00	\$140.00	\$145.00	\$155.00
11/-inch Italian marble floor slab. 2 feet 6 inches wide	6 ir	ohes	long	er th	an Re	afh	25 00	27 00	30 00	33 00	36.00

ROLL RIM, WITH "YORK" WASTE.



Copyright, 1894, by The MEYER-SNIFFEN Co., Limited.

PLATE 100-D.

PLATE 100-D consists of the "Parlan" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; "York" waste combination, and pipes to floor—nickel-plated or polished brass,

An important feature of this apparatus is the "York" waste. It is simpler and easier to operate than any other device and cannot get out of order. A slight turn of the handle (which is located on the rim) operates the stopper. The overflow is accessible and can be readily cleaned.

Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design, claw pattern, holding a china ball, which protects the floor from corrosive stains.


DIMENSIONS.

Sizes, 4½ feet, 5 feet, 5½ feet, 6 feet, and 6½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 5 inches over rim. When ordering, state if fittings are to be at left as shown, or at the right.

R		

SIZES, .															4½ Ft.	5 Ft.	5½ Ft	6 Ft.	6½ Ft.
The "PARIAN"	Bath,	Plat	e 100	-D,	as d	escrib	ed								\$125.00	\$130.00	\$135.00	\$140.00	\$150,00
11/4-inch Italian	marb	le flo	or sla	ab, 2	feet	6 inc	hes	wide.	6 in	ches	long	er th	an l	Bath.	25.00	27.00	30.00	33.00	36.00

ROLL RIM, WITH "YORK" WASTE.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 101-D.

PLATE 101-D consists of the "Parian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory; with "York" waste and supply combination, and pipes to floor—nickel-plated or polished brass.

An important feature of this apparatus is the "York" waste. It is simpler and easier to operate than any other device and cannot get out of order. A slight turn of the handle (which is located on the rim) operates the stopper. The overflow is accessible and can be readily cleaned.


Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design, claw pattern, holding a china ball, which protects the floor from corrosive stains.

DIMENSIONS,

Sizes, $4\frac{1}{2}$ feet, 5 feet, $5\frac{1}{2}$ feet, 6 feet, and $6\frac{1}{2}$ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 5 inches over rim. When ordering, state if fittings are to be at left as shown, or at the right.

SIZES, .												4½ Ft.	5 Ft.	5½ Ft.	6 Ft.	6½ Ft.
The "PARIAN" H	Bath. Pla	ate 101-	D, as	describe	i, .							\$120.00	\$125.00	\$130.00	\$135.00	\$145.00
11/-inch Italian	marble f	loor slab	. 2 fee	et 6 inche	es wide	, 6 in	ches	long	er tha	an Ba	th,	25.00	27.00	30.00	33.00	36.00
If Bath is	s unfinis	hed out	side (d	ne coat	of pain	t only	y), de	duct	\$15.0	00. 1	f w	ithout su	pply pipes	to floor, de	educt \$5.0	0.

THE "PARIAN" PORCELAIN ENAMELED IRON BATH. ROLL RIM, WITH "YORK" WASTE.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 102-D.

PLATE 102-D consists of the "Parlan" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Grecian Gold Band; automatic hand-spray, "York" waste combination, and pipes to floor—nickel-plated or polished brass.

An important feature of this apparatus is the "York" waste. It is simpler and easier to operate than any other device and cannot get out of order. A slight turn of the handle (which is located on the rim) operates the stopper. The overflow is accessible and can be readily cleaned.

Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design, claw pattern, holding a china ball, which protects the floor from corrosive stains.

Note.—The automatic hand-spray (patented) illustrated with above bath is arranged and constructed so that the cold water must be turned on first, thus insuring the user against being scalded.

The hot-water valve permits the control of the volume of cold water also, so that the temperature of the water let through the shampoo may be regulated by it.


DIMENSIONS.

Sizes, 4½ feet, 5 feet, 5½ feet, 6 feet, and 6½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 5 inches over rim. When ordering, state if fittings are to be at left as shown, or at the right.

P	RI	C	E	S
---	----	---	---	---

SIZES,														4½ Ft.	5 Ft.	5½ Ft.	6 Ft.	6½ Ft.
The "PARIAN	" Bat	th, Pl	ate 10	2-D	as de	scribed				,				\$160.00	\$165.00	\$170.00	\$175.00	\$185.00
11/-inch Italia	an ma	arble	floor :	slab,	2 feet	6 inche	s wid	e, 6	inche	s lo	nger	than	Bath,	25.00	27.00	30.00	33.00	36.00

THE "PARIAN" PORCELAIN ENAMELED IRON BATH. ROLL RIM, WITH "YORK" WASTE.



Copyright, 1894, by THE MEYER SNIFFEN Co., Limited.

PLATE 103-D.

PLATE 103-D consists of the "Parian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; shower and hand-spray, automatic regulating valve, ring and rubber curtain, "York" waste combination, and pipes to floor—nickel-plated or polished brass.

An important feature of this apparatus is the "York" waste. It is simpler and easier to operate than any other device and cannot get out of order. A slight turn of the handle (which is located on the rim) operates the stopper. The overflow is accessible and can be readily cleaned.

Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design, claw pattern, holding a china ball, which protects the floor from corrosive stains.


For dimensions see Plate 102-D When ordering, state if fittings are to be at left as shown, or at the right.

A feature of this shower apparatus is the arrangement of the hot and cold supply to shower, in which the cold water is necessarily turned on first, thus avoiding the possibility of scalding. The hot-water valve can then be used to regulate the temperature of the water.

PRICES.

	SIZES,														5 Ft.	5% Ft.	6 Ft.	6½ Ft.
	" Parian													\$180.00	\$185.00	\$190.00	\$200.00	\$210.00
1 ½ -i1	ach Italiar	n marble	floor	slab, 2	feet 6 in	ches w	ride,	6 inc	ches	longe	r thai	n Bat	h,	25.00	27.00	30.00	33.00	36.00

FLAT GLAZED RIM.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 104-D.

PLATE 104-D consists of the "Arabian" Porcelain Enameled Iron Bath, Flat Giazed Rim, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design claw pattern, holding a china ball, which protects the floor from corrosive stains.

DIMENSIONS.


Sizes, 4 feet 5 inches, 4 feet 10 inches, 5 feet 4 inches, 5 feet 10 inches, and 6 feet 4 inches length over rim.

Add 4 inches to include fittings. Width, 2 feet 3 inches over rim. Width of rim, 2½ inches.

When ordering, state if fittings are to be at left as shown, or at the right.

SIZES, .											4 ft, 5 in,	4 ft. 10 iu.	5 ft. 4 in.	5 ft. 10 in.	6 ft. 4 in.
The "ARABIAN	" Bath,	Plate	e 104	⊢D, a	as de	escrib	ed				\$105.00	\$110.00	\$115.00	\$120.00	\$125.00
14-inch Italian	marbl	e floor	r slal	b, 2 f	eet 6	inch	es w	ride,	inc	hes					
longer than	Bath,										25.00	27.00	30.00	33.00	36,00

FLAT GLAZED RIM.



Copyright, 1834, by THE MEYER-SNIFFEN Co., Limited.

PLATE 105-D.

PLATE 105-D consists of the "Arabian" Porcelain Enameled Iron Bath, Flat Glazed Rim, finished outside in Enamel Paint Process, White or Ivory; with "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design, claw pattern, holding a china ball, which protects the floor from corrosive stains.

DIMENSIONS.

Sizes, 4 feet 5 inches, 4 feet 10 inches, 5 feet 4 inches, 5 feet 10 inches, and 6 feet 4 inches length over rim.

Add 4 inches to include fittings. Width, 2 feet 3 inches over rim.


When ordering, state if fittings are to be at left as shown, or at the right.

PRICES.

SIZES, .													4 ft. 5 in.	4 ft. 10 in.	5 ft. 4 in.	5 ft. 10 in.	6 ft. 4 in.
The "ARABIAN	" Ba	th, I	Plate	105-I), as	desc	ribed	,					\$100.00	\$105,00	\$110.00	\$115.00	\$120.00
11/4-inch Italian	n mar	ble :	floor s	slab,	2 fee	t 6 ir	ches	wide	e, 6 ir	che	s long	ger					
than Bath	, .												25.00	27.00	30.00	33.00	36.00

If Bath is unfinished outside (one coat of paint only), deduct \$15.00. If without supply pipes to floor, deduct \$5.00.

FLAT GLAZED RIM.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 106-D.

PLATE 106-D consists of the "Arabian" Porcelain Enameled Iron Ecth, Flat Glazed Rim, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; "Capitol" waste, No. 6 "Em-Ess" Fuller double bath cock, and pipes to floor—nickel-plated or polished brass.

Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design, claw pattern, holding a china ball, which protects the floor from corrosive stains.

DIMENSIONS.


Sizes, 4 feet 5 inches, 4 feet 10 inches, 5 feet 4 inches, 5 feet 10 inches, and 6 feet 4 inches length over rim.

Add 4 inches to include fittings. Width, 2 feet 3 inches over rim. Width of rim, 2½ inches.

When ordering, state if fittings are to be at left as shown, or at the right.

										P	RICE	ES.					
STZ	ES, .												4 ft. 5 in.	4 ft. 10 in.	5 ft. 4 in.	5 ft, 10 in,	6 ft. 4 in.
The "A														\$95.00	\$100.00	\$105.00	\$110.00
1¼-inch	Italian	marb	le floor	slab,	2 fee	t 6 in	ches	wide	, 6 i	nche	s long	ger			*	Q100.00	Q110.00
than	Bath.											-	25.00	97 00	90.00	99.00	90.00

FLAT GLAZED RIM.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 107-D.

PLATE 107-D consists of the "Arabian" Porcelain Enameled Iron Bath, Flat Glazed Rim, finished outside in Enamel Paint Process, White or Ivory; with "Capitol" waste, No. 6 "Em-Ess" Fuller double bath cock, and pipes to floor—nickel-plated or polished brass.

Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design, claw pattern, holding a china ball, which protects the floor from corrosive stains.

DIMENSIONS.

Sizes, 4 feet 5 inches, 4 feet 10 inches, 5 feet 4 inches, 5 feet 10 inches, and 6 feet 4 inches length over rim.


Add 4 inches to include fittings. Width, 2 feet 3 inches over rim. Width of rim, 2½ inches.

When ordering, state if fittings are to be at left as shown, or at the right.

										PI	RICI	ES.					
S	IZES, .												4 ft. 5 in.	4 ft. 10 in.	5 ft. 4 in.	5 ft. 10 in.	6 ft. 4 in.
													\$85.00	\$90.00	\$95.00	\$100.00	\$105.00
11/4-inch	Italian	marbl	e floor	slab,	2 fee	t 6 1n	ches	wide	, 6 i1	aches	lon	ger					
the	n Roth												25.00	27.00	30.00	33,00	36.00

If Bath is unfinished outside (one coat of paint only), deduct \$15.00. If without supply pipes to floor, deduct \$5.00.

FLAT GLAZED RIM.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 108-D.

PLATE 108-D consists of the "Arabian" Porcelain Enameled Iron Bath, Flat Glazed Rim, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; No. 6 "Em-Ess" Fuller double bath cock, pipes to floor and connected overflow and waste—nickel-plated or polished brass.

Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design, claw pattern, holding a china ball, which protects the floor from corrosive stains.

DIMENSIONS.

Sizes, 4 feet 5 inches, 4 feet 10 inches, 5 feet 4 inches, 5 feet 10 inches, and 6 feet 4 inches length over rim.


Add 4 inches to include fittings. Width, 2 feet 3 inches over rim. Width of rim, 2½ inches.

When ordering, state if fittings are to be at left as shown or at the right.

D	R	т	0	C	c
Г	1	1	·	Ľ	8

	SIZES, .													4 ft. 5 in.	4 ft. 10 in.	5 ft. 4 in.	5 ft. 10 in.	6 ft. 4 in.
The "	ARABIAN	" Bai	th, I	Plate	108-	D, as	desc	ribed	1,					\$80.00	\$85.00	\$90.00	\$95.00	\$100.00
1¼-in	ch Italian	mar	ble :	floor	slab,	2 fee	t 6 in	ches	wide	e, 6 i	nche	s lon	ger					
th	nan Bath,													25.00	27.00	30.00	33.00	36.00

FLAT GLAZED RIM.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 109-D.

PLATE 109-D consists of the "Arabian" Porcelain Enameled Iron Bath, Flat Glazed Rim, finished outside in Enamel Paint Process, White or Ivory; with No. 6 "Em-Ess" Fuller double bath cock, pipes to floor and connected overflow and wastenickel-plated or polished brass.

Special attention is called to the patent feet furnished with our porcelain Enameled Iron Baths. They are of neat design, claw pattern, holding a china ball, which protects the floor from corrosive stains.


DIMENSIONS.

Sizes, 4 feet 5 inches, 4 feet 10 inches, 5 feet 4 inches, 5 feet 10 inches, and 6 feet 4 inches length over rim. Add 4 inches to include fittings. Width, 2 feet 3 inches over rim. Width of rim, 2½ inches. When ordering, state if fittings are to be at left as shown, or at the right.

SIZES,									4 ft. 5 in.	4 ft. 10 in.	5 ft. 4 in.	5 ft. 10 in.	6 ft. 4 in.
The "ARABIAN" Bath, P									\$75.00	\$80.00	\$85.00	\$90.00	\$95.00
11/4-inch Italian marble fl	oor s	lab, 2	feet	6 incl	ies w	ide,	6 inc	hes					
longer than Bath,									25.00	27.00	30.00	33.00	36.00

If Bath is unfinished outside (one coat of paint only), deduct \$15.00. If without supply pipes to floor, deduct \$5.00. If connected overflow and waste are nickel-plated on the rough, deduct \$2.50. If furnished rough brass, deduct \$5.00.

ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 110-D.

PLATE 110-D consists of the "Ionian" Porcelain Enameled Iron Bath, unfinished outside (one coat of paint); "Capitol waste and hot and cold supply fittings—nickel-plated or polished brass.

Note.—The special roll rim of the "Ionian" Bath is smaller than the "Parian," reducing the width 2 inches.


The supports of the "Ionian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains,

DIMENSIONS.

Sizes, 4½ feet, 5 feet, and 5½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 3 inches over rim. When ordering, state if fittings are to be at right as shown, or at the left.

SIZES,					5 Ft.	5½ Ft.
The "Ionian" Bath, Plate 110-D, as described,	. ,			\$90.00	\$95.00	\$100.00
1¼-inch Italian marble floor, 2 feet 6 inches wide, 6 inches longer than	Bath			25.00	27.00	30,00

ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 111-D.

PLATE 111-D consists of the "Ionian" Porcelain Enameled Iron Bath, unfinished outside (one coat of paint); "Capitol" waste and special supply fittings, nozzle inlet through top of the bath, and pipes to floor—nickel-plated.

The nozzle supply is indicated in the cut as showing through the bath.

Note.—The special roll rim of the "Ionian" Bath is smaller than the "Parian," reducing the width 2 inches.


The supports of the "Ionian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.

DIMENSIONS.

Sizes, 4½ feet, 5 feet, and 5½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 3 inches over rim. When ordering, state if fittings are to be at right as shown, or at the left.

			PRI	CES.								
SIZES,					,					4½ Ft.	5 Ft.	5½ Ft.
The "Ionian" Bath, Plate 111-D, as described,											\$95.00	\$100.00
14-inch Italian marble floor slab, 2 feet 6 inches w	ide,	6 inc	hes l	onge	r thai	ı Ba	th,			25.00	27.00	30.00

ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 112-D.

PLATE 112-D consists of the "Ionian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Troy Band; "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

Note.—The special roll rim of the "Ionian" Bath is smaller than the "Parian," reducing the width 2 inches.

The supports of the "Ionian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.


DIMENSIONS.

Sizes, 4½ feet, 5 feet, and 5½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 3 inches over rim. When ordering, state if fittings are to be at right as shown, or at the left.

PRĪCES.

SIZES,																	4½ Ft.	5 Ft.	5½ Ft
The "IONIAN	ı" Ba	th,	Plate.	112-D	, as	descri	bed,										\$110.00	\$115.00	\$120.00
11/4-inch Ital	ian m	arb	le floo	r slab,	2 fe	et 6 in	ches	wide	6 in	ches :	longer	tha	n bat	h,			25.00	27.00	30.00

ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 113-D.

PLATE 113-D consists of the "Ionian" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Troy Band; "Capitol" waste and special supply fittings, nozzle inlet through top of the bath, and pipes to floor—nickel-plated.

The nozzle supply is indicated in the cut as showing through the bath.

Note.—The special roll rim of the "Ionian" Bath is smaller than the "Parian," reducing the width 2 inches.


The supports of the "Ionian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.

DIMENSIONS.

Sizes, 4½ feet, 5 feet, and 5½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 3 inches over rim. When ordering, state if fittings are to be at right as shown, or at the left.

SIZES,										,			٠		4½ Ft.	5 Ft.	5½ Ft
The "Ionian"	Bath,	Plate	113-D	, as des	cribed	, .									\$110.00	\$115.00	\$120.00
11/4-inch Italian	n marb	le floo	r slab,	2 feet	6 inch	es wide	, 6 in	ches 1	onge	tha:	n Ba	th,			25.00	27 00	30.00

ROLL RIM.



Copyright, 1895, by The Meyer-Sniffun Co., Limited,

PLATE 114-D.

PLATE 114-D consists of the "Ionian" Porcelain Enameled Iron Bath, unfinished outside (one coat of paint); "Capitol" waste, trap above floor, and special supply fittings, nozzle inlet through top of the bath, and pipes to floor—nickel-plated.

The nozzle supply is indicated in the cut as showing through the bath.

Note.—The special roll rim of the "Ionian" Bath is smaller than the "Parian," reducing the width 2 inches.


The supports of the "IONIAN" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.

DIMENSIONS.

Sizes, $4\frac{1}{2}$ feet, 5 feet, and $5\frac{1}{2}$ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 3 inches over rim. When ordering, state if fittings are to be at right as shown, or at the left.

SIZES,						5½ Ft.
The "Ionian" Bath, Plate 114-D, as described,				\$99.00	\$104.00	\$109.00
11/-inch Italian marble floor slab, 2 feet 6 inches wide, 6 inches longer	than Bath.			25.00	27.00	30 00

ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited

PLATE 115-D.

PLATE 115-D consists of the "IONIAN" Porcelain Enameled Iron Bath, finished outside in Enamel Paint Process, White or Ivory, with Gold Troy Band; "Capitol" waste, trap above floor, hot and cold supply fittings—nickel-plated or polished brass.

NOTE.—The special roll rim of the "IONIAN" Bath is smaller than the "Parian," reducing the width 2 inches.


The supports of the "IONIAN" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.

DIMENSIONS.

Sizes, 4½ feet, 5 feet, and 5½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 3 inches over rim. When ordering, state if fittings are to be at right as shown, or at the left.

SIZES																	41/2 Ft.	5 Ft.	5½ Ft.
The " Ioni.	AN "	Bath	, Plate	115-D	, as	describ	ed,										\$119.00	\$124.00	\$129.00
11/2-inch Ita	alian	mar	ble floo	r slab,	, 2 fe	eet 6 inc	hes	wide,	6 inc	hes l	onger	than	n bat	h,			25.00	27.00	30.00

ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 116-D.

PLATE 116-D consists of the "Ionian" Porcelain Enameled Iron Bath, unfinished outside (one coat of paint); "Capitol" waste and No. 6 "Em-Ess" "Fuller" double bath cock, ivory celluloid trimmed, and nickel-plated.

Note.—The special roll rim of the "Ionian" Bath is smaller than the "Parian," reducing the width 2 inches.


The supports of the "Ionian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.

DIMENSIONS.

Sizes, 4½ feet, 5 feet, and 5½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 3 inches over rim. When ordering, state if fittings are to be at left as shown, or at the right.

SIZES,														4½ Ft.	5 Ft.	5½ Ft.	
The "Ionian" Bath,	Plate	116-D	, as d	escrib	ed,									\$75.00	\$80.00	\$85.00	
If with pipes to floor,																89.00	
14-inch Italian marbl	e floor	, 2 fee	t 6 inc	ches w	ide,	6 inch	es lo	nger	than	Bath	١.			25 00			

ROLL RIM.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 117-D.

PLATE 117-D consists of the "Ionian" Porcelain Enameled Iron Bath, unfinished outside (one coat of paint); No. 6 "Em-Ess" "Fuller" double bath cock, ivory celluloid trimmed, with nickel-plated plug, chain and rubber stopper, and couplings.

NOTE.—The special roll rim of the "Ionian" is smaller than the "Parian," reducing the width 2 inches.


The supports of the "IONIAN" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.

DIMENSIONS.

Sizes, 4½ feet, 5 feet, and 5½ feet length over rim. Add 4 inches to include fittings. Width, 2 feet 3 inches over rim. When ordering, state if fittings are to be at left as shown, or at the right,

SIZES,												5 Ft.	51/2 Ft.
The "Ionian" Bath, Plate 117-D, as described,									٠		\$60.00	\$65.00	\$70.00
If with connected overflow and pipes to floor,												79.00	
11/4-inch Italian marble floor slab, 2 feet 6 inches	wide	, 6 incl	ies le	onger	than	bati	h,	,	,	,	25.00	27,00	30.00

HARDWOOD RIM.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 118-D.

PLATE 118-D consists of the "EXIAN" Porcelain Enameled Iron Bath, French shape, with hardwood rim, unfinished outside (one coat of paint); "Capitol" waste and special supply fittings, nozzle supply through top of bath, and pipes to floor—nickel-plated.

The nozzle supply is indicated in the cut as showing through the tub.

The porcelain enameled baths furnished by us are guaranteed to be unsurpassed in quality by any other make. The Capitol" waste and specially constructed supply valves are the best that can be produced.

The supports of the "Exian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.


DIMENSIONS.

Sizes, 4 feet 5 inches, 4 feet 11 inches, 5 feet 5 inches, 5 feet 11 inches, 6 feet 5 inches over rim. Add 4 inches to include fittings.

Width, 2 feet 4 inches over rim. When ordering state if fittings are to be at right as shown, or at the left.

R			

HARDWOOD RIM.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 119-D.

PLATE 119-D consists of the "EXIAN" Porcelain Enameled Iron Bath, French shape, with hardwood rim, unfinished outside (one coat of paint); "Capitol" waste and special supply fittings, supply near bottom of bath (bell inlet), and pipes to floor—nickel-plated.

The porcelain enameled baths furnished by us, are guaranteed to be unsurpassed in quality by any other make. The "Capitol" waste and specially constructed supply valves are the best that can be produced.


The supports of the "EXIAN" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.

DIMENSIONS.

Sizes, 4 feet 5 inches, 4 feet 11 inches, 5 feet 5 inches, 6 feet 5 inches over rim. Add 4 inches to include fittings. Width, 2 feet 4 inches. When ordering state if fittings are to be at right as shown, or at the left.

											PR	ICES	5.					
	SIZES,													4 ft. 5 in.	4 ft. 11 in.	5ft.5in.	5 ft. 11 in.	6 ft. 5 in.
The	"EXIAN	"]	Bath.	Plate	119-1). a	s de	escrib	ned					\$83.50	\$87.50	\$92.50	\$97.50	\$102.50

HARDWOOD RIM.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 120-D.

PLATE 120-D consists of the "EXIAN" Porcelain Enameled Iron Bath, French shape, with "Capitol" waste and special supply fittings, nozzle supply through top of bath and pipes to floor, nickel-plated, and hardwood rim; bath finished outside in White or Ivory (enamel paint process), with Gold Troy Band.

The nozzle supply is indicated in the cut as showing through the tub.

The porcelain enameled baths furnished by us are guaranteed to be unsurpassed in quality by any other make. The "Capitol" waste and specially constructed supply valves are the best that can be produced.


The supports of the "Exian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.

DIMENSIONS.

Sizes, 4 feet 5 inches, 4 feet 11 inches, 5 feet 5 inches, 5 feet 11 inches, 6 feet 5 inches over rim. Add 4 inches to include fittings. Width, 2 feet 4 inches over rim. When ordering state if fittings are to be at right as shown, or at the left.

			PR	ICES	3.					
SIZES,						4 ft. 5 in.	4 ft. 11 in.	5 ft. 5 in.	5 ft. 11 in.	6 ft. 5 in.
The "Exian" Bath, Plate 120-D, as described,	٠	•	•		٠	\$103.50	\$107.50	\$112.50	\$117.50	\$122.50

HARDWOOD RIM.



Copyright, 1895, by The MEYER-SNIFFEN Co., Limited.

PLATE 121-D.

PLATE 121-D consists of the "EXIAN" Porcelain Enameled Iron Bath, French shape, with "Capitol" waste and special supply fittings, supply near bottom of bath (bell inlet) and pipes to floor, and hardwood rim; bath finished in White or Ivory (enamel paint process), with Gold Troy Band.

The porcelain enameled baths furnished by us are guaranteed to be unsurpassed in quality by any other make. The "Capitol" waste and specially constructed supply valves are the best that can be produced.

The supports of the "Exian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.


DIMENSIONS.

Sizes, 4 feet 5 inches, 4 feet 11 inches, 5 feet 5 inches, 5 feet 11 inches, 6 feet 5 inches over rim. Add 4 inches to include fittings.

Width, 2 feet 4 inches over rim. When ordering state if fittings are to be at right as shown, or at the left.

P			

HARDWOOD RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 122-D.

PLATE 122-D consists of the "Exian" Porcelain Enameled Iron Bath, French shape, with hardwood rim, unfinished outside (one coat of paint); "Capitol" waste and special supply fittings, nozzle supply through top of bath, pipes to floor, and trap—polished brass or nickel-plated.

The nozzle supply is indicated in the cut as showing through the tub.

The porcelain enameled baths furnished by us are guaranteed to be unsurpassed in quality by any other make. The "Capitol" waste and specially constructed supply valves are the best that can be produced.


The supports of the "Exian" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.

DIMENSIONS.

Sizes, 4 feet 5 inches, 4 feet 11 inches, 5 feet 5 inches, 5 feet 11 inches, 6 feet 5 inches over rim. Add 4 inches to include fittings. Width, 2 feet 4 inches over rim. When ordering state if fittings are to be at right as shown, or at the left.

P			

HARDWOOD RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited

PLATE 123-D.

PLATE 123-D consists of the "EXIAN" Porcelain Enameled Iron Bath, French shape, with "Capitol" waste and special supply fittings, supply near bottom of bath (bell inlet) pipes to floor and trap, polished brass or nickel-plated, and hardwood rim; bath finished outside in White or Ivory (enamel paint process), with Gold Troy Band.

The porcelain enameled baths furnished by us are guaranteed to be unsurpassed in quality by any other make. The "Capitol" waste and specially constructed supply valves are the best that can be produced.


The supports of the "EXIAN" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.

DIMENSIONS.

Sizes, 4 feet 5 inches, 4 feet 11 inches, 5 feet 5 inches, 5 feet 11 inches, 6 feet 5 inches over rim. Add 4 inches to include fittings. Width, 2 feet 4 inches over rim. When ordering state if fittings are to be at right as shown, or at the left.

P	R	I	С	\mathbf{E}	S

HARDWOOD RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited,

PLATE 124-D.

PLATE 124-D consists of the "EXIAN" Porcelain Enameled Iron Bath, French shape, unfinished outside (one coat of paint); with "Capitol waste and No. 6" Em-Ess" Fuller double bath cock, ivory celluloid trimmed, and hardwood rim.

The porcelain enameled baths furnished by us are guaranteed to be unsurpassed in quality by any other make. The · Capitol" waste and specially constructed supply valves are the best that can be produced.

The supports of the "EXIAN" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.


DIMENSIONS.

Sizes, 4 feet 5 inches, 4 feet 11 inches, 5 feet 5 inches, 5 feet 11 inches, 6 feet 5 inches over rim. Add 4 inches to include fittings.

Width, 2 feet 4 inches over rim. When ordering state if fittings are to be at left as shown, or at the right.

		P	RIC	ES.					
S12ES,					4 ft. 5 in.	4 ft. 11 in.	5 ft. 5 in.	5 ft. 11 in.	6 ft. 5 in.
The "EXIAN" Bath, Plate 124-D, as described,					\$71.00	\$75.00	\$80.00	\$85.00	\$90.00
Add for pines to floor					4 00	4 00	4 00	4 00	4 00

HARDWOOD RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 125-D.

PLATE 125-D consists of the "EXIAN" Porcelain Enameled Iron Bath, French shape, unfinished outside (one coat of paint); No. 6 "Em-Ess" Fuller double bath cock, ivory celluloid trimmed, with nickel-plated plug, chain, and rubber stopper, and coup lings, with hardwood rim.

The porcelain enameled baths furnished by us are guaranteed to be unsurpassed in quality by any other make.

The supports of the "EXIAN" Bath rest on china balls (patented), which protect the floor from all possible corrosive stains.

DIMENSIONS.

Sizes, 4 feet 5 inches, 4 feet 11 inches, 5 feet 5 inches, 5 feet 11 inches, 6 feet 5 inches over rim. Add 4 inches to include fittings.

Width, 2 feet 4 inches over rim. When ordering, state if fittings are to be at left as shown, or at the right.

 PR	T	~	TOG

SIZES,			4 ft. 5 in.	4 tt. 11 in.	5 ft. 5 in.	5 ft. 11 in.	6 ft. 5 in.
The "EXIAN" Bath, Plate 125-D, as described,			\$51.00	\$55.00	\$60.00	\$65.00	\$70.00
If with connected overflow and pipes to floor.			65.00	69.00	74.00	79.00	84.00

THE PORCELAIN ENAMELED IRON POOL BATH.

HARDWOOD RIM.




PLATE 126-D.

PLATE 126-D consists of a Porcelain Enameled Iron Pool Bath, with Hardwood Rim, Bell supply, and "Capitol" waste, fittings nickel-plated.

This bath is especially designed for use in Nurseries, Children's Hospitals, etc., and is especially adapted for a shower bath as illustrated in Plates 78–D and 81–D.

DIMENSIONS.

Length outside over rim, 4 feet 4½ inches; width outside over rim, 3 feet 10½ inches; height from floor to top of rim, 21 inches; depth, 13 inches. Add 4 inches for space necessary to include fittings.

The Porcelain Enas	neled Iron Poc	l Bath, I	Plate 126-	D, as de	scribed	,								\$110.00
Add, for white or is	ory outside fin	ish, ena	nel paint	process,										15.00
If with shower appa	ratus, includin	ig ring a	nd rubbe	r curtain	, as illu	istrat	ed in	Plat	e 78–	D, a	dd			60.00
" " and	douche, "		. "	6.6	6.6	64	6.6	**	81-	D,				80 00

THE PORCELAIN ENAMELED IRON SITZ BATH.

ROLL RIM.




PLATE 127-D.

PLATE 127-D consists of a Porcelain Enameled Iron Sitz Bath, Roll Rim, finished outside in Enamel Paint Process, White or Ivory; "Capitol" waste and hot and cold supply fittings—nickel-plated or polished brass.

Note. - This Sitz Bath is now supplied with patent feet holding a china ball similar to the "Parian" Bath.

DIMENSIONS.

Length over rim, 28 inches; width, front to back over rim, 27 inches; width of roll rim, 2½ inches; height from floor to top of rim—front, 15 inches; back, 21 inches. Add 4 inches to length for fixtures.

PRICE.

THE PORCELAIN ENAMELED IRON SITZ BATH.

HARDWOOD RIM.




PLATE 128-D.

PLATE 128-D consists of a Porcelain Enameled Iron Sitz Bath, Hardwood Rim, finished outside in Enamel Paint Process, White or Ivory; "Capital" waste and hot and cold supply fittings—nickel-plated or polished brass.

Note. - This Sitz Bath is now supplied with patent feet holding a china ball similar to the " Parian" Bath

DIMENSIONS.

Length over rim, 28 inches; width front to back over rim, 27 inches; height from floor to top of rim—front, 16 inches; back, 12 inches. Add 4 inches to length for fixtures.

PRICE

The Porcelain Enameled Iron Sitz Bath, Plate 128–D, as described,
If Bath is finished outside in ivory or white enamel paint process,

\$71.00

THE PORCELAIN ENAMELED IRON SITZ BATH.

ROLL RIM.



PLATE 129-D.

PLATE 129-D consists of a Porcelain Enameled Iron Sitz Bath, Roll Rim, finished outside in Enamel Paint Process, White or Ivory, with Gold Bands; "Capitol" waste, fitted with spray and wave attachment, nickel-plated.

Note -This Sitz Bath is now supplied with patent feet holding a china ball similar to the "Parian" Bath.

The hot and cold water valve or both may be opened and a regulating valve turned which leads to the spray or wave, or to fill the bath through the end. Fall directions are engraved on the handles. All the valves are one side and convenient to the bather. The arrangement is simple and will not get out of order. Furnished with hardwood instead of roll rim, if preferred.

DIMENSIONS.

Length, including fittings, 3 feet 1 inch; width, 27 inches; height in front, 15 inches; height in back, 21 inches.

THE PORCELAIN ENAMELED IRON FOOT BATHS.




PLATE 130 - D.

PLATE 130-D consists of a Porcelain Enameled Iron Foot Bath, Roll Rim, finished outside in White or Ivory, Enamel Paint Process, with Bell supply and "Capitol" waste, fittings nickel-plated.

PRICE.




PLATE 131-D.

PLATE 181-D consists of a Porcelain Enameled Iron Foot Bath, Hardwood Rim, finished outside in White or Ivory, Enamel Paint Process, with Bell supply and "Capitol" waste, fittings nickel-plated.

SPONGE HOLDER.



PLATE 132-D.






PLATE 133-D.

SOAP HOLDER FOR ROLL-RIM BATH.




PLATE 134-D.

SOAP HOLDER.



PLATE 135-D.

GLASS HOLDER.



PLATE 136-D.

Price, Nickel-Plated, \$2.00 Price, Nickel-Plated, \$1.50

ROLL-PAPER HOLDER.




PLATE 137-D.

Price, Nickel-Plated or Polished Brass, \$6.00 Price, Nickel Plated,

PAPER HOLDER.




PLATE 138-D.

\$6.00

TOWEL RACK.




PLATE 139 D.

TOWEL RACK.




PLATE 140-D.

TOWEL RACK.



PLATE 141-D.

Price, Nickel-Plated, \$1.50

THE "EM-ESS" TOWEL RACKS.



PLATE 142-D.

Length between center of flanges, 24 inches.

Price, Nickel-Plated, \$2.00




PLATE 143-D.

Length between center of flanges, 24 inches,

Price, Nickel-Plated, \$2.50




PLATE 144-D.

Price, Nickel-Plated, . . . , . . . \$4.5



PLATE 145 D.

. . \$4.5 Price, Nickel-Plated, \$6.50

The "EM-Ess" Towel Racks are made of brass pipe, of unequalled finish and design.

COMBINATION NEEDLE AND LIVER SPRAY BATH, WITH SHOWER, DOUCHE AND BIDET.




PLATE 146-D.

PLATE 146-D consists of the Combination Needle and Liver Spray Bath, with Shower, Descending and Ascending Douche—nickle-plated. It represents a most complete apparatus intended for Turkish Bath establishments and Athletic Clubs. The arrangement of the valves is such that the cold water must be turned on first, thus avoiding the danger of the user accidentally being scalded. The "Bidet." or ascending douche, is swung out of the way when not in use. A separate valve controls each feature independent of the others. The vertical perforated pipes (needle spray) are readily detached for cleansing.

DIMENSIONS.

Height to top of shower, 8 feet. Diameter of needle bath, 4 feet.

PRICE.

COMBINATION NEEDLE SPRAY, SHOWER, DOUCHE AND BIDET.

TO STAND ON FLOOR.

WITH RUBBER CURTAIN.




PLATE 147-D.

PLATE 147-D consists of the Combination Needle Spray, Shower, Descending and Ascending Douche, to stand on floor, with rubber curtain—nickel-plated. Hot and cold water is supplied to each feature of the Bath and can be controlled separately -t, e., needle spray, shower, descending douche, and bidet or ascending douche. The needle-spray pipes may be easily removed for cleansing if necessary. If this Bath is desired to be fitted in a marble stall or room, the upper ring and curtain may be dispensed with. The supply valves may be located on either side if preferred, instead of at the back.

DIMENSIONS.

Height to top of shower, 7 feet 6 inches. Diameter of needle bath, 3 feet 4 inches.

PRICE.

COMBINATION NEEDLE SPRAY, SHOWER AND DOUCHE.

TO STAND ON FLOOR.

WITH RUBBER CURTAIN.




PLATE 148-D.

PLATE 148-D consists of the Combination Needle Spray. Shower and Douche, to stand on floor, with rubber curtain—nickel plated. The illustration represents a simple and perfect apparatus. All the vertical pines are perforated, including the two columns in the foreground. On turning on the hot and cold water valves the water enters the central vertical column, which acts as a mixing chamber. A shower or douche may be had by operating one or the other of the pulls. One valve controls the needle spray, which is directed from each vertical column toward the center. The pines are so constructed that they may be taken out for cleansing if necessary. If desired the supply valves may be placed on either of the front columns instead of at the back.

DIMENSIONS.

Height to top of floor, 7 feet 6 inches. Diameter of needle bath, 3 feet 4 inches.

PRICE.

COMBINATION NEEDLE SPRAY, SHOWER AND DOUCHE,

WITH RUBBER CURTAIN.




PLATE 149 - D.

PLATE 149-D consists of a Combination Needle Spray. Shower and Douche, with rod and rubber curtain—all pipes nickel-plated. The illustration represents an apparatus intended to be set up with marble sides and back. The curtain in front can be drawn across when in use. All the vertical pipes are perforated, forming the needle spray, and are easily removed, if necessary, for cleaning. The shower and douche are operated by a pull and chain for each, and a bidet, or ascending douche, can be added to the apparatus if desired.

Needle Baths of this description will be made to order to suit any recess or corner.

DIMENSIONS.

Height to top of shower, 7 feet 6 inches. Diameter of needle bath, 3 feet.

PRICE.

PLATE 149-D, as described, . . \$200.00

SHOWER APPARATUS,

WITH AUTOMATIC REGULATING VALVE.

PATENTED.

The Cold Water Valve Must be Opened Before the Hot Water Will Run.




PLATE 150-D.

PLATE 150-D consists of Combination Shower, Douche and Hand-spray, with automatic regulating valve, ring and rubber curtain.




PLATE 151-D.

PLATE 151-D consists of Combination Shower, with automatic regulating valve and hand-spray attachment, ring and rubber curtain—nickel-plated.

It is not only desirable but quite necessary, in a shower or shampoo apparatus, to provide against the user being accidentally scalded. With the above illustrated apparatus this desideratum can be accomplished, as the arrangement is such that the cold water must be turned on first, and the hot water is mixed with the cold when the "hot" valve is opened.

The construction of the hot water valve permits the control of the volume of the cold water also, so that the temperature of the water let through the shower or shampoo may be regulated by it. The construction is also such that the hot or cold water cannot pass back into the opposite pipe, and the apparatus may be used equally as well where the cold water is under the same or greater pressure than the hot.

DIMENSIONS

Height, 7 feet 3 inches. Distance from wall to center of shower, 18 inches.

PRICE

Price does not include marble.

\$74.50 59.50

SHOWER APPARATUS,

WITH AUTOMATIC REGULATING VALVE.

PATENTED.

The Cold Water Valve Must be Opened Before the Hot Water Will Run.




PLATE 152-D.

PLATE 152-D consists of the Combination Shower, Douche, with Hand-spray and automatic regulating valve—nickel plated.




PLATE 153-D.

PLATE 153-D consists of the Combination Shower and Hand-spray, with automatic regulating valve—nickel-plated.

It is not only desirable but quite necessary, in a shower or shampoo apparatus, to provide against the user being accidentally scalded. With the above illustrated apparatus this desideratum can be accomplished, as the arrangement is such that the cold water must be turned on first, and the hot water is mixed with the cold when the hot valve is opened.

The construction of the hot water valve permits the control of the volume of the cold water also, so that the temperature of the water let through the shower or shampoo may be regulated by it. The construction is also such that the hot or cold water cannot pass back into the opposite pipe, and the apparatus may be used equally as well where the cold water is under the same or greater pressure than the hot.

PRICE.

Price does not include marble.

HAND-SPRAY APPARATUS,

WITH AUTOMATIC REGULATING VALVE.

PATENTED.

The Cold Water Valve Must be Opened Before the Hot Water will Run,



PLATE 154-D.

PLATE 156-D.

PLATE 154-D consists of the Combination Shampoo, with automatic regulating valve for supply pipes in wall—uickel-plated.

PLATE 155-D consists of the Comoination Shampoo, with automatic regulating valve, with supply pipes to floor-nickel plated.

It is not only desirable but quite necessary, in a shower or shampoo apparatus, to provide against the user being accidentally scalded. With the above illustrated apparatus this desideratum can be accomplished, as the arrangement is such that the cold water must be turned on first, and the hot water is mixed with the cold when the "hot" valve is opened.

The construction of the hot water valve permits the control of the volume of the cold water also, so that the temperature of the water let through the shower or shampoo may be regulated by it. The construction is also such that the hot or cold water cannot pass back into the opposite pipe, and the apparatus may be used equally as well where the cold water is under the same or a greater pressure than the hot.

PRICE

NICKEL-PLATED BRASS SHOWERS.

WITH DOUCHE AND HAND SPRAY.




PLATE 156 D.

PLATE 156-D consists of a Nickel-plated Brass Shower, with douche, hand-spray, pulls and chains, ring and rubber curtain.




PLATE 157-D.

PLATE 157-D consists of a Nickel-plated Brass Shower, with douche, hand-spray, pulls and chains.

These showers are extra well made. The pipes are 34-inch size, and the hot and cold valves are specially constructed to seat easily and have large six-arm handles. They are adapted for use over a bath tub, or, as illustrated, for Bathing Establishments, Club Houses or Private Dwellings.

The arrangement is such that in turning on the hot and cold valves the water enters the upright pipe, which acts as a mixing chamber, and will not descend from the shower until the pull is operated.

An important feature with our showers is an arrangement preventing either the hot or cold water from passing back through the opposite pipe should the valves be left open accidentally.

DIMENSIONS.

Height, 7 feet 3 inches. Distance from wall to center of shower, 18 inches.

				PRI	CES	. '						
Plate 156-D, as described,												\$71.50
" 157-D, " "												49.50

Price does not include marble.

NICKEL-PLATED BRASS SHOWERS.

WITH HAND SPRAY.




PLATE 158-D.

PLATE 158-D consists of a Nickel-plated Brass Shower, with hand-spray, pull and chain, ring and rubber curtain.




PLATE 159-D.

PLATE 159-D consists of a Nickel-plated Brass Shower, with hand-spray, pull and chain.

These showers are extra well made. The pipes are ¾-inch size, and the hot and cold valves are specially constructed to seat easily and have large six-arm handles. They are adapted for use over a bath tub, or, as illustrated, for Bathing Establishments, Club Houses or Private Dwellings.

The arrangement is such that in turning on the hot and cold valves the water enters the upright pipe, which acts as a mixing chamber, and will not descend from the shower until the pull is operated

An important feature with our showers is an arrangement preventing either the hot or cold water from passing back through the opposite pipe should the valves be left open accidentally.

DIMENSIONS.

Height, 7 feet 3 inches. Distance from wall to center of shower, 18 inches.

					CES							
Plate 158-D, as described,												\$59.50
" 159–D, " "											1	37.50

Price does not include marble.

NICKEL-PLATED BRASS SHOWERS.




PLATE 160-D.

PLATE 160-D consists of a Nickel-plated Brass Shower, with ring and rubber curtain.




PLATE 161-D.

PLATE 161-D consists of a Nickel-plated Brass Shower.

These showers are extra well made. The pipes are of %-inch size, and the hot and cold valves are specially constructed to seat easily, and have large six-arm handles. Adapted for use over a bath tub, or, as illustrated, for Bathing Establishments, Club Houses or Private Dwellings.

DIMENSIONS.


Height, 7 feet 3 inches. Distance from wall to center of shower, 18 inches.

				PRI	CES	;.							
Plate 160-D, as described,							۰		٥	J	٥		\$44.50
													22.50
				s not									

SHOWER APPARATUS.

WITH AUTOMATIC REGULATING VALVE.


The Cold Water Valve Must be Opened Before the Hot Water Will Run.



Copyright, 1895, by THE MEVER-SNIFFEN Co., Limited.

PLATE 162-D.

PLATE 162-D consists of the Combination Ring Shower, with automatic regulating valve and hand spray attachment, ring and rubber curtain—nickel-plated.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 163-D.

PLATE 163-D consists of the Combination Ring Shower and hand spray with automatic regulating valve—nickel-plated.

It is not only desirable but quite necessary, in a shower or shampoo apparatus, to provide against the user being accidentally scalded. With the above illustrated apparatus this desideratum can be accomplished, as the arrangement is such that the cold water must be turned on first, and the hot water is mixed with the cold when the hot valve is opened.


The construction of the hot water valve permits the control of the volume of the cold water also, so that the temperature of the water let through the shower or shampoo may be regulated by it. The construction is also such that the hot or cold water cannot pass back into the opposite pipe, and the apparatus may be used equally as well where the cold water is under the same or greater pressure than the hot.

								PRI	CES.									
Plate 162-D, as described,														,				\$64.50
" 163-D, " "	٠	•	•	•	•	•										۰		42.50
9					P	rice	does	not	inclu	de n	arble	e.						

THE "EM-ESS" BIDET.

WITH

PATENT REGULATING VALVE.



Copyright, 1895. by The Meyer-Sniffen Co., Limited. ____

PLATE 164 - D.

PLATE 164-D consists of the "Em-Ess" Bidet Apparatus for hot and cold water supplied through wali, with patent regulating valve. The "Em-Ess" is furnished to fit any open water-closet.

The special feature of this Bidet is the arrangement of the hot and cold supply valves, in which the cold water must be turned on first, thus avoiding the possibility of scalding the user. The hot water valve can then be used to regulate the temperature of the water.

The "Em-Ess" Bidet Apparatus does not interfere with the operation of the water-closet. When it is not in use the handle is pushed down, which turns the jet tube under the rim of the bowl.

In ordering, the character and dimensions of water-closet that it is to be fitted to must be given.

The "	Ем-Ess"	Bidet	Apparatus,	Plat	e 16	64-D,	as illu	strated	, nickel-	olated	l, No. 1						\$25.00
If with	supply	pipes fr	om floor,						"	**	No. 2,						30.00
The "	EM Ess"	Bidet .	Apparatus	for co	old	water	only,	supply	through	wall,	nickel-	plated,	No.	3,			18.00
"	4.6	6.6	44			**	"	4.6	**	floor,	. "	**	No.	4,			18.00

IMPROVED.

PATENTED.

THE accompanying cuts illustrate the Improved "BRIGHTON" Water-Closet Apparatus. The success of the "BRIGHTON" Water-Closet, and the various styles of apparatus of which it is a part, during the last fourteen years, has led to the introduction of many imitations alleged to be just as good and cheaper, but which lack the quality and character, not only of the earthenware but also of the tank and fittings, that go to make a substantial and durable apparatus.

All Water-Closet Apparatus of our manufacture are guaranteed by us for five years; in fact, for obvious reasons, with the exception possibly of a washer on the ball cock or valve—a trifling matter—they ought, after fifteen years' use, to be in as good a condition as when put in. We can refer to many of our Water-Closet Apparatus now in use for over ten years that are "as good as new."

Special attention is called to the *Improved Pedestal* form of the "BRIGHTON" Water-Closet, which is constructed on the same lines and measurements as the former shape, except that the trap is enclosed, as shown in succeeding illustrations, adding greatly to the strength of the closet, and making it much easier to be kept free from dust or dirt.

We are prepared to furnish any style or size of cistern or tank for our Water-Closets that may be required, or any special size, valve or fittings, where the plumber is required to line the cistern, but we do not sell our Water-Closets singly, and unaccompanied by the proper tank or fittings, except for repairs in case of breakages, where a special price will be quoted.

NOTE.—"VITREAN" WARE.

All water-closets now furnished by us are made of a non-porous body, designated as "VITREAN" ware. This ware is practically imperishable from use or age, and will not craze or discolor. Being non-absorbent it is considered superior to any other domestic or imported earthenware.

PLATE 44-C OR 165-D.

PLATE 44-C or 165-D consists of the Improved "Brighton" Water-Closet, embossed, Ivory tinted and decorated in gold lines, with patent brass floor connection, brass curved "back-air" pipe to wall, design "D" tank, with brass brackets, brass flush pipe, quartered oak seat and cover, and brass supporting arms.

The "Brighton" Water-Closet decorated in Ivory and Gold is now furnished in pedestal form, and supplied with "Annex" seat, and designs of tanks illustrated on pages 160 to 164.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred,

For description of "Annex" seat see page 165.

TRICES,						
The Improved "Brighton" Water-Closet, Plate 44-C or 165-D, as described	d,			v	۰	\$105.00
Add, if brass parts are all nickel-plated,						7.50
Deduct, if closet is preferred embossed only, without gold lines,						20.00
Add, if woodwork is mahogany or bird's-eye maple,						5.00
" for 1¼-inch Italian marble floor slab,						9.00

THE "BRIGHTON" WATER-CLOSET.



PLATE 44-C.

THE "BRIGHTON" WATER-CLOSET, EMBOSSED, IVORY TINT, DECORATED IN GOLD.

PLATE 45-C OR 166-D.

PLATE 45-C or 166-D consists of the Improved "Brighton" Water-Closet, embossed and decorated in two shades of blue and gold, with patent brass floor connection, brass curved "back-air" pipe to wall, cherry paneled tank, brass brackets, brass flush pipe, cherry seat and cover, and brass supporting arms.

The "Brighton" Water-Closet decorated in two shades of Blue and Gold is now furnished in pedestal form, and supplied with "Annex" seat and designs of tanks illustrated on pages 160 to 164.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

For description of "Annex" seat see page 165.

The "Brighton" Water-Closet, Plate 45-C or 166-D, as	describe	d,						\$95.00
Add, if brass parts are all nickel-plated,								5.50
Deduct, if closet is preferred embossed only, without dec	oration.							20.00
Add, if woodwork is mahogany or bird's-eye maple,								5.00
Add, for 14-inch Italian marble floor slab, 27x27 inches,								9.00

THE "BRIGHTON" WATER-CLOSET.



PLATE 45-C.

THE "BRIGHTON" WATER-CLOSET, EMBOSSED, DECORATED WITH BLUE AND GOLD.

PLATE 46-C or 167-D.

PLATE 46-C or 167-D consists of the Improved "Brighton" Water-Closet, EMBOSSED and decorated in two shades of pink and gold, with patent brass floor connection, brass curved "back-air" pipe to wall, cherry paneled tank, brass brackets, brass flush pipe, cherry seat and cover, and brass supporting arms.

The "BRIGHTON" Water-Closet decorated in two shades of Pink and Gold is now furnished in pedestal form, and supplied with "Annex" seat and designs of tanks illustrated on pages 160 to 164.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

For description of "Annex" Seat see page 165.

The "Brighton" Water-Closet, Plate 46-C or 167-D, as describe	đ,			٠			\$95.00
Add, if brass parts are all nickel-plated,				۰			5.50
Deduct, if closet is preferred embossed only, without decoration,							20.00
Add, if woodwork is mahogany or bird's-eye maple,							5.00
Add, for 14-inch Italian marble floor slab, 27x27 inches,							9.00

THE "BRIGHTON" WATER-CLOSET.



PLATE 46-C.

THE "BRIGHTON" WATER-CLOSET, EMBOSSED, DECORATED WITH PINK AND GOLD.

PATENTED.

WITH ANNEX SEAT.



THE "BRIGHTON" WATER-CLOSET.

The above illustration of the 'Brighton' Water-Closet, fitted with our new open seat, is intended to show, as nearly as possible, its peculiar features and practical working. A view of the interior shows how the flushing water is delivered at the moment of starting the flush

It will be seen that there is ample water in the bowl and an adequate seal to the trap. A unique and important feature is the arrangement of the special jets below the flush pipe, which wash down this portion of the closet before the discharge from the bowl can come in contact with the outgo. The flush pipe is arranged to be connected to the bowl by a slip expansion joint.

The back-air or vent connection (not shown in cut) is supplied either right or left side as desired, and is located in the best possible position, and is full two inches in size. The coupling is furnished ground or may be had "slip-joint."

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware of the closet is prevented—an advantage possessed by no other closet seat on the market.

Note.—The "Brighton" Water-Closet is now made with the trap encased in a pedestal, adding greatly to the strength of the closet, and making it much easier to be kept free from dust or dirt.

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 168-D.

Particular attention is called to the sectional cut below of the "Brighton" Water-Closet, Improved Pedestal pattern, showing how the trap is made and encased by the base of the closet, and formed in one piece with it. The trap vent or "back-air" being so located that it cannot become obstructed.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



Sectional View of the "Brighton" Water-Closet, Imfroved Pedestal Pattern, with Curved "Back-Air" 79 Wall, and "Annex" Seat and Cover.

PLATE 168-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover, and curved "back-air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

	P	R	I	C	E	S.
--	---	---	---	---	---	----

The "Brighton" Water-Closet Apparatus, Plate 168-D,	as o	descr	ibed					٠	٠		\$76.00
Add, if woodwork is mahogany or bird's-eye maple,				۰			0	۰			5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,			۰				2				9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 169-D.

PLATE 169-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "E" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover, and curved "back-air" to wall. All trimmings nickel-plated.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 170 D.

PLATE 170-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, paneled tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover, and curved "back-air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

For description of "Annex" Seat see page 161. The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

Т	The "Brighton"	Water-Closet	Apparatus,	Plate 169-D,	as o	described,							\$76.00
	"	6.6	4.4	" 170-D,	4.4	"		h					77.50
Α	Add, if woodworl	is mahogany	or bird's-ey	e maple,					۰				5.00
A	Add, for 11/4-inch	Italian marble	e floor slab,	27x27 inches,									9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 171-D.

PLATE 171-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "B" tank, brass brackets, brass flush pipe, with bracket gnide for pull, and chain of brass wire, "Annex" Seat with cover, and curved "back-air" to wall. All trimmings nickel-plated.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 172-D.

PLATE 172-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "C" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover, and curved "back-air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

For description of "Annex" Seat see page 161. The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

						PI	RIC	ES.						
The	Brighton'	Water-Closet	Apparatus,	Plate	171-D,	as	desc	ribed,						\$81.00
44	4.4	**	**	4.4	172-D,			44						86.00
Add,	if woodwor	k is mahogany	or bird's-ey	e maj	ole,									5.00
A dd	for 11/-inch	Italian markl	a floor alah	27727	inches									0.00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited

PLATE 173-D.

Particular attention is called to the sectional cut below of the "Brighton" Water-Closet, Improved Pedestal pattern, showing how the trap is made and encased by the base of the closet, and formed in one piece with it. The trap vent or "back-air" being so located that it cannot become obstructed.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented-an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF THE "BRIGHTON" WATER-CLOSET, IM-PROVED PEDESTAL PATTERN, WITH CURVED "BACK-AIR" TO WALL, AND "ANNEX" SEAT AND COVER.

PLATE 173-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "D" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover, and curved "back-air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "BRIGHTON" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.-Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

PRICES.

The "Brighton" Water-Closet Apparatus, Plate 173-D,	as de	escri	bed,				۰	4	٠	\$90.00
Add, if woodwork is mahogany or bird's-eye maple,										5.00
Add, for 11/2-inch Italian marble floor slab, 27x27 inches,										9.00

9.00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 174-D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 174-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "E" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, and straight "back air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Brighton" Water-Closet Apparatus, Plate 174-D, as	desc	ribed	,				,	,	\$71.00
Add, if woodwork is mahogany or bird's-eye maple, .			٠.				_		5.00
Add, for 11/2-inch Italian marble floor slab, 27x27 inches,									9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 175-D.

Particular attention is called to the sectional cut below of the "BKIGHTON" Water-Closet, Improved Pedestal Pattern, showing how the trap is made and encased by the base of the closet, and formed in one piece with it, the trap vent or "back-air" being so located that it cannot become obstructed.

In our No. 12 Seat all superfluous woodwork is dispensed with. Special brass adjustable brackets are designed to hold the seat firmly to the wall. The seat conforms to the shape of the bowl, leaving an unobstructed open space around the closet, so that all exterior parts may be easily cleaned, making it a perfectly sanitary as well as substantial fixture.



Sectional View of the "Brighton" Water-Closet, Improved Pedestal Pattern, with Straight "Back-Air" to Wall and No. 12 Seat and Cover.

PLATE 175-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, No. 12 Sear with cover, and straight "back-air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

	I	PRIC	ES.						
The "BRIGHTON" Water-Closet Apparatus, Plate 175-D,	as d	escril	oed,						\$70.00
Add, if woodwork is mahogany or bird's-eye maple, .									5.00
Add, for 14-inch Italian marble floor slab, 27x27 inches,									9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.







PLATE 176-D.



THE NO. 12 SEAT.

In our No. 12 Seat all superfluous woodwork is dispensed with. Special brass adjustable brackets are designed to hold the seat firmly to the wall. The seat conforms to the shape of the bowl, leaving an unobstructed open space around the closet, so that all exterior parts may be easily cleaned, making it a perfectly sanitary as well as substantial fixture.

PLATE 176-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, No. 12 Seat without cover, and straight "back air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet, and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 piain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

P	D	т	0	T	C	

The	"Brighton" Water-Closet, Plate 176-D, as described,	,							\$67.50
Add,	, if woodwork is mahogany or bird's-eye maple, .								5.00
Add.	, for 11/4-inch Italian marble floor slab, 27x27 inches,								9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 177-D.

Particular attention is called to the sectional cut below of the "Brighton" Water-Closet, Improved Pedestal pattern, showing how the trap is made and encased by the base of the closet, and formed in one piece with it. The trap vent or "back-air" being so located that it cannot become obstructed.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF THE "BRIGHTON" WATER-CLOSET, IMPROVED PEDESTAL PATTERN, WITH "ANNEX"

SEAT AND COVER.

PLATE 177-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, and straight "back air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Brighton" Water-Closet Apparatus, Plate 177-D, as	s des	cribed		٠	٥		٥			\$71.00
Add, if woodwork is mahogany or bird's-eye maple,										5.00
Add for till inch Italian markle floor alah 97v97 inches										. 0.00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 178 - D.



THE "ANNEX" SEAT.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 178-D consists of the "BRIGHTON" Water-Closet, Improved Pedestal form, with patent brass floor connection round cornered, design "A" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex' Seat with cover, and straight "back-air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Brighton" Water-Closet Apparatus, Plate 178-D, as	descr	ibed		:				\$73.00
Add, if woodwork is mahogany or bird's-eye maple,								5.00
Add, for 11/2-inch Italian marble floor slab, 27x27 inches.								9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 179-D

Particular attention is called to the sectional cut below of the "Brighton" Water-Closet, Improved Pedestal pattern, showing how the trap is made and encased by the base of the closet, and formed in one piece with it. The trap vent or "back-air," being so located that it cannot become obstructed.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



Sectional View of the "Brighton" Water-Closet, Improved Pedestal Pattern, with "Annex" Seat and Cover, and Local Vent Connection.

PLATE 179-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover, straight "back-air" to wall, and porcelain local vent connection. All trimmings nickel-plated.

The Improved Pedestal form of the "BRIGHTON" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented), is practically silent in operation, and cannot get out of order.

The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that the water cannot overflow through the local vent pipe. The porcelain connection can be furnished either right or left, as indicated in the plan.


The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

PI	SI	CE	CS.

The "Brighton" Water-Closet Apparatus, Plate 179-D, as described							\$74.00
Add, if woodwork is mahogany or bird's-eye maple,			,				5.00
Add, for 1 1/2 inch Italian marble floor slab, 27x27 inches							9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 180-D.



THE "ANNEX" SEAT.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the certhenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 180-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, straight "back air" to wall, and porcelain local vent connection. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented), is practically silent in operation, and cannot get out of order.

The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that the water cannot overflow through the local vent pipe. The porcelain connection can be furnished either right or left, as indicated in the plan.


The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

PRICES.	ES.
---------	-----

The "BRIGHTON" Water-Closet Apparatus, Plate 180-D, as	desci	ribed,							\$72.00
Add, if woodwork is mahogany or bird's-eye maple, .							٠		5.00
Add, for 14-inch Italian marble floor slab, 27x27 inches,	,			,					9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1894, by THE MEYER SNIFFEN Co., Limited.

PLATE 181-D.

Particular attention is called to the sectional cut below of the "Brighton" Water-Closet, Improved Pedestal pattern, showing how the trap is made and encased by the base of the closet, and formed in one piece with it. The trap vent or "back-air" being so located that it cannot become obstructed.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



Sectional View of the "Brighton" Water-Closet, Improved Pedestal Pattern, with Curved "Back-Air" to Wall, and "Annex" Seat and Cover.

PLATE 181-D consists of the Embossed "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover, and curved "back air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "BRIGHTON" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet, and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Brighton" Water-Closet Apparatus, Plate 181–D,	as des	cribed,							\$79.00
Add, if woodwork is mahogany or bird's-eye maple,								٠	5.00
Add, for 14-inch Italian marble floor slab, 27x27 inches,						٠	0		9.00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1895, by The Meyer-Sniffen Co., Limiteu.

PLATE 182-D.



THE "ANNEX" SEAT.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 182-D consists of the Embossed "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, paneled tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover, and curved "back air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet, and making it much easier to be kept free from dust or dirt.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Brighton" Water-Closet Apparatus, Plate 182-D,	as o	descri	ibed,							\$80.50
Add, if woodwork is mahogany or bird's-eye maple,				,						5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,										9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 183 - D.

Particular attention is called to the sectional cut below of the "Brighton" Water-Closet, Improved Pedestal pattern, showing how the trap is made and encased by the base of the closet, and formed in one piece with it. The trap vent or "back-air" being so located that it cannot become obstructed.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF THE "BRIGHTON" WATER-CLOSET, IM-FROVED PEDESTAL PATTERN, WITH CURVED "BACK-AIR" TO WALL, AND "ANNEX" SEAT AND COVER.

PLATE 183-D consists of the Embossed "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "E" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover, and curved "back air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet, and making it much easier to be kept free from dust or dirt.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

		PKI	CES.						
The "Brighton" Water-Closet Apparatus, Plate 183-D,	as d	lescr	ibeā.						\$79.00
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add for 11/-inch Italian marble floor slab, 27x27 inches.									9.00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1895, by The MEYER-SNIFFEN Co., Limited.

PLATE 184--D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 184-D consists of the Embossed "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "C" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover, and curved "back air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet, and making it much easier to be kept free from dust or dirt.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Brighton" Water-Closet Apparatus, Plate 184-D,	as de	escri	bed,		,					\$89.00
Add, if woodwork is mahogany or bird's-eye maple,								,		 5.00
Add, for 1 1/2-inch Italian marble floor slab, 27x27 inches										9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 185-D.

Particular attention is called to the sectional cut below of the "Brighton" Water-Closet, Improved Pedestal pattern, showing how the trap is made and encased by the base of the closet, and formed in one piece with it. The trap vent or "back-air" being so located that it cannot become obstructed.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF THE "BRIGHTON" WATER-CLOSET, IM-PROVED PEDESTAL PATTERN, WITH "ANNEX" SEAT AND COVER.

PLATE 185-D consists of the "Brighton" Embossed Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, and straight "back air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet, and making it much easier to be kept free from dust or dirt.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Brighton" Water-Closet Apparatus, Plate 185-D, as	descr	ıbed,							\$74.00
Add, if woodwork is mahogany or bird's-eye maple,							۰		5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,			_						9.00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 186-D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 186-D consists of the "Brighton" Embossed Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, straight "back air" to wall, and porcelain local vent connection. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.


The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that the water cannot overflow through the local vent pipe. The porcelain connection can be furnished either right or left, as indicated in the plan.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Brighton" Water-Closet Apparatus, Plate 186-D, as	descr	ibed,						\$75.00
Add, if woodwork is mahogany or bird's-eye maple,								5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,								9,00

PATENTED.


IMPROVED PEDESTAL PATTERN.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 187-D.

PLATE 187-D consists of the "Brighton" Embossed Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat without cover, and straight "back-air" to wall. All trimmings nickel-plated.



Copyright, 1894, by The Meyrr-Sniffen Co., Limited.

PLATE 188-D.

PLATE 188-D consists of the "BRIGHTON" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat without cover, and straight "back-air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

For description of "Annex" Seat see page 177 The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The '	BRIGHTON "	Water-Closet	Apparatus,	Plate	187-D	, as d	escribed						\$71.50
4.4	4.4	6.6		" "	188-D	, 66	"						68.50
Add,	if woodwork	k is mahogany	or bird's-ey-	е тар	le,								5.00
A 44	for 11/ inch	Italian marble	Hoor alah	0707	inches								0.00

PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright; 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 189-D.

PLATE 188-D consists of the "BRIGHTEN" Embossed Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat without cover, straight "back-air" to wall, and porcelain local vent connection. All trimmings nickel-plated.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 190-D.

PLATE 190-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat without cover, straight "back-air" to wall, and porcelain local vent connection. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet, and making it much easier to be kept free from dust or dirt.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

For description of "Annex" Seat and local vent see page 177 The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

								CES.							
The "	Brighton"	Water-Closet	Apparatus,	Plate	189-D	, as	desc	ribed,					۰		\$72.50
"	"	**	"		190-D	, "									69.50
		is mahogany													5.00
Add,	for 1¼-inch	Italian marble	floor slab,	27x27 i	nches,		,					٠	¢.		9.00

PATENTED

IMPROVED PEDESTAL PATTERN.




Dopyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE : 191-D.

Particular attention is called to the sectional cut below of the "Brighton" Water-Closet, Improved Pedestal pattern, showing how the trap is made and encased by the base of the closet, and formed in one piece with it. The trap vent or "back-air" being so located that it cannot become obstructed.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF THE "BRIGHTON" WATER-CLOSET, IM-PROVED PEDESTAL PATTERN, WITH CURVED "BACK-AIR" TO WALL, AND "ANNEX" SEAT AND COVER.

PLATE 191-D consists of the "Brighton" Square Top Embossed Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, and curved "back air" to wall. All trimmings nickel-plated,

The Improved Pedestal form of the "BRIGHTON" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet, and making it much easier to be kept free from dust or dirt.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Brighton" Water-Closet Apparatus, Plate 191-D, as	desc	ribed							\$82.00
Add, if woodwork is mahogany or bird's-eye maple,		,							5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,						,			9.00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 192-D.



THE "ANNEX" SEAT.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 192-D consists of the "Brighton" Square Top Embossed Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, and porcelain local vent connection and curved "back-air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same kines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.


The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that the water cannot overflow through the local vent pipe. The porcelain connection can be furnished either right or left, as indicated in the plan.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Brighton" Water-Closet Apparatus, Plate 192-D, a	s desc	ribed	,						\$83.00
Add, if woodwork is mahogany or bird's-eye maple, .									5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,									9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 193-D.

Particular attention is called to the sectional cut below of the "Brighton" Water-Closet, Improved Pedestal pattern, showing how the trap is made and encased by the base of the closet, and formed in one piece with it. The trap vent or "back-air" being so located that it cannot become obstructed.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF THE "BRIGHTON" WATER-CLOSET, IM-PROVED PEDESTAL PATTERN, WITH CURVED "BACK-AIR" TO WALL, AND "ANNEX" SEAT AND COVER.

PLATE 193-D consists of the "Brighton" Square Top Embossed Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "E" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, and curved "back air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet, and making it much easier to be kept free from dust or dirt.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "BR	існтом" Water-	Closet Apparatus	s, Plate 193-D	, as	desc	ribed	l,						,	\$82.00
Add, if w	oodwork is mah	ogany or bird's-e	ye maple,							۰				5.00
Add for	11/-inch Italian	marble floor slab	27v27 inches											9.00


. PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 194-D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 194-D consists of the "Brighton" Square Top Embossed Water-Closet, Improved Pedestal form, with patent brass floor connection, paneled tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, and curved "back-air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

	PR	ICE	s.							
The "Brighton" Water-Closet Apparatus, Plate 194-D,	as d	lescri	bed,	,						\$83.50
Add, if woodwork is mahogany or bird's-eye maple,										
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,						,				9.00

PATENTED.


IMPROVED PEDESTAL PATTERN.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 195 - D.

PLATE 195-D consists of the "Вибитол" Square Top Embossed Water Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat without cover, and curved "back-air" to wall. All trimmings nickel-plated.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 196-D.

PLATE 196-D consists of the "Brighton" Square Top Embossed Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat without cover, porcelain local vent connection, and curved "back-air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

For description of "Annex" Seat and curved local vent see page 181 The woodwork furnished is either cherry, oak, black walnut, or ash as preferred.

								PR	ICES										
mh = 161	Priorimon"	Water	Closet	Apparatus,	Plate	105_D	1 10	dec	ribed								9		\$79.50
				Apparatus,						-,						۰			80.50
						200 -													5.00
				or bird's-ey				•	•	•	•	•	•	•	٠	•			9.00
A AA fo	r 11/-inch	Italian	marble	floor slab	27×27	inches										۰		0	0.00

PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 197-D.



THE "AFFIX" SEAT.

The "AFFIX" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wail, allowing all parts of the water-closet to be easily cleansed.

PLATE 197-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Affix" Seat with cover, and straight "back air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet, and making it much easier to be kept free from dust or dirt.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

P	R	T	3	E	S	

The "Brighto	N" Water-Close	et Apparatus,	Plate 197-D	, as d	escrib	ed, .									\$68.00
Add, if woodw															5.00
Add, for 11/4-in															9.00
The "BRIGHTO	N" Water-Clos	et as illustrat	ed, but with	plain	unfit	nishe	d tank	and	japar	aned	brac	kets,			60.00
ir rr	** **	with plain	unfinished (tank,	withou	ut sea	at or fl	ush p	ipe,						42.00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 198-D.

Particular attention is called to the sectional cut below of the "BRIGHTON" Water-Closet, Improved Pedestal Pattern, showing how the trap is made and encased by the base of the closet, and formed in one piece with it, the trap vent or "back-air" being so located that it cannot become obstructed.

The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the water-closet to be easily cleansed.



SECTIONAL VIEW OF THE "BRIGHTON" WATER-CLOSET, IM-PROVED PEDESTAL PATTERN, WITH STRAIGHT "BACK-AIR" TO WALL AND "AFFIX" SEAT AND COVER.

PLATE 198-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection round cornered, design "E" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Affix" Seat with cover, and straight "back-air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation and cannot get out of order.

PRICES.

The "Brighton" Water-Closet Apparatus, Plate 198-D,	as d	lescri	bed,						\$68.00
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,									9.00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 199-D.



THE "AFFIX" SEAT.

The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the watercloset to be easily cleansed.

PLATE 199-D consists of the "BRIGHTON" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "B" tank, brass brackets, brass flush pipe, bracket guide for pull, and chain of brass wire, "Affix" Seat with cover, and curved "back-air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

		PRIC	ES.										
The "Brighton" Water-Closet Apparatus, Plate 199-D,	as	descr	ibed,										\$78.00
Add, if woodwork is mahogany or bird's-eye maple,													
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,		•	•	٠	•	•		٠	•	•	•	•	9,00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 200-D.

Particular attention is called to the sectional cut below of the "Brighton" Water-Closet, Improved Pedestal Pattern, showing how the trap is made and encased by the base of the closet, and formed in one piece with it, the trap vent or "back-air" being so located that it cannot become obstructed.

The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the water-closet to be easily cleansed.



Sectional View of the "Brighton" Water-Closet, Improved Pedestal Pattern, with Straight "Back-Air" to Wall and "Affix" Seat without Cover.

PLATE 200-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Affix" Seat without cover, and straight "back air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet, and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Brighton" Water-Closet Apparatus, Plate 200-D,	as d	escri	bed,						\$65.50
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add for 11/2-inch Italian marble floor slab, 27x27 inches.									9.00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 201-D.



THE "AFFIX" SEAT.

The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the water-closet to be easily cleansed.

PLATE 201-D consists of the "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "E" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Affix" Seat with cover, and curved "back air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet, and making it much easier to be kept free from dust or dirt.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

	R			

The "Brighton" Water-Closet, Plate 201-D, as described,							\$73.00
Add, if woodwork is mahogany or bird's-eye maple, .							5.00
Add, for 14-inch Italian marble floor slab, 27x27 inches,							9.00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Particular attention is called to the sectional cut below of the "Brighton" Water-Closet, Improved Pedestal pattern, showing how the trap is made and encased by the base of the closet, and formed in one piece with it. The trap vent or "back-air" being so located that it cannot become obstructed.

The "AFFIX" Scat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the watercloset to be easily cleansed.



SECTIONAL VIEW OF THE "BRIGHTON" WATER-CLOSET, IM-PROVED PEDESTAL PATTERN, WITH CURVED "BACK-AIR" TO WALL AND "AFFIX" SEAT AND COVER,

Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 202-D.

PLATE 202-D consists of the Embossed "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Affix" Seat with cover, and curved "back air" to wall. All trimmings nickel-plated.


The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet, and making it much easier to be kept free from dust or dirt.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and natented) is practically silent in operation, and cannot get out of order.

	LKI	CES	•						
The "Brighton" Water-Closet, Plate 202-D, as described,									\$76.00
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add for 11/ inch Italian marble floor clab 97x97 inches									0.00

PATENTED.

IMPROVED PEDESTAL PATTERN.







THE "AFFIX" SEAT.

The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the watercloset to be easily cleansed.

191 PLATE 203-D consists of the Embossed "Brighton" Water-Closet, Improved Pedestal form, with patent brass floor connection, paneled tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Affix" Seat with cover, and curved "back-air" to wall. All trimmings nickel-plated.

The Improved Pedestal form of the "Brighton" Water-Closet is constructed on the same lines and measurements as the former shape except that the trap is enclosed, as shown in the above illustration, adding great strength to the closet and making it much easier to be kept free from dust or dirt.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation and cannot get out of order.

PRICES.	

The "BRIGHTON" Water-Closet Apparatus, Plate 203-D,	as	descr	ibed,							\$77.50
Add, if woodwork is mahogany or bird's-eye maple,										
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,			•	•	•					9.00

PATENTED.

THE "VORTEX" WATER-CLOSET is the outcome of the demand for a simple deep seal bowl, that will flush-out quickly and noiselessly, and operate under any of the conditions that a wash-out water-closet is adapted to. The "VORTEX" is the result of a series of severe practical experiments with that object in view, and we believe it to be unsurpassed by any other syphon closet in the market. It has also many features, not possessed by any other closet, that must be seen to be appreciated.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

NOTE-"VITREAN" WARE.


All water-closets now furnished by us are made of a non-porous body, designated as "VITREAN" ware. This ware is practically imperishable from use or age, and will not craze or discolor. Being non-absorbent it is considered superior to any other domestic or imported earthenware.

WITH ANNEX SEAT.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 204-D.



THE "ANNEX" SEAT.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 204-D consists of the "VORTEX" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, lesign "A" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover. All trimmings nickel-plated.

The tanks furnished with the "Vortex" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The "VORTEX" Water-Closet Apparatus, Plate 204-D, as	s de	scrib	ed,			۰				\$73.00
Add, if woodwork is mahogany or bird's-eye maple,										5.00
Add, for 11/-inch Italian marble floor slab 27x27 inches										9.00

WITH ANNEX SEAT.




Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 205- D.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



Sectional View of the "Vortex" Water-Closet, with "Annex" Seat and Cover.

PLATE 205-D consists of the "Vortex" Syphon Jet Water-Closet, with patent brass floor connection, round cornered design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover. All trimmings nickel-plated.

The tanks furnished with the "Vortex" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "VORTEX" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.


The "VORTEX" Water-Closet Apparatus, Plate 205-D, as	descri	bed,						\$71.00
Add, if woodwork is mahogany or bird's-eye maple, .							۰	5.00
Add, for 14-inch Italian marble floor slab, 27x27 inches, .				,	۰			9.00

WITH ANNEX SEAT.



Copyright, 1895, by The Meyer-Sniffen Co., Limiten.

PLATE 206-D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.


PLATE 206-D consists of the "Vortex" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "E" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover. All trimmings nickel-plated.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

PRICES.						
The "VORTEX Water-Closet Apparatus, Plate 206-D, as described,						\$73.00
Add, if woodwork is mahogany or bird's-eye maple,						5.00
Add for 1 V-inch Italian marble floor slab 27v27 inches						0.00

WITH ANNEX SEAT.




Copyright, 1895, by The Meyer-Sniffen Co., Limitea.

PLATE 207-D.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF THE "VORTEX" WATER CLOSET, WITH
"ANNEX" SEAT AND COVER.

PLATE 207-D consists of the "VORTEX" Syphon Jet Water-Closet, with patent brass floor connection, paneled tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover. All trimmings nickel-plated.

The tanks furnished with the "Vortex" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "VORTEX" Water-Closet Apparatus, Plate 207-D, as	des	cribe	d,						\$74.50
Add, if woodwork is mahogany or bird's-eye maple, .									5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,									9.00

WITH ANNEX SEAT.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 208-D.



The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 208-D consists of the "Vortex" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "B" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover. All trimmings nickel-plated.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

PRICES	
--------	--

The "VORTEX" Water-Closet Apparatus, Plate 208-D, as	des	cribe	d,						\$76.00
Add, if woodwork is mahogany or bird's-eye maple, .									5.00
Add, for 11/-inch Italian marble floor slab, 27x27 inches.									9.00

WITH ANNEX SEAT AND LOCAL VENT.




Copyright, 1894, by THE MEYER-SNIFFEN CO., Limited.

PLATE 209-D.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the cleset and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



Sectional View of the "Vortex" Water-Closet, with Local Vent Connection and "Annex"

PLATE 209-D consists of the "VORTEX" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover and porcelain local vent connection. All trimmings nickel-plated.

The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that the water cannot overflow through the local vent pipe. The porcelain connection can be furnished right or left as desired.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.


		IXI	الاستان	•						
The "VORTEX" Water-Closet Apparatus, Plate 209-D,										
Add, if woodwork is mahogany or bird's-eye maple,.										5.00
4 11 6 - 1 1/ in t Italian morble floor clab 97v97 inches	2									0.00

WITH ANNEX SEAT AND LOCAL VENT.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 210-D.



THE "ANNEX" SEAT.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 210-D consists of the "Vortex" Syphon Jet Water Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover, and porcelain local vent connection. All trimmings nickel-plated.

The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that the water cannot overflow through the local vent pipe. The porcelain connection can be furnished right or left as desired.


The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "VORTEX" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Vortex" Water-Closet Apparatus, Plate 210-D, as de	scrib	ed,						\$74.00
Add, if woodwork is mahogany or bird's-eye maple,								5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,								9.00

WITH ANNEX SEAT AND LOCAL VENT.




Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 211 - D.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF THE "VORTEX" WATER-CLOSET, WITH LOCAL VENT CONNECTION AND "ANNEX"

SEAT WITH COVER.

PLATE 211-D consists of the "Vortex" Syphon Jet Water-Closet, with patent brass floor connection, round cornered design "E" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover and porcelain local vent connection. All trimmings nickel-plated.

The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that water cannot overflow through the local vent pipe. The porcelain connection can be furnished either right or left as desired.


The tanks furnished with the "Vortex" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "VORTEX" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.


The "VORTEX" Water-Closet Apparatus, Plate 211-D, as described,						\$72.00
Add, if woodwork is mahogany or bird's-eye maple,						5.00
Add, for 1 1/-inch Italian marble floor slab, 27x27 inches,						9.00

WITH ANNEX SEAT AND LOCAL VENT.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 212-D.



THE "ANNEX" SEAT.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 312-D consists of the "YORTEX" Syphon Jet Water-Closet, with patent brass floor connection, paneled tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "ANNEX" Seat with cover, and porcelain local vent connection. All trimmings nickel-plated.

The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that water cannot overflow through the local vent pipe. The porcelain connection can be furnished either right or left as desired.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "VORTEX Water-Closet Apparatus, Plate 212-D, as described,							\$75.50
Add, if woodwork is mahogany or bird's-eye maple,							5.00
Add for 1 1/2-inch Italian marble floor slab, 27x27 inches					-		9.00

WITH ANNEX SEAT.




Copyright, 1895, by The Meyer-Sniffen Co., Limited,

PLATE 213-D.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the carthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF THE "VORTEX" WATER-CLOSET; WITH "ANNEX" SEAT AND COVER.

PLATE 213-D consists of the Embossed "Vortex" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "E" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover. All trimmings nickel-plated.

The tanks furnished with the "Vortex" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

PRICES.		


The "VORTEX" Water-Closet Apparatus, Plate 213-D, as	des	cribe	d,						\$74.00
Add, if woodwork is mahogany or bird's-eye maple, .									5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,									9.00

WITH ANNEX SEAT.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 214-C.



THE "ANNEX" SEAT.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 214-D consists of the Embossed "Vortex" Syphon Jet Water-Closet, with patent brass floor connection, round cornered design 'A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" seat with cover. All trimmings nickel-plated.


The tanks furnished with the "Vortex" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "VORTEX" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

	P	R	I	C	E	S	
--	---	---	---	---	---	---	--

The "VORTEX" Water-Closet Apparatus, Plate 214-D,	as d	escr	ibed,					٠		\$74.00
Add, if woodwork is mahogany or bird's-eye maple,			,							5.00
Add for 11/-inch Italian marble floor slab, 27x27 inches										9.00

WITH ANNEX SEAT AND LOCAL VENT.




Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 215-D.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF THE "VORTEX" WATER-CLOSET, WITH LOCAL VENT CONNECTION AND "ANNEX" SEAT WITH COVER.

PLATE 215-D consists of the Embossed "Vortex" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "E" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, and porcelain local vent connection. All trimmings nickel-plated.

The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that water cannot overflow through the local vent pipe. The porcelain connection can be furnished either right or left as desired.

The tanks furnished with the "Vortex" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "VORTEX" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.


The "VORTEX Water-Closet Apparatus, Plate 215-D, as	s de	scrib	ed,						\$75.00
Add, if woodwork is mahogany or bird's-eye maple, .									5.00
Add for 1 1/2-inch Italian marble floor slab, 27x27 inches,									9.00

WITH ANNEX SEAT AND LOCAL VENT.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 216-D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 216-D consists of the Embossed "Vortex" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover and porcelain local vent connection. All trimmings nickel-plated.

The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that the water cannot overflow through the local vent pipe. The porcelain connection can be furnished right or left as desired.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "VORTEX" Water-Closet Apparatus, Plate 216-D,	as (descri	bed,						\$75.00
Add, if woodwork is mahogany or bird's-eye maple, .									5.00
Add for 11/4-inch Italian marble floor slab, 27x27 inches,									9.00

WITH ANNEX SEAT.




Copyright, 1895, by The Meyer-Sniffen Co., Limited,

PLATE 217- D.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented — an advantage possessed by no other closet seat on the market.



Sectional View of the "Vortex" Water Closet, with "Annex" Seat and Cover.

PLATE 217-D consists of the Embossed "VORTEX" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "C" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover. All trimmings nickel-plated.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Vortex" Water-Closet Apparatus, Plate 217-D, as	desc	ribed	l,						\$84.00
Add, if woodwork is mahogany or bird's-eye maple, .									5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,		,	,						9.00

WITH ANNEX SEAT.



Copyright, 1895, by The MEYER-SNIFFEN Co., Limited.

PLATE 218-D.



THE "ANNEX" SEAT.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented — an advantage possessed by no other closet seat on the market.

PLATE 218-D consists of the Embossed "Vortex" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "D" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover. All trimmings nickel-plated.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "VORTEX" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

PRICES		

The "VORTEX" Water-Closet Apparatus, Plate 218-D, as	des	cribed	i,	0					\$90.00
Add, if woodwork is mahogany or bird's-eye maple, .									5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,									9.00

WITH ANNEX SEAT.




Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 219-D.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented — an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF THE "VORTEX" WATER CLOSET, WITH TRAP VENT AND PIPE TO WALL, AND "ANNEX" SEAT AND COVER.

PLATE 219-D consists of the "Vortex" Syphon Jet Water Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, and straight "backair" to wall. All trimmings nickel-plated.

There are often cases where it is advisable or necessary to have the "back-air" or "trap-vent" connection above the floor. As shown in the above illustration, our patented connection ventilates the trap without interfering with the operation of the closet, and is so located that it cannot become obstructed.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

PR	ICES.	


The "VORTEX" Water-Closet Apparatus, Plate 219-D, as	des	erib	ed,						\$75 00
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,									

WITH ANNEX SEAT.



Copyright, 1895, by Thin Meyen-Sniffen Co., Limited.

PLATE 220-D.



THE "ANNEX" SEAT.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented — an advantage possessed by no other closet seat on the market.

PLATE 220-D consists of the "Vortex" Syphon Jet Water Closet, with patent brass floor connection, round cornered, design "E" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, and straight "backair" to wall. All trimmings nickel-plated.

There are often cases where it is advisable or necessary to have the "back-air" or "trap-vent" connection above the floor. As shown in the above illustration, our patented connection ventilates the trap without interfering with the operation of the closet, and is so located that it cannot become obstructed.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

DDICEC		

The "Vortex" Water-Closet Apparatus, Plate 220-D, as	des	cribe	1,						\$75.00
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,									9.00

WITH ANNEX SEAT.




Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 221-D.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF THE "VORTEX" WATER-CLOSET, WITH
TRAP VENT AND PIPE TO WALL, AND "ANNEX"
SEAT AND COVER.

PLATE 221-D consists of the "Vortex" Syphon Jet Water-Closet, with patent brass floor connection, paneled tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, and straight "back-air" to wall. All trimmings nickel-plated.

There are often cases where it is advisable or necessary to have the "back-air" or "trap-vent" connection above the floor. As shown in the above illustration, our patented connection ventilates the trap without interfering with the operation of the closet, and is so located that it cannot become obstructed.


The tanks furnished with the "Vortex" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "VORTEX" Water-Closet Apparatus, Plate 221-D, as	s de	scrib	ed,						\$76.50
Add, if woodwork is mahogany or bird's-eye maple, .									5.00
Add for 11/2-inch Italian marble floor slah, 27x27 inches,									9.00

WITH ANNEX SEAT AND LOCAL VENT



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 222-D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 222-D consists of the "Vortex" Syphon Jet Water-Closet, trap vent and pipe to wall, patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" seat with cover, and porcelain local vent connection. All trimmings nickel-plated.

There are often cases where it is advisable or necessary to have the "back-air" or "trap-vent" connection above the floor. As shown in the above illustration, our patented connection ventilates the trap without interfering with the operation of the closet, and is so located that it cannot become obstructed.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "VORTEX" Water-Closet Apparatus, Plate 222-D, as d	escri	bed,						\$78.00
Add, if woodwork is mahogany or bird's-eye maple,								5.00
Add for 11/-inch Italian marble floor slab 27x97 inches								0.00

WITH ANNEX SEAT.




Copyright, 1891, by THE MEYER-SNIFFEN Co., Limited.

PLATE 223 D.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF THE "VORTEX" WATER-CLOSET, WITH TRAP VENT AND PIPE TO WALL, AND "ANNEX" SEAT AND COVER.

PLATE 223-D consists of the Embossed "Vortex" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover, and straight "back-air" to wall. All trimmings nickel-plated.

There are often cases where it is advisable or necessary to have the "back-air" or "trap-vent" connection above the floor. As shown in the above illustration, our patented connection ventilates the trap without interfering with the operation of the closet, and is so located that it cannot become obstructed.

The tanks furnished with the "Vortex" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "VORTEX" Water-Closet Apparatus, Plate 223-D, as	s des	cribe	d,						\$80.50
Add, if woodwork is mahogany or bird's-eye maple, .									5.00
Add, for 14-inch Italian marble floor slab, 27x27 inches,									9.00

\$80.50


THE "VORTEX" SYPHON JET WATER-CLOSET

WITH ANNEX SEAT.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 224-D.



THE "ANNEX" SEAT.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 224-D consists of the Embossed "Vortex" Syphon Jet Water Closet, with patent brass floor connection, round connectd, design "E" tank, brass brackets, brass flush pipe, with bracket guide for pull and chain of brass wire, "ANNEX" Seat with cover, and straight "back-air" to wall. All trimmings nickel-plated.

There are often cases where it is advisable or necessary to have the "back-air" or "trap-vent" connection above the floor. As shown in the above illustration, our patented connection ventilates the trap without interfering with the operation of the closet, and is so located that it cannot become obstructed.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

PRICES.						
The "VORTEX" Water-Closet Apparatus, Plate 224-D, as described,						

WITH ANNEX SEAT.




Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 225-D.

The "ANNEX" Seat is the simplest and most desirbale seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF THE "VORTEX" WATER CLOSET, WITH TRAP VENT AND PIPE TO WALL, AND "ANNEX" SEAT AND COVER.

PLATE 225-D consists of the Embossed "Vortex" Syphon Jet Water Closet, with patent brass floor connection, round cornered, design "C" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover, and straight "back-air" to wall. All trimmings nickel-plated.

There are often cases where it is advisable or necessary to have the "back-air" or "trap-vent" connection above the floor. As shown in the above illustration, our patented connection ventilates the trap without interfering with the operation of the closet, and is so located that it cannot become obstructed.

The tanks furnished with the "Vortex" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The	"VORTEX" Water-Closet Apparatus, Plate 225-D, as	des	cribe	đ,						\$90 50
Add	if woodwork is mahogany or bird's-eye maple,									5.00
Add	for 11/4-inch Italian marble floor slab, 27x27 inches,									9.00

WITH ANNEX SEAT.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 226-D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented — an advantage possessed by no other closet seat on the market.

PLATE 226-D consists of the Embossed "Vortex" Syphon Jet Water Closet, with patent brass floor connection, round cornered, design "D" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover, and straight "back-air" to wall. All trimmings nickel-plated.

There are often cases where it is advisable or necessary to have the "back-air" or "trap-vent" connection above the floor. As shown in the above illustration, our patented connection ventilates the trap without interfering with the operation of the closet. and is so located that it cannot become obstructed.


The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

PRICES.

WITH ANNEX SEAT AND LOCAL VENT.




Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 227-D.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



Sectional View of the "Vortex" Water-Closet, with Local Vent Connection, Trap Vent and Pipe to Wall, and "Annex" Seat with Cover.

PLATE 227-D consists of the Embossed "Vortex" Syphon Jet Water-Closet, trap vent and pipe to wall, patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, and porcelain local vent connection. All trimmings nickel-plated.

The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that water cannot overflow through the local vent pipe. The porcelain connection can be furnished either right or left as desired.

There are often cases where it is advisable or necessary to have the "back-air" or "trap-vent" connection above the floor. As shown in the above illustration, our patented connection ventilates the trap without interfering with the operation of the closet, and is so located that it cannot become obstructed.

The tanks furnished with the "Vortex" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "VORTEX" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "VORTEX" Water-Closet Apparatus, Plate 227-D, as desc	ribe	ed,						\$79.00
								5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches, .								9.00

WITH ANNEX SEAT.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 228-D.

PLATE 228-D consists of the "VORTEX" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of wire, "Annex" Seat without cover. All trimmings nickel-plated.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 229-D.

PLATE 229-D consists of the "VORTEX" Syphon Jet Water-Closet, embossed, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of wire, "Annex" Seat without cover. All trimmings nickel-plated.


The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "	Vortex"	Water-	-Closet A	Apparatus	Plate	228-D, a	s descri	bed,				۰		\$68.50
"	6.6		**	"	"	229-D, ·	. "							71.50
Add, i	f woodwo	ork is m	ahogany	or bird's	eye m	aple,				4				5.00
Add, f	or 11/-inc	ch Italia	an marbl	le floor sla	b. 27x	27 inches,								9.00

WITH ANNEX SEAT AND LOCAL VENT.



Copyright, 1894, 1 y The Meyer-Sniffen Co., Limited.

PLATE 230-D.

PLATE 230-D consists of the "Vortex" Syphon Jet Wa'er-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of wire, "Annex" Seat without cover, and porcelain local vent connection. All trimmings nickel-plated.



Copyright, 1891, by The Meyer-Sniffen Co., Limited.

PLATE 231-D.

PLATE 231-D consists of the "Vortex" Embossed Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of wire, "Annex" seat without cover, and porcelain local vent connection. All trimmings rickel-plated.

The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that water cannot overflow through the local vent pipe. The porcelain connection can be furnished right or left as desired.


The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "VORTEX" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.


The '	"Vortex"	Water-Closet	Apparatus,	Plate	230-D,	as d	escribe	ed,						\$69.50
"		4.6	**	4.4	231-D,	**	5.1							72.50
Add,	if woodwo	rk is mahogan	y or bird's-	eye ma	aple,									5.00
Add,	for 11/4-inc	h Italian marb	ole floor slab	, 27x2	7 inches,	,								9,00

WITH ANNEX SEAT.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 232-D.



THE "ANNEX" SEAT.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 232-D consists of the Embossed "Vortex" Square Top, Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "E" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover. All trimmings nickel-plated.


The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred,

The "Vortex" Water-Closet Apparatus, Plate 232-D, as								\$79.00
Add, if woodwork is mahogany or bird's-eye maple, .								5.00
Add, for 14-inch Italian marble floor slab, 27x27 inches,								9.00

WITH ANNEX SEAT.




Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 233-D.

The "Annex" Seat is the simplest and most desirable scat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



Sectional View of the "Vortex" Water-Closet with "Annex" Seat and Cover.

PLATE 233-D consists of the Embossed "Vortex" Square Top, Syphon Jet Water Closet, with patent brass floor connection, round cornered, design "D" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover. All trimmings nickel-plated.


The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.


The "Vortex" Water-Closet Apparatus, Plate 233-D, as	desc	ribed,						\$93.00
Add, if woodwork is mahogany or bird's-eye maple,								5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,								9.00

WITH ANNEX SEAT.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 234 D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 234-D consists of the Embossed "Vortex," Square Top, Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of wire, "Annex" sear with cover. All trimmings nickel-plated.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation and so simple that it cannot get out of order.

The great depth of water in the bowl of the "VORTEX" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

	PR	CES.						
The "VORTEX" Water-Closet Apparatus, Plate 234-D, as	descr	bed,						\$77.00
Add, if woodwork is mahogany or bird's-eye maple,								5.00
Add, for 14-inch Italian marble floor slab, 27x27 inches,								9.00

WITH ANNEX SEAT AND LOCAL VENT.




Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 235-D

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



Sectional View of the "Vortex" Water-Closet, with Local Vent Connection and "Annex" Seat with Cover.

PLATE 235-D consists of the Embossed "Vortex" Square Top, Syphon Jet Water Closet, with patent brass floor connection, round cornered, design "E" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover and porcelain local vent connection. All trimmings nickel-plated.

The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that water cannot overflow through the local vent pipe. The porcelain connection can be furnished either right or left as desired.


The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

PRICES.	


The "VORTEX" Water-Closet Apparatus, Plate 235-D, as	des	cribe	eđ,						\$78 00
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add, for 11/-inch Italian marble floor slab, 27x27 inches,									9.00

WITH ANNEX SEAT AND LOCAL VENT.



Copyright 1894, by THE MEYER SNIFFEN Co., Limited.

PLATE 236-D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 236-D consists of the Embossed "Vortex," Square Top, Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of wire, "Annex" Seat with cover, and porcelain local vent connection. All trimmings nickel-plated.


The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that water cannot overflow through the local vent pipe. The porcelain connection can be furnished right or left, as indicated in the plan.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

	PR	ICES						
The "VORTEX" Water-Closet Apparatus, Plate 236-D, as	s desc	ribed,						\$78.00
Add, if woodwork is mahogany or bird's-eye maple,								
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,								9.00


WITH ANNEX SEAT.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 237-D.

PLATE 237-D consists of the "VORTEX" Embossed, Square Top, Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of wire, and "Annex" Seat without cover. All trimmings nickel-plated.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 238-D.

PLATE 238-D consists of the "VORTEX" Embossed, Square Top, Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of wire, "Annex" Seat without cover, and porcelain local vent connection. All trimmings nickel-plated.

For description of local vent connection see page 8.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "Vortex" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The	"VORTEX"	Water-Closet	Apparatus	, Plate 237-D, a	s desc	cribed,						\$74.50
44	4.6	4.6	**	" 238-D, "		**						75,50
Add	l, if woodwo	ork is mahogan	y or bird's	eye maple,								5.00
Add	1, for 11/-ine	ch Italian marb	le floor sla	b, 27x27 inches,								9.00

PATENTED.






PLATE 239-D.

PLATE 240-D.

THE "VORTEX," SQUARE TOP, PEDESTAL, SYPHON WATER-CLOSET, Ivory Embossed.

PLATE 239-D consists of the Embossed, Square Top, "Vortex" Water-Closet, with Patent Brass Floor Connection, Round Corner Tank (Design "A"), Brass Brackets, Brass Flush Pipe, Chain and Ivory Celluloid Pull, and No. 16 Seat.

All Brass Trimmings Nickel-Plated.

PLATE 240-D consists of the Embossed, Square Top, "VORTEX" WATER-CLOSET, with Patent Brass Floor Connection, Round Corner Tank (Design "B"), Brass Brackets, Brass Flush Pipe, Chain and Ivory Celluloid Pull, and No. 16 Seat.

All Brass Trimmings Nickel-Plated.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it is not liable to get out of order.

The Wood-work furnished is either Cherry, Oak, Black Walnut, or Ash, as preferred.


THE " VORTE	x" WATER-	CLOSET	Apparatus,	Plate	239-D,	as d	escribed	,	Nickel-	Plated	trimming	s,	\$77 0
	**	"	**	"	240-D,	**	"		"	1.6	"		82 0
Add if wood-	work is Man	ogany (or Birds-eye	Mapl	e,								5 0
" for 1¼-i	ien Italian N	larble.	Floor Slab,	27x27,									 0.0

WITH NO. 12 SEAT.



Copyright, 1895, by The Meyen-Sniefen Co., Limited,
PLATE 241-D.

In our No. 12 Seat all superfluous woodwork is dispensed with. Special brass adjustable brackets are designed to hold the seat firmly to the wall. The seat conforms to the shape of the bowl, leaving an unobstructed open space around the closet, so that all exterior parts may be easily cleaned, making it a perfectly sanitary as well as substantial fixture.



Sectional View of the "Vortex" Water-Closet, with No. 12 Seat and Cover.

PLATE 241-D consists of the "Vortex" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, No. 12 Seat with cover. All trimmings nickel-plated.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "VORTEX" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.


PRICES	5.						
The "VORTEX" Water-Closet Apparatus, Plate 241-D, as described,		,					\$70.00
Add, if woodwork is mahogany or bird's-eye maple,							5.00
Add for 11/ inch Italian marble floor slab 97v97 inches							0.00

\$74.00

THE "VORTEX" SYPHON JET WATER-CLOSET

WITH NO. 12 SEAT.







THE NO. 12 SEAT.

In our No. 12 Seat all superfluous woodwork is dispensed with. Special brass adjustable brackets are designed to hold the seat firmly to the wall. The seat conforms to the shape of the bowl, leaving an unobstructed open space around the closet, so that all exterior parts may be easily cleaned, making it a perfectly sanitary as well as substantial fixture.

PLATE 242-D consists of the "VORTEX" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, No. 12 Seat with cover, and straight "back-air" to wall. All trimmings nickel-plated.

There are often cases where it is advisable or necessary to have the "back-air" or "trap-vent" connection above the floor. As shown in the above illustration, our patented connection ventilates the trap without interfering with the operation of the closet, and is so located that it cannot become obstructed.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "VORTEX" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

	PRICES.						
he "Vortex" Water-Closet Apparatus, Plate 242-D, a	as described,					۰	


Add, if woodwork is mahogany or bird's-eye maple. 5.00
Add, for 1½-inch Italian marble floor slab, 27x27 inches, 9.00

WITH AFFIX SEAT.



Copyright, 1895, by The Meyer-Sniffen Co., Limited, PLATE 243-D.

The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the water-closet to be easily cleansed.



SECTIONAL VIEW OF THE "VORTEX" WATER-CLOSET WITH
"AFFIX" SEAT AND COVER.

PLATE 243-D consists of the "Vortex" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, with pull and chain of brass wire, "Affix" Seat with cover. All trimmings nickel-plated.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "VORTEX" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.


The "VORTEX" Water-Closet Apparatus, Plate 243-D, as described,		\$68.00
Add, if woodwork is mahogany or bird's-eye maple,		5.00
Add, for 14-inch Italian marble floor slab, 27x27 inches,		9.00
The "VORTEX" Water-Closet as illustrated, but with plain unfinished tank and japanned brackets		60.00
" with plain unfinished tank and japanned brackets, without seat or flush pipe,		42.00

WITH AFFIX SEAT.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 244 D.



THE "AFFIX" SEAT.

The "AFFIX" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the watercloset to be easily cleansed.

PLATE 244-D consists of the "VORTEX" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "E" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "AFFIX" Seat with cover, All trimmings nickel-plated.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "VORTEX" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.


	PF	RICES.						
The "Vortex" Water-Closet, Plate 244-D, as described	,							\$70.00
Add, if woodwork is mahogany or bird's eye maple,	. ,							5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,			4					9.00

WITH AFFIX SEAT.



Copyright, 1895, by The Meyer-Sniffen Co., Limited. PLATE 245- D.

The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the watercloset to be easily cleansed.



SECTIONAL VIEW OF THE "VORTEX" WATER-CLOSET, WITH TRAP VENT AND PIPE TO WALL, AND "AFFIX" SEAT AND COVER.

PLATE 245-D consists of the "Vortex" Syphon Jet Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Affix" Seat with cover, and straight "backair" to wall. All trimmings nickel-plated.

There are often cases where it is advisable or necessary to have the "back-air" or "trap-vent" connection above the floor. As shown in the above illustration, our patented connection ventilates the trap without interfering with the operation of the closet, and is so located that it cannot become obstructed.

The tanks furnished with the "VORTEX" Water-Closets are so constructed that a momentary pull of the handle effects the thorough flushing of the closet. The syphon in the tank (recently improved and patented by us) is practically silent in operation, and so simple that it cannot get out of order.

The great depth of water in the bowl of the "VORTEX" (5 to 6 inches) forms an efficient seal against the passage of sewer air, and more than enough to thoroughly submerge any deposit of fecal matter.

> The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred. PRICES.

The "VORTEX" Water-Closet Apparatus, Plate 245-D, as described,		\$72.00
Add, if woodwork is mahogany or bird's-eye maple, ,		5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,		9.00
The "VORTEX" Water-Closet as illustrated, but with plain unfinished tank and japanned brackets,		64.00
" " with plain unfinished tank and japanned brackets, without seat or flush pipe.		46.00

with plain unfinished tank and japanned brackets, without seat or flush pipe, . . .

PATENTED.

It is often desirable to have the trap portion of a Water-Closet of metal, so that it may be connected to the soil pipe system and thus become a part of the same, with the result that the joint of the bowl, the earthenware portion, will then be on the house side of the trap, and an accidental leak at that point will not be of a serious nature.

We offer the "Pemberton," as undoubtedly the first and most favorably known of this class of water-closet, to meet all such requirements. The Bowl of the "Pemberton" is identical with the "Brighton," and has all the special features peculiar to it, with the addition of a separate trap of different material and construction to suit the special conditions referred to.

NOTE.—"VITREAN" WARE.

All water-closets now furnished by us are made of a non-porous body, designated as "VITREAN" ware. This ware is practically imperishable from use or age, and will not craze or discolor. Being non-absorbent it is considered superior to any other domestic or imported earthenware.

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright 194, by THE MEYER SNIFFEN Co., Limited.

PLATE 246- D.

In the "Pemberton" Pedestal Water-Closet the trap is completely encased by the base of the closet, and is detachably connected to the earthenware on the "house side" of the water seal. The trap being of extra heavy drawn lead, it is obvious that a perfect soldered joint can be made with the soil pipe.

With the use of the "Annex" Seat an open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. An important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market,



Sectional View of "Pemberton" Pedestal Water-Closet,

and "Annex" Seat and Cover.

PLATE 246-D consists of the "Pemberton" Improved Pedestal Water-Closet, with flexible metal trap, round cornered, design "A" tank, brass brackets, brass flush pipe, with bracket guide for pull and wire, "Annex" Seat with cover. All trimmings nickel-plated.

The "PEMBERTON" Improved Pedestal is undoubtedly the best form of water-closet in which the base of the closet encases a metal trap. The base is so made as to completely cover the trap (which feature has been recently patented by us), thereby gaining the cleanliness of an all-porcelain water-closet.

The practical operation of the "Pemberton" is exactly the same as the Improved "Beichton." which, in regard to depth of water in the bowl and means of flushing all parts of the closet, is unsurpassed by any other make. The flexible trap furnished (eight-pound lead) is of a special form, made to be easily and perfectly connected to the bowl.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "PEMBERTON" Water-Closet Apparatus, Plate 246-D,	as de	escri	oed,							\$85.00
Add, if woodwork is mahogany or bird's-eye maple, .										5.00
Add, for 11/-inch Italian marble floor slab, 27x27 inches,				,		,	,			9.00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited,

PLATE 247-D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented — an advantage possessed by no other closet seat on the market.

PLATE 247-D consists of the "Pemberton" Improved Pedestal Water-Closet, with flexible metal trap, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "ANNEX" Seat with cover. All trimmings nickel-plated.

The "Pemberton" Improved Pedestal is undoubtedly the best form of water-closet in which the base of the closet encases a metal trap. The base is so made as to completely cover the trap (which feature has been recently patented by us), thereby gaining the cleanliness of an all-porcelain water-closet.

The practical operation of the "Pemberton" is exactly the same as the Improved "Brighton," which, in regard to depth of the water in the bowl and means of flushing all parts of the closet, is unsurpassed by any other make. The flexible trap furnished (eight-pound lead) is of a special form, made to be easily and perfectly connected to the bowl.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Pemberton" Water-Closet Apparatus, Plate 247-D	, as d	escrib	ed,						\$82.00
Add, if woodwork is mahogany or bird's-eye maple,						,	,		5.00
Add, for 1 1/-inch Italian marble floor slab, 27x27 inches, .									9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 248-D.

In the "Pemberton" Pedestal Water-Closet the trap is completely encased by the base of the closet, and is detachably connected to the earthenware on the "house side" of the water seal. The trap being of extra heavy drawn lead, it is obvious that a perfect soldered joint can be made with the soil pipe.

With the use of the "Annex" Seat an open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. An important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF "PEMBERTON" PEDESTAL WATER-CLOSET,
AND "ANNEX" SEAT AND COVER.

PLATE 248-D consists of the "Pemberton" Improved Pedestal Water-Closet, with flexible metal trap, paneled tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover. All trimmings nickel plated.

The "Pemberton" Improved Pedestal is undoubtedly the best form of water-closet in which the base of the closet encases a metal trap. The base is so made as to completely cover the trap (which feature has been recently patented by us), thereby gaining the cleanliness of an all-porcelain water-closet.

The practical operation of the "Pemberton" is exactly the same as the Improved "Brighton," which, in regard to depth of the water in the bowl and means of flushing all parts of the closet, is unsurpassed by any other make. The flexible trap furnished (eight-pound lead) is of a special form, made to be easily and perfectly connected to the bowl.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation and cannot get out of order.

P	D	т.	ベ	T.	C

The "Pemberton" Water-Closet Apparatus, Plate 248-D,	as d	escrit	ed,						\$83.50
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add, for 1 1/-inch Italian marble floor slab, 27x27 inches.									9.06

PATENTED

IMPROVED PEDESTAL PATTERN.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 249-D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 249-D consists of the "Pemberton" Improved Pedestal Water-Closet, with flexible metal trap, round cornered, design "E" tank, brass brackets, brass flush pipe, with bracket guide for pull, and chain of brass wire, "Annex" Seat with cover. All trimmings nickel-plated.

The "Pemberton" Improved Pedestal is undoubtedly the best form of water-closet in which the base of the closet encases a metal trap. The base is so made as to completely cover the trap (which feature has been recently patented by us), thereby gaining the cleanliness of an all-porcelain water-closet.

The practical operation of the "Pemberton" is exactly the same as the Improved "Brighton," which, in regard to depth of the water in the bowl and means of flushing all parts of the closet, is unsurpassed by any other make. The flexible trap furnished (eight-pound lead) is of a special form, made to be easily and perfectly connected to the bowl.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Pemberton" Water-Closet Apparatus, Plate 249-D	, as de	scrib	ed,						\$84.00
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add, for 1 1/ inch Italian marble floor slab, 27x27 inches.									9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1895, by The Meyer-Sniffen Co., Limited,

PLATE 250-D.

In the "Pemberton" Pedestal Water-Closet the trap is completely eneased by the base of the closet, and is detachably connected to the earthenware on the "house side" of the water seal. The trap being of extra heavy drawn lead, it is obvious that a perfect soldered joint can be made with the soil pipe.

With the use of the "Annex" Seat an open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. An important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



Sectional View of "Pemberton" Pedestal Water-Closet and "Annex" Seat and Cover.

PLATE 250-D consists of the "PEMBERTON" Improved Pedestal Water-Closet, with flexible metal trap, round cornered, design "E" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, and porcelain local vent connection. All trimmings nickel-plated.

The "Pemberton" Improved Pedestal is undoubtedly the best form of water-closet in which the base of the closet encases a metal trap. The base is so made as to completely cover the trap (which feature has been recently patented by us), thereby gaining the cleanliness of an all-porcelain water-closet.

The practical operation of the "Pemberton" is exactly the same as the Improved "Brighton," which, in regard to depth of water in the bowl and means of flushing all parts of the closet, is unsurpassed by any other make. The flexible trap furnished (eight-pound lead) is of a special form, made to be easily and perfectly connected to the bowl.

The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that water cannot overflow through the local vent pipe. The porcelain connection can be furnished either right or left as desired.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

		 _		
PRI	ICES.			

The "Pemberton" Water-Closet Apparatus, Plate 250-D,	as de	escrib	oed,						\$83.00
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,								_	9.00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 251-D.



THE "ANNEX" SEAT.

The "ANNEX" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 251-D consists of the "Pemberton" Improved Pedestal Water-Closet, with flexible metal trap, round cornered, design A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat with cover, and porcelain local vent connection. All trimmings pickel-plated.

The "PEMBERTON" Improved Pedestal is undoubtedly the best form of water-closet in which the base of the closet encases a metal trap. The base is so made as to completely cover the trap (which feature has been recently patented by us), thereby gaining the cleanliness of an all-porcelain water-closet.

The practical operation of the "Pemberton" is exactly the same as the Improved "Brighton," which, in regard to depth of water in the bowl and means of flushing all parts of the closet, is unsurpassed by any other make. The flexible trap furnished (eight-pound lead) is of a special form, made to be easily and perfectly connected to the bowl.

The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that water cannot overflow through the local vent pipe. The porcelain connection can be furnished either right or left as desired.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Pemberton" Water-Closet Apparatus, Plate 251-D, a	s des	cribe	d,						\$83.00
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add, for 11/-inch Italian marble floor slab, 27x27 inches									9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1891, by The Meyer-Sniffen Co., Limited.

PLATE 252-D.

In the "Pemberton" Pedestal Water-Closet the trap is completely encased by the base of the closet, and is detachably connected to the earthenware with the joint on the "house side" of the water seal. The trap being of extra heavy drawn lead, it is obvious that a perfect soldered joint can be made with the soil pipe.

With the use of the "Annex" Seat an open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. An important feature is the method of attaching the hinge to the closet, whereby any possible fracture from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.



SECTIONAL VIEW OF "PEMBERTON" PEDESTAL WATER-CLOSET,
AND "ANNEX" SEAT WITHOUT COVER.

PLATE 252-D consists of the "PEMBERTON" Improved Pedestal Water Closet, with flexible metal trap, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat without cover. All trimmings nickel-plated.

The "Pemberton" Improved Pedestal is undoubtedly the best form of water-closet in which the base of the closet encases a metal trap. The base is so made as to completely cover the trap (which feature has been recently patented by us), thereby gaining the cleanliness of an all-porcelain water-closet.

The practical operation of the "Pemerron" is exactly the same as the Improved "Brighton," which, in regard to depth of water in the bowl and means of flushing all parts of the closet, is unsurpassed by any other make. The flexible trap furnished (eight-pound lead) is of a special form, made to be easily and perfectly connected to the bowl.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

	P	RICES							
The "PEMBERTON" Water-Closet Apparatus, Plate 252-L), as o	lescribe	ed,						\$79.50
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add for 1 1/-inch Italian marble floor slab 27v27 inches									9.00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1694, by THE MEYER SNIFFEN Co., Limited.

PLATE 253-D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 253-D consists of the "Pemberton" Improved Pedestal Water-Closet, with flexible metal trap, round cornered, design "A' tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat without cover, and porcelain local vent connection. All trimmings nickel-plated.

The "PEMBERTON" Improved Pedestal is undoubtedly the best form of water-closet in which the base of the closet encases a metal trap. The base is so made as to completely cover the trap (which feature has been recently patented by us), thereby gaining the cleanliness of an all-porcelain water-closet.

The practical operation of the "PEMBERTON" is exactly the same as the Improved "BRIGHTON," which, in regard to depth of water in the bowl and means of flushing all parts of the closet, is unsurpassed by any other make. The flexible trap furnished (eight-pound lead) is of a special form, made to be easily and perfectly connected to the bowl.

The arrangement of the local vent connection is one of the important features of the above apparatus. The opening (3 inches in diameter) is at the back of the bowl, and level with the flushing rim, so that water cannot overflow through the local vent pipe. The porcelain connection can be furnished either right or left as desired.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Pemberton" Water-Closet Apparatus, Plate	253-D	, as de	scrib	ed,						\$80.50
Add, if woodwork is mahogany or bird's-eye maple,										5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inc	hes,									9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited,

PLATE 254-D.

Sectional View of "Pemberton"

In the "Pemberton" Pedestal Water-Closet the trap is completely encased by the base of the closet, and is detachably connected to the earthenware with the joint on the "house side" of the water seal. The trap being of extra heavy drawn lead, it is obvious that a perfect soldered joint can be made with the soil pipe.

The "AFFIX" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the water-closet to be easily cleansed.



SECTIONAL VIEW OF "PEMBERTON" PEDESTAL WATER-CLOSET,
AND 'AFFIX" SEAT WITH COVER.

PLATE 254-D consists of the "Pemberton" Improved Pedestal Water-Closet, with flexible metal trap, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Affix" Seat with cover. All trimmings nickel-plated.

The "Pemberron" Improved Pedestal is undoubtedly the best form of water-closet in which the base of the closet encases a metal trap. The base is so made as to completely cover the trap (which feature has been recently patented by us), thereby gaining the cleanliness of an all-porcelain water-closet.

The practical operation of the "Pemberton" is exactly the same as the Improved "Brighton," which, in regard to depth of water in the bowl and means of flushing all parts of the closet, is unsurpassed by any other make. The flexible trap furnished (eight-pound lead) is of a special form, made to be easily and perfectly connected to the bowl.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

	ne "PEMBERTON																	
A	dd, if woodwork	is mahogany	or bird's-eye	maple, .														5.00
A	dd, for 11/4-inch	Italian marbl	le floor slab, s	27x27 inche	s, ,													9.00
Ί	he "PEMBERTON	" Water-Close	et as illustrat	ted, but wit	h pla	in u	ıfinis	hed t	tank	and	japar	ned	bracl	kets,				71.00
	66 64	6.6	with plain	unfinished	tank	and	lians	anne	d bra	cket	c wif	hout	ceat	or fla	ich n	ina		59 00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1895, by The Meyer-Sniffen Co., Limited,

PLATE 255-D.



THE "AFFIX" SEAT.

The "AFFIX" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the watercloset to be easily cleansed.

PLATE 255-D consists of the "Pemberton" Improved Pedestal Water-Closet, with flexible metal trap, round cornered, design "E" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Affix" Seat with cover. All trimmings nickel-plated.

The "PEMBERTON" Improved Pedestal is undoubtedly the best form of water-closet in which the base of the closet encases a metal trap. The base is so made as to completely cover the trap (which feature has been recently patented by us), thereby gaining the cleanliness of an all-porcelain water-closet.

The practical operation of the "Pemberton" is exactly the same as the Improved "Brighton," which, in regard to depth of water in the bowl and means of flushing all parts of the closet, is unsurpassed by any other make. The flexible trap furnished (eight-pound lead) is of a special form, made to be easily and perfectly connected to the bowl.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Pemberton" Water-Closet Apparatus, Plate 255-D, as	desc	ribed	1,						\$79.00
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add, for 11/-inch Italian marble floor slab, 27x27 inches,									9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.




Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 256-D.

In the "PEMBERTON" Pedestal Water-Closet the trap is completely encased by the base of the closet, and is detachably connected to the earthenware with the joint on the "house side" of the water scal. The trap being of extra heavy drawn lead, it is obvious that a perfect soldered joint can be made with the soil pipe.

The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the water-closet to be easily cleansed.



SECTIONAL VIEW OF "PEMBERTON" PEDESTAL WATER-CLOSET AND "AFFIX" SEAT WITHOUT COVER.

PLATE 256-D consists of the "Pemberton" Improved Pedestal Water-Closet, with flexible metal trap, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Affix" Seat without cover. All trimmings nickel-plated.

The "Pemberton" Improved Pedestal is undoubtedly the best form of water-closet in which the base of the closet encases a metal trap. The base is so made as to completely cover the trap (which feature has been recently patented by us), thereby gaining the cleanliness of an all-porcelain water-closet.

The practical operation of the "PEMBERTON" is exactly the same as the Improved "Brighton," which, in regard to depth of water in the bowl and means of flushing all parts of the closet, is unsurpassed by any other make. The flexible trap furnished (eight-pound lead) is of a special form, made to be easily and perfectly connected to the bowl.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

PRICES.		

The "Pemberton" Water-Closet Apparatus, Plate 256-D, as	desc	ribed	i,			•				\$76.50
Add, if woodwork is mahogany or bird's-eye maple,										5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches, .								•	•	9.00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 257-D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 257-D consists of the "Pemberton" Improved Pedestal Water-Closet, with flexible metal trap, round cornered, design "E" tank, brass brackets, brass flush pipe, pull and chain of brass wire, "Annex" Seat without cover. All trimmings nickel-plated.

The "Pemberron" Improved Pedestal is undoubtedly the best form of water-closet in which the base of the closet encases a metal trap. The base is so made as to completely cover the trap (which feature has been recently patented by us), thereby gaining the cleanliness of an all-porcelain water-closet.

The practical operation of the "Pemberton" is exactly the same as the Improved "Brighton," which, in regard to depth of water in the bowl and means of flushing all parts of the closet, is unsurpassed by any other make. The flexible trap furnished (eight-pound lead) is of a special form, made to be easily and perfectly connected to the bowl.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

PRICES	

The "Pemberton" Water-Closet Apparatus, Plate 257-D,	as d	escril	bed,						\$79.50
Add, if woodwork is mahogany or bird's-eye maple, .									5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,									9.00

WITH IRON TRAP TO CALK IN.

PATENTED.



The bowl of the "Pemberton" Water-Closet is now made so the "Annex" or "Affix" seat may be attached to it.

The Trap of the Water-Closet is enameled inside, and, as shown in the sectional cut, is arranged to calk into the soil-pipe with the hub above the floor, making an unquestionably perfect joint. A loose flange is provided, if desired, to cover the end of the soil-pipe. The vent is located almost on top of the trap at the back, undoubtedly the best location for it, and may be used either to the right or left side of the closet to connect to the back air pipe.




PLATE 258-D.


PLATE 258-D consists of the "Pemberton" Water Closet, with Iron Trap to calk in, No. 10 copper-lined tank, brackets, chain and pull—no flush pipe.

Note.—The seats, tanks, and trimming as furnished with our other water-closet apparatus can be supplied with the above closet.

The practical operation of the "Pemberton" is exactly the same as the Improved "Brighton," which, in regard to depth of water in the bowl and means of flushing all parts of the closet, is unsurpassed by any other make.

PATENTED.

WITH PATENT ADJUSTABLE TRAP.








PLATE 259-D.

PLATE 259-D consists of the "Pemberton" Water-Closet, with patent adjustable iron traps and support, copper-lined tank, japanned brackets, pull and chain. Either the 1/2-S, 1/4-S, or full-S trap can be furnished.

It is often desirable to have the trap of the water-closet enter the soil-pipe above the floor on which it stands, or to have the closet set directly on a beam. This has heretofore been impossible with most of the better forms of water-closets. With the Adjustable Trap (patented) here offered, the opening of the soil-pipe may be located on either side or back of the closet, above the floor line, or alongside of the beam (thereby avoiding the necessity of cutting same), and connected directly to the trap of the water-closet by calking into the pipe in the usual way. The trap is iron, porcelain-lined and securely bolted.


The Trap is so constructed that a connection can be made to the soil-pipe at almost any angle.

The seats, tanks, and trimming as furnished with our other water-closet apparatus can be supplied with the above closet.

THE "HELLYER-OXFORD" WATER-CLOSET.

PATENTED.


WITH ANNEX SEAT.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 260-D.

The "HELLYER-OXFORD" Water Closet may be detachably connected to the soil pipe by means of the brass curved fitting inserted into the earthenware, which is capable of being soldered to a lead pipe or bend, and when clamped to the bowl is encased by the same, the inlet to the soil pipe being at all times below the water line, which is practically the same as having the joint on the "house side" of the water seal.



SECTIONAL VIEW OF THE "HELLYER-OXFORD" WATER-CLOSET, WITH "ANNEX" SEAT AND COVER.

PLATE 260-D consists of the Improved "Hellyer-Oxford" Water-Closet, patent brass connection and coupling. No. 9 or 10 design "A" tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, and "Annex" Seat with cover. All trimmings nickel-plated.

Water-closet bowls with connections for seat ventilation are furnished if desired.

The No. 9 tank is so constructed that a momentary pull of the handle effects the thorough flushing of the closet. It is practically silent in operation and cannot get out of order.

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when

the handle is released).

The "Hellyer-Oxford" Improved, as the illustration shows, is an all earthenware water closet, with bowl and trap portion in one piece, having the outlet at the back, and so constructed that the soil pipe may be connected to the closet in such a manner that the joint connecting the soil pipe is below the water line, thus making an indisputable and positive connection with the soil pipe, at the same time retaining the appearance and outside cleanliness of the all-earthen closet.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge; to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "HELLYER-OXFORD" Water-Closet Apparatus, Plate 260-D), a	s de	scribed,					\$63.50
Add, if woodwork is mahogany or bird's-eye maple,								5.00
Add, for 1 1/2-inch Italian marble floor slab, 27x27 inches,								9.00


PATENTED.

WITH ANNEX SEAT.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 261-D.



*THE "ANNEX" SEAT.

The "Hellyer-Oxford" Water-Closet may be detachably connected to the soil pipe by means of the brass curved fitting inserted into the earthenware, which is capable of being soldered to a lead pipe or bend, and when clamped to the bowl is encased by the same, the inlet to the soil pipe being at all times below the water line, which is practically the same as having the joint on the "house side" of the water seal,

PLATE 261-D consists of the Improved "Hellver-Oxford" Water-Closet, patent brass connection and coupling, No. 9 or 10 design "E" tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, and "Annex" Seat with cover. All trimmings nickel-plated.

Water-closet bowls with connections for seat ventilation are furnished if desired.

The No. 9 tank is so constructed that a momentary pull of the handle effects the thorough flushing of the closet. It is practically silent in operation, and cannot get out of order.

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when

the handle is released).

The "Hellyer-Oxford" Improved, as the illustration shows, is an all earthenware water-closet, with bowl and trap portion in one piece, having the outlet at the back, and so constructed that the soil pipe may be connected to the closet in such a manner that the joint connecting the soil pipe is below the water line, thus making an indisputable and positive connection with the soil pipe, at the same time retaining the appearance and outside cleanliness of the all-earthen closet.

"The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum.

The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Hellyer-Oxford" Water-Closet Apparatus, Plate 261	-D,	as de	scrib	ed,					\$63.50
Add, if woodwork is mahogany or bird's-eye maple, .									5.00
Add, for 11/2-inch Italian marble floor slab, 27x27 inches,									9.00

PATENTED.

WITH AFFIX SEAT.




Copyright, 1805, by The Meyer-Sniffen Co., Limited.

PLATE 262-D.

The "Hellyer-Oxford" Water-Closet may be detachably connected to the soil pipe by means of the brass curved fitting inserted into the earthenware, which is capable of being soldered to a lead pipe or bend, and when clamped to the bowl is encased by the same, the inlet to the soil pipe being at all times below the water line, which is practically the same as having the joint on the "house side" of the water seal,

The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the water-closet to be easily cleansed.



SECTIONAL VIEW OF THE "HELLYER-OXFORD" WATER-CLOSET WITH "AFFIX" SEAT AND COVER.

PLATE 262-D consists of the Improved "Hellyer-Oxford" Water-Closet, patent brass connection and coupling, No. 9 or 10 design "A" tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, and "Affix" Seat with cover. All trimmings nickel-plated.

Water-closet bowls with connections for seat ventilation are furnished if desired.

The No. 9 tank is so constructed that a momentary pull of the handle effects the thorough flushing of the closet. It is practically silent in operation, and cannot get out of order.

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when the handle is released).

The "HELLYER-OXFORD" Improved, as the illustration shows, is an all-earthenware water-closet, with bowl and trap portion in one piece, having the outlet at the back. and so constructed that the soil pipe may be connected to the closet in such a manner that the joint connecting the soil pipe is below the water line, thus making an indisputable and positive connection with the soil pipe, at the same time retaining the appearance and outside cleanliness of the all-earthen closet.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preterred.

The "Hellyer-Oxford" Water-Closet Apparatus, Plate 262-D, as described,		 \$60.50
Add, if woodwork is mahogany or bird's-eye maple,		5.00
Add, for 1 1/2-inch Italian marble floor slab, 27x27 inches,		9.00
The "Hellyer-Oxford" Water-Closet as illustrated, but with plain tank and japanned brackets,		52.50
" with plain tank and japanned brackets, without seat or flush pipe.		31.00

PATENTED.

WITH AFFIX SEAT.







PLATE 263- D.



*THE "AFFIX" SEAT.

The "Hellyer-Oxford" Water-Closet may be detachably connected to the soil pipe by means of the brass curved fitting inserted into the earthenware, which is capable of being soldered to a lead pipe or bend, and when clamped to the bowl is encased by the same, the intet to the soil pipe being at all times below the water line, which is practically the same as having the joint on the "house side" of the water seal,

PLATE 263-D consists of the Improved "Hellyer-Oxford" Water-Closet, patent brass connection and coupling, No. 9 or 10 design "E"tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, and "Affix" Seat with cover. All trimmings nickel-plated.

Water-closet bowls with connections for seat ventilation are furnished if desired.

The No. 9 tank is so constructed that a momentary pull of the handle effects the thorough flushing of the closet. It is practically silent in operation, and cannot get out of order.

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when the handle is released).

The "HELLYER-OXFORD" Improved, as the illustration shows, is an all earthenware water closet, with bowl and trap portion in one piece, having the outlet at the back, and so constructed that the soil pipe may be connected to the closet in such a manner that the joint connecting the soil pipe is below the water line, thus making an indisputable and positive connection with the soil pipe, at the same time retaining the appearance and outside cleanliness of the all-earthen closet.

*The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the water-closet to be easily cleansed.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

PRICES.

PATENTED.


WITH ANNEX SEAT.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 264-D.

The "HELLYER-OXFORD" Water-Closet may be detachably connected to the soil pipe by means of the brass curved fitting inserted into the earthenware, which is capable of being soldered to a lead pipe or bend, and when clamped to the bowl is encased by the same, the outlet to the soil pipe being at all times below the water line, which is practically the same as having the joint on the "house side" of the water seal.



SECTIONAL VIEW OF THE "HELLYER-OXFORD" WATER-CLOSET AND "ANNEX" SEAT.

PLATE 264-D consists of the Improved "Hellyer-Oxford" Water-Closet, patent brass connection and coupling, No. 9 (esign "A' tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, and "Annex" Seat without cover. All or 10 design "A" trimmings nickel-plated.

Water-closet bowls with connections for seat ventilation are furnished if desired.

The No. 9 tank is so constructed that a momentary pull of the handle effects the thorough flushing of the closet. It is practically silent in operation, and cannot get out of order.

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when

the handle is released).

The "HELLYER-OXFORD" Improved, as the illustration shows, is an all-earthenware water-closet, with bowl and trap portion in one piece, having the outlet at the back, and so constructed that the soil pipe may be connected to the closet in such a manner that the joint connecting the soil pipe is below the water line, thus making an indisputable and positive connection with the soil pipe, at the same time retaining the appearance and outside character of the all-earthen closet.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that


all parts of the earthenware can be inspected and easily cleaned.


An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Hellver-Oxford" Water-Closet Apparatus, Plate	264−D,	as de	scribed,			,			\$61.00
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add, for 1 1/-inch Italian marble floor slab, 27x27 inches.								,	9.00

WITH ANNEX SEAT.









*THE "ANNEX" SEAT.

The "Hellyer-Oxford" Water-Closet may be detachably connected to the soil pipe by means of the brass curved fitting inserted into the earthenware, which is capable of being soldered to a lead pipe or bend, and when clamped to the bowl is encased by the same, the inlet to the soil pipe being at all times below the water line, which is practically the same as having the joint on the "house side" of the water seal,

PLATE 265-D consists of the Improved "Hellyer-Oxford" Water-Closet, patent brass connection and coupling, No. 9 or 10 design "E" tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, and "Annex" Seat without cover. All trimmings nickel-plated.

Water-closet bowls with connections for seat ventilation are furnished if desired,

The No. 9 tank is so constructed that a momentary pull of the handle effects the thorough flushing of the closet. It is practically silent in operation, and cannot get out of order.

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when

the handle is released).

The "HELLYER-OXFORD" Improved, as the illustration shows, is an all-earthenware water-closet, with bowl and trap portion in one piece, having the outlet at the back, and so constructed that the soil pipe may be connected to the closet in such a manner that the joint connecting the soil pipe is below the water line, thus making an indisputable and positive connection with the soil pipe, at the same time retaining the appearance and outside character of the all-earthen closet.

*The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Hellyer-Oxford" Water-Closet Apparatus, Plate 265	i-D, a	as de:	scrib	ed,					\$61.00
Add, if woodwork is mahogany or bird's-eye maple, .									5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches,									9.00

PATENTED,


WITH AFFIX SEAT.



Copyright, 1895, by The Mever-Sniffen Co., Limited.

PLATE 266-D.

The "Hellyer-Oxford" Water-Closet may be detachably connected to the soil pipe by means of the brass curved fitting inserted into the earthenware, which is capable of being soldered to a lead pipe or bend, and when clamped to the bowl is encased by the same, the inlet to the soil pipe being at all times below the water line, which is practically the same as having the joint on the "house side" of the water seal,



SECTIONAL VIEW OF THE "HELLYER-OXFORD" WATER-CLOSET, WITH "AFFIX" SEAT WITHOUT COVER.

PLATE 266-D consists of the Improved "Hellyer-Oxford" Water-Closet, patent brass connection and coupling, No. 9 or 10 design "A" tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, and "Affix" Seat without cover. All trimmings nickel-plated.

Water-closet bowls with connections for seat ventilation are furnished if desired,

The No. 9 tank is so constructed that a momentary pull of the handle effects the thorough flushing of the closet. It is practically silent in operation, and cannot get out of order.

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when the handle is released).

The "HELLYER-OXFORD" Improved, as the illustration shows, is an all-earthenware water-closet, with bowl and trap portion in one piece, having the outlet at the back, and so constructed that the soil pipe may be connected to the closet in such a manner that the joint connecting the soil pipe is below the water line, thus making an indisputable and positive connection with the soil pipe, at the same time retaining the appearance and outside cleanliness of the all-earthen closet.

The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the water-closet to be easily cleansed.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "HELLYER-OXFORD" Water-Closet Apparatus, Pla	te 266	-D,	as de	escrib	oed,	,			,			,	\$58.00
Add, if woodwork is mahogany or bird's-eye maple,													5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inche	5,						,				۰	•	9.00

PATENTED.

WITH AFFIX SEAT.



Copyright, 1805, by THE MEYER-SNEFFEN Co., Limited.

PLATE 267- D.



*THE "AFFIX" SEAT.

The "HELLYER-OXFORD" Water-Closet may be detachably connected to the soil pipe by means of the brass curved fitting inserted into the earthenware, which is capable of being soldered to a lead pipe or bend, and when clamped to the bowl is encased by the same, the outlet to the soil pipe being at all times below the water line, which is practically the same as having the joint on the "house side" of the water seal.

PLATE 267-D consists of the Improved "Hellyer-Oxford" Water-Closet, patent brass connection and coupling, No. 9 or 10 design "E" tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, and "Affix" Seat without cover. All trimmings nickel-plated.

Water-closet bowls with connections for seat ventilation are furnished if desired,

The No. 9 tank is so constructed that a momentary pull of the handle effects the thorough flushing of the closet. It is practically silent in operation, and cannot get out of order.

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when the handle is released).

The "HELLYER-OXFORD" Improved, as the illustration shows, is an all-earthenware water-closet, with bowl and trap portion in one piece, having the outlet at the back, and so constructed that the soil pipe may be connected to the closet in such a manner that the joint connecting the soil pipe is below the water line, thus making an indisputable and positive connection with the soil pipe, at the same time retaining the appearance and outside cleanliness of the all-earthen closet.

*The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the water-closet to be easily cleansed.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "HELLYER-Oxford" Water-Closet Apparatus, Plate 267	-D, a	as de	escrit	ed,	,					\$58.00
Add, if woodwork is mahogany or bird's-eye maple, .						c				5.00
Add, for 1 1/2-inch Italian marble floor slab, 27x27 inches,										9.00

PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 268-D.

The depth of the seal and the position of water in the trap is indicated in the cut, showing a model that not only contains a large area and depth of water, but by its form adds greatly to the strength and solidity of the closet.

The peculiar construction of the flushing rim operates to quickly and thoroughly flush out the contents of the bowl. The "back-air" or trap vent that protects the water seal is located at the back.

The advantage claimed for the "Servian" is strength and solidity, making it especially desirable for servants' closet, depots, asylums, etc., where a strong and inexpensive all-earthenware closet is preferred.

Distance from wall to center of the outlet of the closet is 15 inches. Height from floor to center of vent coupling is 5% inches.



THE "SERVIAN" WATER-CLOSET SHOWING DEPTH OF SEAL AND POSITION OF WATER IN THE TRAP, AND THE "ANNEX" SEAT.

PLATE 268-D consists of the "Servian" Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, "back-air" to wall, and "Annex" Seat without cover. All trimmings nickel-plated.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The "Servian" Water-Closet is a wash-down type, formed with a bowl and trap in one piece, having a 2½-inch depth of seal and a large body of water. It is made with unusual strength of material and is recommended where a strong and inexpensive water-closet is required.

		PKI	CES.						
The "Servian" Water-Closet Apparatus, Plate 268-D,	as d	lescr	ibed,						\$57.50
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add, for 1 1/-inch Italian marble floor slab, 27x27 inches.									9.00


PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1894, by THE MEYER-SNIFFEN Co., Limited.

PLATE 269-D.



THE "ANNEX" SEAT.

The "Annex" Seat is the simplest and most desirable seat from a sanitary and mechanical point of view. It is neat in appearance, and when raised swings clear from the bowl, leaving an open space between the back of the closet and seat so that all parts of the earthenware can be inspected and easily cleaned.

An open space is left on all sides of the bowl for the broom or duster, and reduces the use of woodwork to a minimum. The most important feature is the method of attaching the hinge to the closet, whereby any possible fracture of the earthenware from improper use of the closet is prevented—an advantage possessed by no other closet seat on the market.

PLATE 269-D consists of the "Servian" Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, pull and chain, "back-air" to wall, and "Annex" Seat with cover. All trimmings nickel-plated.


Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The "Servian" Water-Closet is a wash-down type, formed with a bowl and trap in one piece, having a 2 ½-inch depth of seal and a large body of water. It is made with unusual strength of material and is recommended where a strong and inexpensive water-closet is required.

		PRI	CES.						
The "Servian" Water-Closet Apparatus, Plate 269-D,	as d	lescr	ibed,						\$60.00
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add for 11/ inch Italian marble floor slab 97x97 inches									0.00

PATENTED.

IMPROVED PEDESTAL PATTERN.





THE "AFFIX" SEAT.

The "AFFIX" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the watercloset to be easily cleansed.

Copyright, 1895, by The Meyer-Sniffen Co., Limited,

PLATE 270-D.

PLATE 270-D consists of the "Servian" Water-Closet, with patent brass floor connection, round cornered, design "E" tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, "back-air" to wall, and "Affix" Seat with cover, All trimmings nickel-plated.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The "Servian" Water-Closet is a wash-down type, formed with a bowl and trap in one piece, having a 2½-inch depth of seal and a large body of water. It is made with unusual strength of material and is recommended where a strong and inexpensive water-closet is required.

PR	TC.	DC.	

The "Servian" Water-Closet Apparatus, Plate 270-D, as described,			\$57.00
Add, if woodwork is mahogany or bird's-eye maple,			5.00
Add, for 14/-inch Italian marble floor slab, 27x27 inches,			9.00
The "Servian" Water-Closet as illustrated, but with plain tank and japanned brackets,			49.00
" " with plain tank and japanned brackets without seat or flush pine.			29.00

PATENTED.

IMPROVED PEDESTAL PATTERN.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

'PLATE 271-D.



THE "AFFIX" SEAT.

The "AFFIX" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the watercloset to be easily cleansed.

PLATE 271-D consists of the "Servian" Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, "back-air" to wall, and "Affix" Seat without cover. All trimmings nickel-plated.

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The "Servian" Water-Closet is a wash-down type, formed with a bowl and trap in one piece, having a 2½-inch depth of seal and a large body of water. It is made with unusual strength of material and is recommended where a strong and inexpensive water-closet is required.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The "Servian" Water-Closet Apparatus, Plate 271-D, a	s d	escri	bed,						\$54.50
A 4.4 (C 4 4 1									5.00
Add, for 11/-inch Italian marble floor slab 27v27 inches									0 00

PATENTED.


IMPROVED PEDESTAL PATTERN.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 272-D.

PLATE 272-D consists of the "Servian" Square Top Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, "back-air" to wall, and "Annex" Seat without cover. All trimmings nickel-plated.



Copyright, 1894, by The Meyer-Sniffen Co., Limited.

PLATE 273 D.

PLATE 273-D consists of the "Servian" Square Top Water-Closet, with patent brass floor connection, round cornered, design "A" tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, "back-air" to wall, and "Annex" Seat with cover. All trimmings nickel-plated.

For description of the "Annex" Seat see page 255

Note.—Unless otherwise ordered the tank furnished with the above apparatus is fitted with a No. 10 plain valve, which it is simply necessary to hold until the closet is thoroughly flushed. If desired we will furnish a No. 9 syphon valve, which thoroughly flushes the closet without being held. This valve (recently improved and patented) is practically silent in operation, and cannot get out of order.

The "Servian" Water-Closet is a wash-down type, formed with a bowl and trap in one piece, having a 2½-inch depth of seal and a large body of water. It is made with unusual strength of material and is recommended where a strong and inexpensive water-closet is required.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

The	" SERVIAN	Water-Closet	Apparatus,	Plate 272-D, a	s described,							\$60.50
	* *	"	**	" 273-D, "								63.00
Add,	if woodwo	rk is mahogan	y or bird's-	eye maple, .								5.00
Add,	for 11/4-inc	h Italian marb	ole floor slat	o, 27x27 inches,	- 1		•			•		9.00

THE "PEDESTAL ARTISAN" WATER-CLOSET.

PATENTED.




PLATE 274-D.

PLATE 274—D consists of the "Pedestal Artisan" Water-Closet, with vent coupling, patent brass floor connection, No. 13 seat with galvanized-iron brackets.

Sectional view of the bowl and scat of Plate 274-D. The depth of the seal and the position of water in the trap is indicated in the cut, showing a model that not only contains a large area and depth of water, but by its form adds greatly to the strength and solidity of the closet.

The peculiar construction of the flushing rim operates to quickly and thoroughly flush out the contents of the bowl. The "back-air" or trap vent that protects the water seal is located at the back.

The advantage claimed for the "Pedestal Artisan" is strength and solidity, making it especially desirable for servants' closet, depots, asylums, etc., where a strong and inexpensive all-earthenware closet is preferred.



Distance from wall to center of the outlet of the closet is Ji inches. Height from floor to center of vent coupling is 5½ inches. The No. 13 seat, patented, is provided with strong galvanized brackets to screw against the wall, the hinge of seat being arranged to permit its adjustment to different distances, if necessary.

The "Pedestal Artisan" is a short hopper or wash down type of water-closet, formed with bowl and trap in one piece, having a 2½-inch depth of seal, and a large body of water. It is made of unusual strength of material, and is provided with our patent brass floor connection.

The "PEDESTA															\$33.50
	ets, .														6.00
Add, for 11/4-in	ch Italia	n mar	ble floo	r slab	, 27x	27 ir	iches,								9.00
" " cover	to seat,														2.50

THE "PEDESTAL ARTISAN" WATER-CLOSET.

PATENTED.




PLATE 275-D.

PLATE 275—D consists of the "Pedestal Artisan" Water-Closet, with vent coupling, patent brass floor connection, No. 10 "Em-Ess" copper-lined tank, japanned brackets, pull and chain.




PLATE 276-D.

PLATE 276—D consists of the "Pedestal Artisan" Water-Closet, with vent coupling, patent brass floor connection, No. 10 "Em-Ess" copper-lined, cabinet-finished tank, *"Galvano" flush pipe, nickel or brass-plated brackets, pull and chain, and No. 13 seat with galvanized-iron brackets.

Woodwork of Plate 276-D furnished in cherry, oak, black walnut, or ash.

*The "Galvano" flush pipe is made of brass tube specially finished and coated with unpolished nickel. Being rustless it is much superior to galvanized or bronzed iron.

PRICE

										~							
The	"PEDESTAL	ARTISAN"	Water	-Close	t Appa	ratus	Plate	e 27	5-D,	as d	escrib	eđ,				٠	\$28.00
	4.6																
	et, if with																
Add,	for cover t	o seat, .															2.50
4.6	" 11/-incl	h Italian r	narble	floor s	lah, 275	27 in	ches.										 9.00

THE "ADELPHI" WATER-CLOSET

THE "ADELPHI" WATER-CLOSET, illustrated in the following pages, is offered to meet the request of some of our customers for a front outlet water-closet of a better character than is usually found in the market. In this water-closet we have carefully constructed the flush rim to obviate the difficulty of the splashing up of the water in front, even with a strong flush, which has hitherto been an objection to this style of closet. It is made in a solid piece of ornamental design, and can be recommended as being unsurpassed by any other closet of its kind in the market.

NOTE .-- "VITREAN" WARE.

All water-closets now furnished by us are made of a non-porous body, designated as "VITREAN" ware. This ware is practically imperishable from use or age, and will not craze or discolor. Being non-absorbent it is considered superior to any other domestic or imported earthenware.

PLATE 72-C or 276-D.

PLATE 72-C or 276-D, on page 262, consists of the "Adelphi" Water-Closet, ivory tint, ornamented in gold lines, with brass floor flange and "back-air" to wall; No. 9 or 10 cherry tank, ornamented with brass bands, brass brackets, brass flush pipe, cherry seat with brackets, and brass chain and celluloid pull. All trimmings nickel-plated.

The woodwork can be furnished in oak, black walnut, or ash, if preferred. The "Annex" or "Affix" seats are now supplied with this closet if desired, which, for description, see pages 255 and 263 respectively.

The "ADELPHI" Water-Closet, Plate 72-C or 276-D, as described,						\$100.00
Deduct, if closet is preferred embossed only, without decoration, .						20.00
Add, if woodwork is mahogany or bird's-eye maple,						5.00
" for 1 1/-inch Italian marble floor slab 27v27 inches						9.00

THE "ADELPHI" WATER-CLOSET.




PLATE 72-C.

THE "ADELPHI" WATER-CLOSET, IVORY TINT, DECORATED WITH GOLD LINES.


THE "ADELPHI" WATER-CLOSET.

PATENTED.

WITH AFFIX SEAT.



The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the watercloset to be easily cleansed.



SECTIONAL VIEW OF THE "ADELPHI" WATER-CLOSET, WITH STRAIGHT "BACK-AIR" TO WALL, AND "AFFIX" SKAT AND COVER.

Copyright, 1895, by The Mever-Sniffen Co., Limited, PLATE 277-D.

adds much to its appearance.

PLATE 277-D consists of the "ADELPHI" Water-Closet, patent brass floor connection and coupling, No. 9 or 10 design "E" tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, straight "back-air" to wall, and "AFFIX" Seat with cover. All trimmings nickel-plated.

Water-closet bowls with connections for seat ventilation are furnished if desired.

The No. 9 tank is so constructed that a momentary pull of the handle effects the thorough flushing of the closet. It is practically silent in operation, and cannot get out of order.

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when

the handle is released).

The "Adelphi" is an all earthenware water-closet, in a solid piece, having the outlet in front. Its lines are such that there is no splashing up of the water in front, which has been the objection heretofore to this style of closet. The ornamental design

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.

	"ADELPHI					as d	lescri	bed,									\$63.50	J
	if woodwor																5.00	ĵ
	for 11/4-inch																9.00	
The '	"ADELPHI"	Water-															55.50	
44	44	**	 with plain	tank an	d japa	nne	d bra	ckets	. wi	thout	seat	or fli	ish r	ine			37.50	ı


THE "ADELPHI" WATER-CLOSET.

WITH AFFIX SEAT.



Copyright, 1895, by The Meyer-Sniffen Co., Limited. PLATE 278-D.

The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges, making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the watercloset to be easily cleansed.



SECTIONAL VIEW OF THE "ADELPHI" WATER-CLOSET, WITH STRAIGHT "BACK-AIR" TO WALL, AND "AFFIX" SEAT WITHOUT COVER.

PLATE 278-D consists of the "Adelphi" Water-Closet, patent brass floor connection and coupling, No. 9 or 10 design "A" tank, brass brackets, brass flush pipe, chain and ivory celluloid pull, straight "back-air" to wall, and "Affix" Seat without cover. All trimmings nickel-plated.

Water-closet bowls with connections for seat ventilation are furnished if desired,

The No. 9 tank is so constructed that a momentary pull of the handle effects the thorough flushing of the closet. It is practically silent in operation, and cannot get out of order.

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when

The "ADELPHI" is an all-earthenware water-closet, in a solid piece, having the outlet in front. Its lines are such that there is no splashing up of the water in front, which has been the objection heretofore to this style of closet. The ornamental design adds much to its appearance.


An important feature is the fact that on account of the shape of the bowl the "ADELPHI" closet takes much less water to flush it thoroughly than is usually required. We can furnish with this closet the same styles of tanks, seats, etc., that are illustrated herein with our other water-closet apparatus.

PRICES.				

The "ADELPHI" Water-Closet Apparatus, Plate 278-D, as described,									\$61,00
Add, if woodwork is mahogany or bird's-eye maple,			Ţ.	. i					5.00
Add, for 1 1/-inch Italian marble floor slab 27v27 inches	•	•	•			•	•		9 00

THE "ADELPHI" WATER-CLOSET.

WITH AFFIX SEAT.



WALLLINE

THE "AFFIX" SEAT.

The "Affix" Seat is secured directly to the bowl by bolts passing through the hinges making a neat and substantial fastening. It is perfectly sanitary and finely finished. An open space is left between the seat and the wall, allowing all parts of the water-closet to be easily cleansed.

Copyright. 1895, by The Meyer-Sniffen Co., Limited.

PLATE 279 - D.

PLATE 279-D consists of the "ADELPHI" Water-Closet, patent brass floor connection and coupling, No. 9 or 10 design "A" tank, brass brackets. brass flush pipe, chain and ivory celluloid pull, straight "back-air" to wall, and "Affix" Seat with cover. All trimmings nickel-plated.

Water-closet bowls with connections for seat ventilation are furnished if desired.

The No. 9 tank is so constructed that a momentary pull of the handle effects the thorough flushing of the closet. It is practically silent in operation, and cannot get out of order.

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when

The No. 10 tank requires to be held a few seconds to thoroughly flush out the closet (the water stopping immediately when the handle is released).

The "Addline" is an all earthenware water-closet, in a solid piece, having the outlet in front. Its lines are such that there is no splashing up of the water in front, which has been the objection heretofore to this style of closet. The ornamental design adds much to its appearance.

adds much to its appearance.


An important feature is the fact that on account of the shape of the bowl the "Adelphi" closet takes much less water to flush it thoroughly than is usually required. We can furnish with this closet the same styles of tanks, seats, etc., that are illustrated herein with our other water-closet apparatus.

The woodwork furnished is either cherry, oak, black walnut, or ash, as preferred.


The "ADELPHI" Water-Closet Apparatus, Plate 279-D, as d	lescri	bed,				Ų			\$63.50
Add, if woodwork is mahogany or bird's-eye maple,									5.00
Add, for 11/4-inch Italian marble floor slab, 27x27 inches									9.00

PATENTED.

OPERATED BY THE SEAT.



The "Hellyer-Oxford" Water-Closet may be detachably connected to the soil pipe by means of the brass curved fitting inserted into the earthenware, which is capable of being soldered to a lead pipe or bend, and when clamped to the bowl is encased by the same, the outlet to the soil pipe being at all times below the water line, which is practically the same as having the joint on the "house side" of the water seal.



SECTIONAL VIEW OF THE "HELLYER-OXFORD" WATER-CLOSET.

PLATE 280-D.

PLATE 280-D consists of the "Hellyer-Oxford" Water-Closet, seat action, with No. 5 copper-lined tank (preliminary and after flush), galvanized legs and seat attachment, with brass working parts, hardwood seat, patent wire and brackets.

Water-closet bowls with connections for seat ventilation are furnished if desired,

The "HELLYER-OXFORD" Improved, as the illustration shows, is an all-earthenware water-closet, with bowl and trap portion in one piece, having the outlet at the back, and so constructed that the soil pipe may be connected to the closet in such a manner that the joint connecting the soil pipe is below the water line, thus making an indisputable and positive connection with the soil pipe, at the same time retaining the appearance and outside character of the all-earthen closet.

THE "HELLYER ARTISAN" AND THE "HELLYER" SHORT HOPPER AND TRAP. AUTOMATIC WATER-CLOSET APPARATUS.

(OPERATED BY THE SEAT.)




PLATE 281- D.

PLATE 281-D consists of the "Hellver Artisan" Long Hopper, seat action, with No. 5 copper-lined tank (preliminary and after flush), galvanized legs and seat attachment, with brass working parts, hardwood seat, patent wire and brackets.




PLATE 282-D.

PLATE 282-D consists of the "Hellyer" Short Hopper and Trap, seat action, with No. 5 copper-lined tank (preliminary and after flush) galvanized logs and seat attachment, with brass working parts, hardwood seat, patent wire and brackets.

Water-closet bowls with connections for seat ventilation are furnished if desired.

The "Hellyer Artisan" L	ong	Hop	per, l	Plate	281-	D, a	s des	scribe	ed,	,				,	_	\$36	25
" "HELLYER" Short Hop	per,	Plate	282-	-D, a	as des	serib	ed,									39.	25
Add for brass floor flange,	٠.															3.	00

THE "HELLYER" SHORT HOPPER AND TRAP.




PLATE 283-D.

PLATE 283-D consists of the "Hellyer" Short Hopper and Trap, seat action, with No. 5 copper-lined tank (preliminary and after flush), hardwood seat, attachment and patent steel wire.




PLATE 284-D.

PLATE 284-D consists of the "Hellyer" Short Hopper and Earthen Trap, with brass clamps and coupling, No. 9 or 10 copper-lined tank, japanned brackets, chain and pull.

Water-closet bowls with connections for seat ventilation are furnished if desired.

Plate 283-D is in all respects the same as 282-D, except the seat attachments or levers, which, in this case are arranged by means of a bar across from each partition, which carries the levers. When the partitions are not over 2 feet 6 inches apart, it makes a most desirable and substantial device, both simple, and, as years of experience has demonstrated, practical.

PRICES.

The	"HELLYER	'Short	Hopper,	Plate	283-	D, a	s de	scribed	١,							\$39.25
	+4	4.4	11	Plate	284	-D,		"							100	25.00
Add	for brass flo	or flang	e, .													3.00

Add for brass floor flange,

SEAT ACTION WATER-CLOSETS




PLATE 285-D illustrates an apparatus consisting of a row of Water-Closets, with special seat attachments and seats with a continuous tank, fitted with separate brass service boxes. It is specially suited to hotels and institutions where it is desirable to have a quantity of water stored, on account of the supply being at times inadequate to the demand. Figure 1 shows the "Hellyer Artisan" Hopper, Figure 2 shows the "Hellyer Short Hopper, Figure 3 shows the Improved "Brichton". The seat attachments arranged in this manner are, no doubt, the strongest and best to insure durability under severe usage, provided the distance between partitions is not more than 2 feet 6 inches; other seat attachments of course can be substituted if desired, such as are illustrated in Plate 280-D,

LAVATORY APPARATUS.

In the following pages we illustrate several different types of wash-basins and complete lavatory apparatus. It is obvious that it is quite impossible to illustrate all the different combinations that may be made with our wash-basins and their appurtenances, as the sizes of slabs and their shapes are quite often preferred to conform to the size of the space in which they are to be located.

The "York" waste we recommend as the most simple and satisfactory Lavatory waste from a sanitary or mechanical point of view. Several years' experience has proven its entire practicability.

We desire to call special attention to the construction of the overflow in the "Brighton" Wash-Basin. It is well known that the weak point, in a sanitary point of view, of a wash-basin is the overflow; we believe, in the "Brighton" overflow we have devised one that is simpler and nearer to perfection in this point than any other wash-basin in the market. We invite careful inspection, and believe it will be found on comparison that our Lavatory Apparatus are not equalled by any other manufacturers.

NOTE.-"VITREAN" WARE.

All basins now furnished by us are made of a non-porous body, designated as "VITREAN" ware. This ware is practically imperishable from use or age, and will not craze or discolor. Being non-absorbent it is considered superior to any other domestic or imported earthenware.




PLATE 286-D.

PLATE 286-D consists of the "Brighton" oval wash-basin, 19x15 inches, with "Fuller" supply combination and "York" waste, Italian marble countersunk slab, 33x23 inches, with 16-inch back and 5-inch aprons, No. 16 legs, and No. 8 "Spiro" trap. All trimmings polished brass or nickel-plated.

The "York" waste we recommend as the most simple and satisfactory lavatory waste from a sanitary or mechanical point of view. Several years' experience has proven its entire practicability.

The "Spiro" trap (patented) is unequalled in its depth of seal and adaptability, and also adds much to the appearance of the Lavatory.

				PRI	CES						
Plate 286-D, as described,				,							\$100.00
If No. 15 legs are substituted for No. 16											
Add, for supply pipes to floor,											
If "ALPHA" basin is substituted for the											
Add, for Italian marble floor slab, 33x23	inche	es,									12.00




PLATE 287- D.

PLATE 287-D consists of the "Brighton" oval wash-basin, 19x15 inches, with "York" waste and No. 1 "Em-Ess" swing faucets, Italian marble countersunk slab, 33x23 inches, with 16-inch back and 5-inch aprons, No. 16 leg, and No. 8 "Spiro" trap All trimmings polished brass or nickel-plated.

The "York" waste we recommend as the most simple and satisfactory lavatory waste from a sanitary or mechanical point of view. Several years' experience has proven its entire practicability.

The "Spiro" trap (patented) is unequalled in its depth of seal and adaptability, and also adds much to the appearance of the Lavatory.

				I	PRIC	ES.								
Plate 287-D, as described,											٠			\$98.00
If No. 15 legs are substituted for No. 16,			٠.											72.00
Add, for supply pipes to floor,	_ •								•					5.50
If "Alpha" basin is substituted for the "														
Add, for Italian marble floor slab, 33x23 i	nches	3, .		•		•	•		•	•	•	v		12.00

PATENTED.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 288-D.

PLATE 288-D consists of the "Brighton" oval wash-basin, 19x15 inches, embossed, with "York" waste and "Fuller" supply combination, Italian marble countersunk slab, 33x23 inches, with 16-inch back, "Victor" (offset legs) supporting apparatus, and No. 6 "Spiro" trap. All trimmings polished brass or nickel-plated.


The "Victor" supporting apparatus, for open lavatories, in dispensing with all superfluous corners and pockets is a development in the direction of utility as well as sanitary perfection.

The rod connecting the legs and securing the slab to the wall is designed to be used as a towel rack. The apparatus as a whole combines in a simple outfit a most complete lavatory.

The No. 2 "Victor" supports are in every way equal to the apparatus illustrated; being designed specially for economy, we are enabled to thus reduce the price.

		Ì	PRIC	CES.										
Plate 288-D, as described,														\$98.00
If with No. 2 "Victor" supporting apparatus,														
Add, for Italian marble floor slab, 33x23 inches, .						٠	•	٠	•	•	•	۰		12.00

PATENTED.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 289-D.

PLATE 289-D consists of the "Brighton" oval wash-basin, 19x15 inches, embossed, with "York' waste and No. 1 "Em-Ess" swing faucets, Italian marble countersunk slab, 33x23 inches, with 16-inch back, "Victor" (off-set legs) supporting apparatus, and No. 6" Spiro" trap. All trimmings polished brass or nickel-plated.

The "Victor" supporting apparatus, for open lavatories, in dispensing with all superfluous corners and pockets is a development in the direction of utility as well as sanitary perfection.


The rod connecting the legs and securing the slab to the wall is designed to be used as a towel rack. The apparatus as a

whole combines in a simple outfit a most complete lavatory.

The No. 2 "Victor" supports are in every way equal to the apparatus illustrated; being designed specially for economy, we are enabled to thus reduce the price.

PRICES.																
Plate 289-D, as described,																\$94.00
If with No. 2 " Victor " supporting apparatus,																74.00
Add, for Italian marble floor slab, 33x23 inches,																12.00

PATENTED.



Copyright, 1895, by The Meyer-Sniffen Co., Limited,

PLATE 290-D.

PLATE 290-D consists of the "Brighton" oval wash-basin, 19x15 inches, embossed, with "York" waste, and special No. 10 "Em-Ess" Fuller faucets, Italian marble countersunk slab, 33x23 inches, with 16 inch back, "Victor" (off-set legs) supporting apparatus, and No. 6 "Spiro" trap, All trimmings polished brass or nickel-plated.


The "Victor" supporting apparatus, for open lavatories, in dispensing with all superfluous corners and pockets is a development in the direction of utility as well as sanitary perfection.

The rod connecting the legs and securing the slab to the wall is designed to be used as a towel rack. The apparatus as a whole combines in a simple outfit a most complete lavatory.

The No. 2 "Victor" supports are in every way equal to the apparatus illustrated; being designed specially for economy, we are enabled to thus reduce the price.

PRICES.																
Plate 290-D, as described,																
If with No. 2 "Victor" supporting apparatus,																
Add, for Italian marble floor slab, 33x23 inches,					٠				٠							12.00

PATENTED.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 291-D.


PLATE 291-D consists of the "Brighton" oval wash-basin, 19x15 inches, with "York" waste and "Fuller" supply combination, Italian marble countersunk slab, 33x23 inches, with 16-inch back and 5-inch aprons, No. 15 legs, No. 6 "Spiro" trap, and pipes to floor. All trimmings polished brass or nickel-plated,

The "York" waste we recommend as the most simple and satisfactory lavatory waste from a sanitary or mechanical point of view. Several years' experience has proven its entire practicability.

The "Spiro" trap (patented) is unequalled in its depth of seal and adaptability, and also adds much to the appearance of the lavatory.

PRICES. 76.00 If "Ацина" basin is substituted for the "Виситом," 72.50 Add, for Italian marble floor slab, 33x23 inches, 12.00

PATENTED.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 292-D.

PLATE 292-D consists of the "Brighton" oval wash-basin, 19x15 inches, with "York" waste and No. 1 "Em-Ess" swing faucets, Italian marble countersunk slab, 33x23 inches, with 16-inch back, No. 15 legs, and No. 6 "Spiro" trap and pipes to floor. All trimmings polished brass or nickel-plated.

The "York" waste we recommend as the most simple and satisfactory lavatory waste from a sanitary or mechanical point of view. Several years' experience has proven its entire practicability.

The "Spiro" trap (patented) is unequalled in its depth of seal and adaptability and also adds much to the appearance of the lavatory.

PATENTED.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 293-D.


PLATE 293-D consists of the "Brighton" oval wash-basin, 19x15 inches, with "York" waste and special No. 10 "Em-Ess" Fuller faucets, Italian marble countersunk slab, 33x23 inches, with 16-inch back and 5-inch aprons, No. 15 legs, and No. 6 "Spiro" trap, and pipes to floor. All trimmings polished brass or nickel-plated.

The "York" waste we recommend as the most simple and satisfactory lavatory waste from a sanitary or mechanical point of view. Several years' experience has proven its entire practicability.

The "Spiro" trap (patented) is unequalled in its depth of seal and adaptability and also adds much to the appearance of the lavatory.

PRICES.															
Plate 293-D, as described,															\$76.00
If "Alpha" basin is substituted for the "Brighton,"															
Add, for Italian marble floor slab, 33x23 inches,	•		٠	٠	•	•	•	٠			٠	٠	•	٠	12.00

PATENTED.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 294-D.

PLATE 294-D consists of the "Pemberton" oval wash-basin, 19x15 inches, with "York" waste and special No. 10 "Em-Ess "Fuller faucets, Italian marble countersunk slab, 33x23 inches, with 16-inch back and 5-inch aprons, No. 15 legs, No. 6 "Spiro" trap, and pipes to floor. All trimmings polished brass or nickel-plated.


The "York" waste we recommend as the most simple and satisfactory lavatory waste from a sanitary or mechanical point

of view. Several years' experience has proven its entire practicability.

The "Spiro" trap (patented) is unequalled in its depth of seal and adaptability and also adds much to the appearance of the lavatory.

	PRICES.																		
Plate 294-D, as described,																			
Add, for Italian marble floor	slab	, 33x	23 in	ches,															12.00

PATENTED.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 295 - D.

PLATE 295-D consists of the "Pemberton" oval wash-basin, 19x15 inches, embossed, with "York" waste and special No. 10 "Em-Ess" Fuller faucets, Italian marble countersunk slab, 33x23 inches, with 16-inch back, "Victor" (offset legs) supporting apparatus, and No. 6 "Spiro" trap. All trimmings polished brass or nickel-plated.

The "Victor" supporting apparatus, for open lavatories, in dispensing with all superfluous corners and pockets is a development in the direction of utility as well as sanitary perfection.

The rod connecting the legs and securing the slab to the wall is designed to be used as a towel rack. The apparatus as a whole combines in a simple outfit a most complete lavatory.

The No. 2 "Victor" supports are in every way equal to the apparatus illustrated; being designed specially for economy, we are enabled to thus reduce the price.

		F	RIC	ES.											
Plate 295-D, as described,															
If with No. 2 "Victor" supporting apparatus,															
Add, for Italian marble floor slab, 33x23 inches, .	•	•	٠	•	•	•	•	•	•	•	٠	•	٠	٠	12.00

PATENTED.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 296-D.


PLATE 296-D consists of the "BRIGHTON" oval wash-basin, 19x15 inches, embossed, with "York" waste and "Fuller" supply combination, Italian marble countersunk slab, 33x23 inches, with 16-inch back, "Quadrant" brackets, and No. 6 "Spiro" trap. All trimmings polished brass or nickel-plated.

The "Quadrant" bracket (patented) is designed to secure great strength and rigidity, and the availability of the bracket for use as a towel rack adds much to its usefulness.

The "York" waste we recommend as the most simple and satisfactory lavatory waste from a sanitary or mechanical point of view. Several years' experience has proven its entire practicability.

The "Spiro" trap (patented) is unequalled in its depth of seal and adaptability, and also adds much to the appearance of the lavatory.

PATENTED.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 297-D.

PLATE 297-D consists of the "Brighton" oval wash-basin, 19x15 inches, embossed, with "York" waste and No. 1 "Em-Ess" swing faucets, Italian marble countersunk slab, 33x23 inches, with 16-inch back, "Quadrant" brackets, and No. 6 "Spiro" trap. All trimmings polished brass or nickel-plated.

The "Quadrant" bracket (patented) is designed to secure great strength and rigidity, and the availability of the bracket for use as a towel rack adds much to its usefulness.

The "York" waste we recommend as the most simple and satisfactory lavatory waste from a sanitary or mechanical point of view. Several years' experience has proven its entire practicability.

The "Spiro" trap (patented) is unequalled in its depth of seal and adaptability, and also adds much to the appearance of the lavatory.

		PRIC	CES.							
Plate 297-D, as described,					,					\$75.00
If "Alpha" basin is substituted for the "Brighton,"	٠.									71.50
Add, for Italian marble floor slab, 33x23 inches,						,				12.00

PATENTED.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 298-D.

PLATE 298-D consists of the "Brighton" oval wash-basin, 19x15 inches, embossed, with "York" waste and special No. 10 "Em-Ess" Fuller faucets, Italian marble countersunk slab, 33x23 inches, with 16-inch back, "Quadrant" brackets, and No. 6 "Spiro" trap. All trimmings polished brass or nickel-plated.


The "Quadrant" bracket (patented) is designed to secure great strength and rigidity, and the availability of the bracket for use as a towel rack adds much to its usefulness.

The "York" waste we recommend as the most simple and satisfactory lavatory waste from a sanitary or mechanical point of view. Several years' experience has proven its entire practicability.

The "Spiro" trap (patented) is unequalled in its depth of seal and adaptability, and also adds much to the appearance of the lavatory.

	3	PRIC	ES.								
Plate 298-D, as described,											
If "Alpha" basin is substituted for the "Brighton,"											
Add, for Italian marble floor slab, 33x23 inches,	•	•			٠	•	•	•			12.00

PATENTED,



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 299-D.

PLATE 299-D consists of the "Brighton" oval wash-basin, 19x15 inches, embossed, with "York" waste and "Fuller" supply combination, Italian marble countersunk slab, 33x23 inches, with 16-inch back, ball brackets, and No. 6 "Spiro" trap. All trimmings polished brass or nickel-plated.


The "York" waste we recommend as the most simple and satisfactory lavatory waste from a sanitary or mechanical point of view. Several years' experience has proven its entire practicability.

The "Spiro" trap (patented) is unequalled in its depth of seal and adaptability and also adds much to the appearance of the lavatory,

PRICES.

Plate 299-D, as described,								\$64.50
If "Alpha" basin is substituted for the "Brighton,"								61.00
Add, for Italian marble floor slab, 33x23 inches,								12.00

PATENTED.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 300-D.


PLATE 300–D consists of the "Brighton" oval wash-basin, 19x15 inches, embossed, with "York" waste and No. 1 "EMEss" swing faucets, Italian marble countersunk slab, 33x23 inches, with 16 inch back, ball brackets, and No. 6 "Spiro" trap. All trimmings polished brass or nickel-plated.

The "York" waste we recommend as the most simple and satisfactory lavatory waste from a sanitary or mechanical point of view. Several years' experience has proven its entire practicability.

The "Spiro" trap (patented) is unequalled in its depth of seal and adaptability, and also adds much to the appearance of the lavatory.

PRICES. Plate 300-D, as described, \$60.00 If "ALFHA" basin is substituted for the "Brighton," 56.50 If No. 9 Trap, Plate 331-D, is substituted for the "Spiro," deduct 6.00 Add, for Italian marble floor slab, 38x23 inches, 112.00

PATENTED.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 301-D.

PLATE 301-D consists of the "Brighton" oval wash-basin, 19x15 inches, embossed, with "York" waste and special No. 10 "Em-Ess" Fuller faucets, Italian marble countersunk slab, 33x23 inches, with 16-inch back, ball brackets, and No. 6 "Spiro" trap. All trimmings polished brass or nickel-plated.

The "York" waste we recommend as the most simple and satisfactory lavatory waste from a sanitary or mechanical point of view. Several years' experience has proven its entire practicability.

The "Spiro" trap (patented) is unequalled in its depth of seal and adaptability, and also adds much to the appearance of the lavatory.

PATENTED.



Copyright, 1895, by The Meyer-Sniffen Co., Limited

PLATE 302-D.

PLATE 302-D consists of the "Pemberton" oval wash-basin, 19x15 inches, embossed, with "York" waste and special No. 10 "Em-Ess" Fuller faucets, Italian marble countersunk slab, 33x23 inches, with 16-inch back, ball brackets, and No. 6 "Spiro" trap. All trimmings polished brass or nickel-plated.

The "York" waste we recommend as the most simple and satisfactory lavatory waste from a sanitary or mechanical point of view. Several years' experience has proven its entire practicability.

The "Spiro" trap (patented) is unequalled in its depth of seal and adaptability and also adds much to the appearance of the lavatory.

		P:	RICE	ES.							
Plate 302-D, as described,											\$64.50
Add, for Italian marble floor slab, 33x23 inches,						•					12.00

THE "BRIGHTON" BASIN,

WITH

THE "YORK" WASTE* AND FULLER DOUBLE SUPPLY COMBINATION.




PLATE 303-D.

PLATE 303-D consists of the "Brighton" Oval Basin and "York" waste, with Fuller double supply combination—nickel-plated.

A feature of the "Brighton" Basin is the overflow, which is so arranged as to be readily inspected and cleaned. In this lavatory fixture the handles of the faucet only are above the marble, and the supply nozzle is at the center of the bowl, low down, so that there are no projecting parts "in the way." The handle of the "York" waste comes through the back of the nozzle and operates the stopper.

A four-arm handle is now furnished with the "York" waste.

*The "York" waste takes the place of a plug and chain or the lifting hidden overflow. The stopper (shown open in the cut, being revealed by the transparent appearance of the basin), is opened and closed by a slight turn of the handle at the back of the slab, and may be taken out and replaced at will. The arrangement is perhaps the most simple and ingenious of its kind ever put upon the market, and it is also most satisfactory from a mechanical or sanitary point of view.

For sectional view of "BRIGHTON" basin and "York" waste see page 301.

								PRIC	CES.							
Plate	303-D,	with	17x14-	inch	basin,						,			,		\$23.00
4.4			19x15		**											24.00
**	4.6		21x16	4.4	**											25.00

Price does not include marble.

THE "BRIGHTON" BASIN,

WITH

THE "YORK" WASTE* AND "EM-ESS" FULLER BASIN COCKS.




PLATE 304-D.

PLATE 304-D consists of the "Brighton" Oval Basin and the "York" waste, with No. 11 special "Em-Ess" Fuller basin cocks, with white or black porcelain, lettered handle—nickel-plated.

A feature of the "Brighton" Basin is the overflow, which is so arranged as to be readily inspected and cleansed, and when combined with the "York" waste it makes an ideal lavatory fixture from a sanitary standpoint.

*The "York" waste takes the place of a piug and chain or the lifting hidden overflow. The stopper (shown open in the cut, being revealed by the transparent appearance of the basin) is opened and closed by a slight turn of the handle at the back of the slab, and may be taken out and replaced at will. The arrangement is perhaps the most simple and ingenious of its kind ever put upon the market, and it is also most satisfactory from a mechanical or sanitary point of view.

For sectional view of "BRIGHTON" basin and "York" waste see page 301.

								,	LVIC	JEG.						
Plate	304-D,	with	17x14	-inch	basin,											\$21.50
**	**	4.6	19x15	"	4.6											22.50
**	4.4	"	21x16	**	"											23.50

Price does not include marble,

THE "BRIGHTON" BASIN.

WITH

THE "YORK" WASTE* AND "EM-ESS" COMPRESSION BASIN COCKS.



PLATE 305-D.

PLATE 305-D consists of the "Brighton" Oval Basin and the "York" waste, with No. 1 "Em-Ess" compression large nozzle, four-arm handle, basin cocks—nickel-plated.

A feature of the "Brighton" Basin is the overflow, which is so arranged as to be readily inspected and cleansed, and when combined with the "York" waste it makes an ideal lavatory fixture from a sanitary standpoint.

A four-arm handle is now furnished with the "York" waste.

*The "York" waste takes the place of a plug and chain or the lifting hidden overflow. The stopper (shown open in the cut, being revealed by the transparent appearance of the basin), is opened and closed by a slight turn of the handle at the back of the slab, and may be taken out and replaced at will. The arrangement is perhaps the most simple and ingenious of its kind ever put upon the market, and it is also most satisfactory from a mechanical or sanitary point of view.

For sectional view of "Brighton" basin and "York" waste see page 301.

)	PRIC	ES.								
Flate 50D, With 17x14-men basin,															\$18.00					
	"ate 300-D, with 17x14-inch dasin,															19.00				
4.6	**	"	21x16		"													•		20.00
								F	rice	does	not i	neluc	de ma	arble						

THE "BRIGHTON" BASIN,

WITH

THE "YORK" WASTE* AND "EM-ESS" DOHERTY SELF-CLOSING

SUPPLY COMBINATION.




PLATE 306-D.

PLATE 306-D consists of the "Brighton" Oval Basin and the "York" waste, with "Doherty" self-closing double-supply combination cock.

A feature of the "Brighton" Basin is the overflow, which is so arranged as to be readily inspected and cleansed. In this lavatory fixture the handles of the faucet only are above the marble, and the supply nozzle is at the center of the bowl, low down, so that there are no projecting parts "in the way." The handle of the "York" waste comes through the back of the nozzle and operates the stopper.

This lavatory is recommended for hotels, office buildings, and other public places where a perfectly sanitary basin is desired without any liability of waste of water. The low-down nozzle prevents the use of the basin for drawing water into pails, etc.

*The "York" waste takes the place of a plug and chain or the lifting hidden overflow. The stopper (shown open in the cut, being revealed by the transparent appearance of the basin) is opened and closed by a slight turn of the handle at the back of the slab, and may be taken out and replaced at will. The arrangement is perhaps the most simple and ingenious of the kind ever put on the market, and it is also most satisfactory from a mechanical or sanitary point of view.

For sectional view of "BRIGHTON" Basin and "York" waste see page 301.

										RIC											
Plate 8	ane D	with	17×14-	inch	basin.	nickel-	plated,												•.	•	\$23.00
riate	,,,	, WICI.	19x15	"	11	"	"							•		•	•	•	•	•	02.00
							•							٠	٠			•	•	•	25,00
								Price	does	not	inclu	de m	arble								

THE "BRIGHTON" BASIN,

WITH

THE "YORK" WASTE* AND "EM-ESS" DOHERTY SELF-CLOSING

BASIN COCKS.




PLATE 307-D.

PLATE 307-D consists of the "Brighton" Oval Basin and the "York" waste, with "Em Ess" Doherty self-closing basin cocks—nickel-plated.

A feature of the "Brighton" Basin is the overflow, which is so arranged as to be readily inspected and cleansed.

This lavatory is recommended for hotels, office buildings, and other public places where a perfectly sanitary basin is desired without any liability of waste of water.

*The "York" waste takes the place of a plug and chain or the lifting hidden overflow. The stopper (shown open in the cut, being revealed by the transparent appearance of the basiu) is opened and closed by a slight turn of the handle at the back of the slab, and may be taken out and replaced at will. The arrangement is perhaps the most simple and ingenious of its kind ever put upon the market, and it is also most satisfactory from a mechanical or sauitary point of view.

For sectional view of "BRIGHTON" Basin and "York" waste see page 301

								PRI	CES.						
Plate	307-D.	with	17x14-ir	ich bas	sin,										\$20.00
6.6	4.6		19x15		4										21.00
	6.4		21x16	4.5											22.00

Price does not include marble.

THE "PEMBERTON" BASIN,

WITH

THE "YORK" STANDING WASTE* AND "EM-ESS" GROUND-KEY

SWING BASIN COCKS.




PLATE 308-D.

PLATE 308-D consists of the "Pemberton" Recessed Basin, and the "York" standing waste, with No. 1 "Em-Ess" ground-key, swing basin cocks—nickel-plated.

*To those who prefer a standing waste in a recess basin, we commend the "Pemberton" Basin and "York" Waste. The illustration shows the basin fitted to a slab, and showing the recess in the basin with the overflow stand-pipe its entire length; that part of the apparatus in the cut in front of the recess being represented as transparent. A slight turn of the handle at the back of the slab raises or lowers the standing waste, and when lifted up can be easily removed and replaced without disturbing the mechanism in any way. All things considered, it seems to be the most perfect arrangement of its kind in the market, the means of lifting and holding the same in place being most simple and ingenious, and it seems to us to be most satisfactory, and, unquestionably, the most cleanly.

For sectional view of the "Pemberton" basin and "York" standing waste see page 303.

PRICES.

	Size of ba																17x14
The	" PEMBER!	ron" Bas	in, Plate	308-D,	as desc	cribed,	nickel-pl	lated tr	immiı	ıgs,						\$20.00	\$19.00
"	6.6	44	**	4.4		**	silver	"	**							24.00	23.00
4.6	4.4	"	**	**	with "	York"	standing	g waste	only	nickel	-plate	d trimi	nings,			14.50	13.50
66	44	16	4.5	**	**	"	"		"	silver	"					16.50	15.50
**	" Em-Ess"	No. 1 G	ound-Ke	y Basin	Cocks	, nicke	l-plated,							. per	pair,		5.50
45	4.5	44		**		silver	• "								"		7.50

Price does not include marble.

WITH

THE "YORK" WASTE* AND FULLER DOUBLE SUPPLY COMBINATION.



PLATE 309-D.

PLATE 309-D consists of the "Alpha" Oval Basin and "York" waste, with Fuller double supply combination—nickel-plated.

In this lavatory fixture the handles of the faucet only are above the marble, and the supply nozzle is at the center of the bowl, low down, so that there are no projecting parts "in the way." The handle of the "York" waste comes through the back of the nozzle and operates the stopper.

A four-arm handle is now furnished with the "York" waste.

*The "York" waste takes the place of a plug and chain or the lifting hidden overflow. The stopper (shown within as if the basin was transparent) is opened by a slight turn of the handle at the back of the slab, and may be taken out and replaced at will. The arrangement is perhaps the most simple and ingenious of its kind ever put on the market, and it is also most satisfactory from a mechanical and sanitary point of view.

The feature of the "Alpha" Basin is the overflow, which is provided with a hinged strainer (patented), and is placed on the front of the bowl, making the opening quite invisible but capable of being easily cleansed.

											PRI	CES.											
Plate	309-D	, wit	h 17×14-	inch	basin,													,					\$20.00
• • • • • • • • • • • • • • • • • • • •	•••	• • •	19x15 21x16		**	•	•	•	•	•	•	•	•	•	-	•	•		•	•			20.50
			LIXIO			•	•								•	•	•	•	•	•	•	٠	21,50

WITH

THE "YORK" WASTE* AND "EM-ESS" FULLER BASIN COCKS.




PLATE 310-D.

PLATE 310-D consists of the "Alpha" oval basin and the "York" waste, with No. 13 special "Em-Ess" Fuller basin cocks, with white or black porcelain lettered handles—nickel-plated.

*The "York" waste takes the place of a plug and chain or the lifting hidden overflow. The stopper (shown open in the cut, being revealed by the transparent appearance of the basin) is opened and closed by a slight turn of the handle at the back of the slab, and may be taken out and replaced at will. The arrangement is perhaps the most simple and ingenious of its kind ever put upon the market, and it is also most satisfactory from a mechanical or sanitary point of view.

A feature of the "Alpha" basin is the overflow, which is provided with a hinged strainer (patented), and is placed on the front of the bowl, making the opening quite invisible but capable of being easily cleansed.

									PRI	CES.						
Plate	310-D	with	17x14	-inch	basin,											\$18.50
**	"	"	19x15	3.6	"											
**	"	"	21x16	**	**											
								does						·		

WITH

THE "YORK" WASTE* AND "EM-ESS" COMPRESSION BASIN COCKS.



PLATE 311-D.

PLATE 311-D consists of the "Alpha" Oval Basin and the "York" waste, with No. 1 "Em-Ess" compression four-arm handle basin cooks—nickel-plated.

A four-arm handle is now furnished with the "York" waste.

The feature of the "ALPHA" Basin is the overflow, which is provided with a hinged strainer (patented), and is placed on the front of the bowl, making the opening quite invisible but capable of being easily cleansed.

*The "York" waste takes the place of a plug and chain or the lifting hidden overflow. The stopper (shown open in the cut being revealed by the transparent appearance of the basin) is opened and closed by a slight turn of the handle at the back of the slab, and may be taken out and replaced at will. The arrangement is perhaps the most simple and ingenious of its kind ever put on the market, and it is also most satisfactory from a mechanical or sanitary point of view.

									PRIC	CES.						
Plate	311-D,	with	17x14-	inch	basin	,								ų.		\$15.50
**	14	4.6	19x15	"	6.6											16.00
			04 40													400 00

Price does not include marble.

WITH

THE "YORK" WASTE* AND "EM-ESS" DOHERTY SELF-CLOSING

SUPPLY COMBINATION.




PLATE 312-D.

PLATE 312-D consists of the "Alpha" oval basin and the "York" waste, with "Doherty" self-closing double-supply combination cock. Nickel-plated,

*The "York" waste takes the place of a plug and chain or the lifting hidden overflow. The stopper (shown within as if the basin was transparent) is opened by a slight turn of the handle at the back of the slab, and may be taken out and replaced at will. The arrangement is perhaps the most simple and ingenious of its kind ever put on the market, and it is also most satisfactory from a mechanical and sanitary point of view.

This lavatory apparatus is recommended for hotels, office buildings, and other public places where a perfectly sanitary basin is desired without any liability of waste of water. The low-down nozzle prevents the use of the basin for drawing water into pails, etc.

The feature of the "Alpha" Basin is the overflow, which is provided with a hinged strainer (patented), and is placed on the front of the bowl, making the opening quite invisible but capable of being easily cleansed.

											PRIC	CES.								
Plate 309–D, with 17x14-inch basin,																\$20.00				
**	"	4.6	19x15		"										0	۰				20.50
"	"	4.6	21×16	4.0	.*															21.50

Price does not include marble.

WITH

THE "YORK" WASTE* AND "EM-ESS" DOHERTY SELF-CLOSING BASIN COCKS.




PLATE 313-D.

PLATE 313-D consists of the "Alpha" Oval Basin and the "York" waste, with "Em-Ess" Doherty self-closing basin cocks,

A feature of the "Alfha" Basin is the overflow, which is provided with a hinged strainer (patented), and is placed on the front of the bowl, making the opening quite invisible but capable of being easily cleansed.

This lavatory apparatus is recommended for hotels, office buildings, and public places where a perfectly sanitary basin is desired, without any liability of waste of water.

*The "York" waste takes the place of a plug and chain or the lifting hidden overflow. The stopper (shown open in the cut, being revealed by the transparent appearance of the basin) is opened and closed by a slight turn of the handle at the back of the slab, and may be taken out and replaced at will. The arrangement is perhaps the most simple and ingenious of its kind ever put on the market, and it is also most satisfactory from a mechanical or sanitary point of view.

									PRI	CES.								
Plate	313-D,	with	17x14-i1	nch basin,														\$17.00
"	4.6	4.4	19x15 '															17.50
4.5	**	4.6	21x16 °	£ .														19.00
						F	rice	does	not	inclu	de m	arble	э.					

THE RECESSED FRONT LAVATORY.

ENGLISH PATENT.

SLAB AND BASIN IN ONE PIECE, WITH BRIGHTON OVERFLOW.




PLATE 314-D.

299 PLATE 314-D consists of an all-earthenware slab and basin combined in one piece, with a very large peculiarly-shaped basin, soap and brush tray formed in the piece, with the "Brighton" Clean-out Overflow. Marble back, No. 2½ "Fuller" basin cocks, No 2 brass trap, with waste, and bronzed brackets.

This is a practical and inexpensive lavatory, and, having our "Brighton" Overflow, it is highly commended in a santary point of view. It is very strong, made of the best English earthenware, and either for office or private house its use is recommended by us as a most desirable, cleanly fixture.

DIMENSIONS.

Length, 25 inches; width, 20 inches, 8 inch marble back. Size of basin, inside, 20 x 13 inches.

Plate 314-D, as described,							٠.	\$37.50
If with "York" waste instead of plug and chain,								46.00
Add for ball brooksta some as plots 201 D								7 50

THE RECESSED FRONT CORNER LAVATORY.

ENGLISH PATENT.

SLAB AND BASIN IN ONE PIECE WITH "BRIGHTON" OVERFLOW.




PLATE 315-D.

PLATE 315-D consists of an all earthenware corner slab and basin combined in one piece, with a very large peculiarly shaped basin, with soap tray formed in the piece, and with the "BRIGHTON" clean-out overflow, marble sides, No. 2 brass trap, and "EM-Ess" basin cocks.


This is a practical and inexpensive lavatory, and having our "BRIGHTON" overflow, it is highly commended in a sanitary point of view. It is very strong, made of the best English earthenware, and either for office or private house its use is recommended by us as a most desirable, cleanly fixture.

Size: . . . 18 inches on the sides.

Plate 315-D, as described,					,				\$34.00
If with "York" waste instead of plug and chain,	٠				٠	۰		0	42.50


THE "BRIGHTON" OVAL WASH BASIN WITH "YORK" WASTE.

PATENTED.



Sizes: 17x14 inches; 19x15 inches; 21x16 inches.

PLATE 316-D.



SECTIONAL VIEW.

The "YORK" waste takes the place of a plug and chain, and comprises a stopper and lifting mechanism. The handle at the back of the slab lifts and closes the stopper by a slight turn.


Referring to the sectional cut, it will be seen that the stopper is guided within the opening by a thin sheet of metal, into which a slot is cut. A rod operating from the handle by an ingenious eccentric device enters the slot and raises or lowers the stopper as desired. The arrangement offers no obstruction to the escape of the water into the waste pipe, and permits the taking out of the stopper when it is desired to clean the overflow. In this apparatus the problem of dispensing with the chain and plug without interfering with the simplicity of the overflow, has been solved, and we believe it will commend itself as being the most simple and ingenious apparatus of its kind now on the market

The "York" waste is capable of adjustment for any ordinary variation in the depth of basin or position of handle. Several years' experience now justifies us in claiming the "York" waste the most satisfactory lavatory waste in the market.

							IRIC	Eo.						
	SIZES, .			 							inche	s, 17x14	19x15	21x16
	" Brighton													\$15.50
**	**	* *		 4.4	**	••	silver	"				. 15.00	16.00	17.00
Add	, for embosse	ed outsi	de,	 						6		. 1.00	1.00	1.00
	44	and o	blore									3 00	3.00	3.00

THE "BRIGHTON" OVAL WASH-BASIN.


PATENTED.



FURNISHED IN IVORY, MARBLEIZED AND DECORATED.

Sizes: 17 x 14 inches; 19 x 15 inches; 16 x 21 inches.

PLATE 317 D.



SECTIONAL VIEW.

PLATE 317-D consists of the "Brighton" Oval Wash-Basin, marbleized or Ivory tinted, with nickel-plated or polished brass plug, and 1½-inch couplings, chain, rubber stopper, and celluloid overflow strainer. (The strainer is now omitted unless specially ordered.)

The "Brighton" Oval Wash-Basin is, without a doubt, a great sanitary improvement on any other Patent Overflow Wash-Basin. The waste is at the back, which brings the plug and chain entirely out of the way. The overflow is arranged within the basin, but occupies no appreciable room, and is provided with a hinged strainer that does not have to be removed to permit the cleaning and inspection of the overflow passage, a feature much appreciated by those who have used this basin. The waste is 1½-inch, which allows the basin to empty quickly.

NOTE .- "VITREAN" WARE.

All basins now furnished by us are made of a non-porous body, designated as "VITREAN" ware. This ware is practically imperishable from use or age, and will not craze or discolor. Being non-absorbent it is considered superior to any other domestic or imported earthenware.

								PKI	CES	•						
Plate	31 7- D	, with	17x14	inch	basin,											\$8.00
		4.6	19x15	4.4	4.4											9.00
**	14	4.1	21x16	4.6	4.4											10.00

THE "PEMBERTON" BASIN WITH "YORK" STANDING WASTE.





PLATE 318-D.

We recommend the "PEMBERTON" Basin and "YORK" Standing Waste as the most perfect apparatus of its type on the market. Several years' experience has demonstrated its practical value and impossibility of getting out of order.

Sizes: 17x14 inches and 19x15 inches.



SECTIONAL VIEW.

Referring to the sectional cut, it will be seen that the stand-pipe is guided within the opening by a thin sheet of metal into which a slot is cut. A rod operating from the handle by an ingenious eccentric device enters the slot and raises or lowers the stand-pipe as desired. The arrangement offers no obstruction to the escape of the water into the waste pipe and permits the taking out of the stand-pipe when it is desired to clean the overflow.

The "	SIZES PEMBERTON	" Basin	and '	'York	" Star	ndin	g Waste	, Plat	e 318	-D,	nickel-	plat	ed,			٠.	\$13.50	\$14.50
. 44	1.5	**	**	**			"		6	4	silver	٠,					15.50	16.50
	for embosse																	
																		3.00

THE "CAPITOL" OVAL BASIN AND WASTE.



PLATE 319-D.




PLATE 319-D consists of the "Capitol" Waste and Oval Basin, marbleized or Ivory tinted.

The preference of some of our customers for a basin with an outside waste and overflow has induced us to offer the "Captrol." In this the overflow stand-pipe may be lifted out to be cleaned, and, as shown in the sectional cut, a screw is provided in front to give access to every part of the waste for cleansing, without the necessity of uncoupling any part of the fixture.

NOTE - "VITREAN" WARE.

All basins now furnished by us are made of a non-porous body, designated as "VITREAN" ware. This ware is practically imperishable from use or age, and will not craze or discolor. Being non-absorbent it is considered superior to any other domestic or imported earthenware.

										-										
				CAPITOL"											,					\$11.00
4.4		6 6	4.6	**	4.6	++		**		4	"	19x15	• •	**						11.50
		14		-15	4.6	**		"	41	•	6.6	21×16	**	14		,				12.50
Add,	for	silv	er-plate	ed top and	straine	r for '	· Ca	ритои	" w	aste,										1.00
**	* *	all-	oolishe	d "Capito	L" was	te,														3.00
**	14	" 1	ickel-p	lated "																4.00

PATENTED.





PLATE 320-D.

PLATE 320-D, consists of the No. 10 "Em-Ess" Fuller Basin Cocks, nickel-plated or polished brass, lettered black on white handles.

PRICE.





PLATE 321-D.

PLATE 321-D consists of the No. 10 "EM-Ess" Fuller Basin Cocks, nickel-plated or polished brass, lettered white on black handles.

PRICE.

PATENTED.





PLATE 322-D.

PLATE 322-D consists of the No. 11 "Em-Ess" Fuller Basin Cocks, nickel-plated or polished brass, lettered white on black handles.

PRICE.





PLATE 323-D.

PLATE 323-D consists of the No. 11 "EM-Ess" Fuller Basin Cocks, nickel-plated or polished brass, lettered black on white handles.

PRICE.

PATENTED,





PLATE 324-D.

PLATE 324-D consists of the No. 12 "EM-Ess" Fuller Basin Cocks, nickel-plated or polished brass, lettered white on black handles.

PRICE.





PLATE 325-D.

PLATE 325-D consists of the No. 12 "EM-Ess" Fuller Basin Cocks, nickel-plated or polished brass, lettered black on white handles.

PRICE.

PATENTED.





PLATE 326-D.

PLATE 326-D consists of the No. 13 "Em-Ess" Fuller Basin Cocks, nickel-plated or polished brass, lettered white on black handles.

PRICE.






PLATE 327-D.

PLATE 327-D consists of the No. 13 "Em-Ess" Fuller Basin Cocks, nickel-plated or polished brass, lettered black on white handles.

PRICE.

THE "SPIRO" TRAP.

PATENTED.



No. 6. Adjustable Inlet Connection

PLATE 328-D.



No. 8. Adjustable Inlet Connection.

PLATE 329-D.

THE "SPIRO" TRAP FOR OPEN LAVATORIES.

The "Spiro" trap has an unusual depth of seal as well as important self-scouring properties. The arrangement of the outlet from the trap between the down and up leg permits an alignment of the waste pipe with the opening of the basin, which, aside from its attractive appearance, is an advantage in the adjusting of the waste pipe.

A cleanout screw is provided for the waste, as well as the trap itself. The superiority of a continuous pipe trap over a casing or solid trap with partitions is well-known to sanitary experts.

						1					P	RICE	S.												
Plate	e 328-D.	with	waste	and v	ent t	himbl	e for	bac	k of	wal	l, and	l escut	che	on	polish	ned '	brass,								\$11.00
"	329-D,	"	**	pipe	to flo	or, an	d "1	back	air"	' to	wall,	includ	ing	vent	thim	ble	back	of v	vall	and	escui	tcheo	n-p	ol-	
	ished b	rass,																							14.50
Add	, for nick	el-pla	ating,	to abo	ove pr	rices,																			1.00

THE "EM-SS" BRASS TRAPS FOR OPEN LAVATORIES.




PLATE 330-D.

PLATE 380-D consists of the No. 2 "EM-Ess" brass trap. It is made with slip joint at the inlet, has ground coupling at the waste end and rough bent thimble for lead pipe for waste and vent connection.



PLATE 331- D.

PLATE 331-D consists of the No. 9 "Em-Ess" brass trap. It is made slip joint at the inlet, has ground coupling at the waste and rough double thimble for lead pipe for waste and vent connection.



PLATE 332-D.

PLATE 332-D consists of the No. 4 "EM-Ess" brass trap. It is made slip joint at the inlet, has ground coupling at the waste, and rough bent thimble for lead pipe for vent connection.

These traps are cast very smooth and are finely finished. They have ground couplings and are made first-class in every respect and can be threaded to fit any basin coupling or patent basin fixture. We make to order many shapes and styles of traps, not here illustrated, to suit special conditions and for special lavatories.


P	R	I	C	E	S

																POLISHED	NICKEL.
TOT 4	000 D															BRASS.	PLATED.
		s described,	*			0	c	*	c		c	0		0		\$8.00	\$9.00
											٠			,		5.50	6.00
	332-D, "	**		·												9.00	11.00


SUPPLY PIPES

WITH VALVES AND AIR-CHAMBERS FOR OPEN LAVATORIES.


PLATE 333 · D.




LEFT, TO WALL.



RIGHT, TO WALL.



LEFT, TO FLOOR.



RIGHT, TO FLOOR.

PLATE 334-D.

Plate	333-D or	334-D,	as illus	trated,	polish	ed brass,	each,						0	۰				\$7.50
	**	**	* *	"	nickel	-plated.	**								0			8.50
	**				withou	at air-cha	mber,	polis	shed	bras	s, ea	ch,						4.25
4.6	11	6.4	**	**	**	**	**	nick	el-pl	lated	eac	h,				,		4.75
						-chamber	, polis	hed 1	bras	s, eac	h,							2.50
	14 4		4.6	1.6	46 66	4.6	nick	el-pla	ated,	each	ι,							2.75

BRASS LEGS FOR OPEN LAVATORIES.

POLISHED BRASS OR NICKEL-PLATED.




Plate 335-D. Plate 336-D. Plate 337-D. Plate 338-D.

Plate 339-D. Plate 340-D. Plate 341-D. Plate 342-D. Plate 343-D. Plate 344-D.

PRICES.

NICKEL-PLATED OR POLISHED BRASS.

Plate 335-D, each,							\$5.00	Plate	339-D,	each,							¥5.50
" 336-D, "							3.50	**	340-D,	**							5.00
" 337-D, "					,		7.00	64	341-D,	* *				Η.			5.50
·· 338-D, ··							12,00	**	342-D,	**							8.00
		F	late	343-	D, ea	ich,	٠.				\$4.	75					
Plate 344-D, each.							\$3.75	If wit	h no a	pron an	d fla	nge i	op a	and b	ottor	n.	\$3.50

DRINKING FOUNTAIN

FOR

STORES, OFFICES, HOTELS, SCHOOLS, ETC.




PLATE 345-D.

PLATE 345-D consists of the finest Imported Marbleized Earthenware Basin formed to represent carved marble, and when fitted up as shown, with marble back, "Doherty" self-closing cock, drinking cups, etc., silver-plated, makes a complete and desirable fixture for the purpose intended. The Basin, if desired, can be furnished in plain white or ivory tint.

DIMENSIONS.

Width of Basin, 18½ inches; height of marble back, 12 inches; distance from center of the waste outlet of basin through the wall to the supply inlet, 16 inches. The marble back may be had in any desired shape.

			PR	ICE.						
Plate 345-D, as described,										\$35.00
If with nickel-plated trimmings										30 0

THE necessity for the use of a Grease-Trap under kitchen and butler's pantrysinks is too well recognized by sanitary engineers, architects, and plumbers to
require any argument. The frequent stoppage of drain-pipes which receive the
waste water from kitchens of hotels, restaurants, and private houses where much dishwashing is done, is well known to those who have suffered the annoyance and been
obliged to pay for the frequent removal of the clogging grease.

The "Tucker" Grease-Trap is the best device, in our opinion, yet designed for that purpose.

It is believed that the money received from the sale of the grease obtained from this trap will in a very few months pay for the article itself.

We can furnish testimonials from prominent parties, who have had this trap in use for the past five or six years.

This is the only Grease-Trap made in which there is a separate chamber, through which cold water circulates with the effect of chilling the trap and congealing the grease so that it can be readily removed before it reaches the waste-pipe. These traps are made without seams, of heavy cast brass and iron, and are capable of standing any city water-works pressure that may be laid on to the chilling chamber. Experience of twelve years has fully proven what is claimed for them, and abundance of testimonials of their effectiveness can be furnished if desired.

The grease, when congealed by the chilling of the trap, will float on the surface where it can be easily removed from the top after taking off the cover to the trap. The outlet of the trap being at or near the bottom, the grease cannot escape into the waste-pipe.

PATENTED.



PLATE 347-D consists of the No. 2 "Tucker" Grease Trap, made of cast brass, to stand on floor at the end of any ordinary sink, the waste pipe of which is to be attached to the coupling D.

The outlet of the trap is at E, which is a swivel coupling capable of being turned in any direction toward the waste pipe.

The waste water from the sink will, of course, fill the trap to the level of the outlet E, which is shown by the dotted lines F.

The cold water supply pipe to the kitchen boiler must be connected to the couplings A A, which communicate with and fill the chamber B; thus the entire surface of the trap may be kept the same temperature as the water supply, which, it will be understood, must be conducted to the chamber B, through the bottom coupling A and out of the upper.

The circulating couplings are 1 inch in diameter; the waste couplings are 2 inches.


PLATE 346-D consists of the No. 1 "Tucker" Grease Trap, made of cast brass, for earthenware or soapstone sinks.

In making use of this style of "TUCKER" Grease Trap, the sink is cut out to receive the top of the trap inside of the sink. The waste pipe from the sink then passes down the center of the trap instead of outside.

An additional lining is provided to lift out and facilitate cleansing. Much room is saved by using this pattern,

The outlet is so arranged that when the trap is full of grease it causes a partial stoppage in the sink, thus giving notice to lift out the inner lining, which will remove with it, when raised, all the accumulated grease, and can be carried to a convenient spot.

The circulating couplings are 1 inch in diameter; the waste couplings are 2 inches.



No. 2. Cast Brass, to Stand on Floor.

									, for soapstone or e					\$60.00
"	**	**	6.6	**		6.6	**	**	" iron sink, .					57.50
	4.6		4.6		347-D.	No. 2		6.6	to stand on floor.					55.00

PATENTED.




PLATE 348-D.
No. 4.
Cast Iron, to Stand on Floor

PLATE 349-D consists of the No. 8 "Tucker" Grease Trap, which in all respects is the same as the No. 4 trap, except that the circulating chamber and the inside is *porcelain-lived*.

The No. 8 trap is also made for soapstone, earthenware, or iron sinks.

It has 1-inch circulating and 2-inch waste couplings.

PLATE 348-D consists of the No. 4 "Tucker Grease Trap, which in all respects is the same as No. 2, except that it is made of cast iron.

The No. 4 "Tucker" Grease Trap is also made similar to No. 1, for soapstone or earthenware class or for iron sinks,

It has 1-inch circulating and 2-inch waste couplings.





PLATE 349-D.

No. 8.

Cast Iron, to Stand on Floor, with porcelain-lined circulating or chilling chamber.

The	"Tuc	KER"	Greas	e Trap, Pla	ate 348-D	No. 4	į.												
	Iron	with	brass t	trimmings,	to stand	on floo	r, heigh	t on legs	22 inche	es, dia	met	er 9 i	nches	, .					\$28.0
					fitted for														
		"		4.6	44 44	iron s	ink,												30.0
The	"Tuc	KER"	Greas	e Trap, Pla	ate 349-D	No. 8	,												
				trimmings															
		* *		44	4.4	**	4.6	4.6	**	**	for	cast:	iron s	ink,					43.0
	64	"	**	44	**	**	66	**	**	**	**	earth	ienwa	are or	soa	pston	e sin	k,	48.0

PATENTED.



No. 3.

PLATE 350-D consists of the No. 3 "TUCKER" Grease Trap, hotel pattern, made of cast iron and adapted for the use of restaurants, hotels, clubs, institutions, and large private houses, where one trap of the proper size can be connected to one or more sinks. We have been informed that sufficient grease has been saved by the "TUCKER" Trap in a short time to pay the cost of the trap.

DIMENSIONS.


No. 8, hotel pattern, height 24 inches, diameter 16 inches, with 1-inch circulating and 2-inch waste couplings; No. 5, hotel pattern, height 21 inches, diameter 21 inches, with 2-inch circulating and waste couplings; No. 6, hotel pattern, height 23 inches, diameter 28 inches, with 2-inch circulating and waste couplings.

The description of the workings of the No. 2 trap will also describe those of Nos. 3, 5, and 6.

	ruc	KEK	Grease	rrap, r	Tale	, 550-	υ,										
N	lo.	3, ir	on with br	ass tri	nmii	igs, to	stand	on floor	r, heig	tht on legs	25 inches, di	ameter :	16 inc	hes,			\$60.0
		5, h	otel patter	n, cast	iron	with l	brass fi	ttings, l	neight	21 inches,	diameter 21	inches,					65.00
		6		44	. 4	6.6	6 6	66	6.6	without le	ore 28 inches	diamet	tor 99	inch	O.C		105 00

THE "ROYAL" PORCELAIN KITCHEN SINK.

GLAZED ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 351 - D.

PLATE 351-D consists of the "ROYAL" Porcelain Kitchen Sink, Glazed Roll Rim, with Italian marble back, 18 inches high, brass legs with adjustable wrought iron frames, brass trap, and "EM-Ess" Fuller Bibbs. All brass trimmings nickel-plated.


The "ROYAL" Porcelain Kitchen Sinks are made of the same material and have the same finish as the "ROYAL" Porcelain Baths. It is glazed white inside and over the rim. The outside is glazed light brown, no further finish being required. As in the "ROYAL" Porcelain Bath the quality is unsurpassed by any other make.

We also offer the "London Buff" Kitchen Sink, of the same quality and make of earthenware as the "Royal," but with light brown glaze inside and out.

PRICES.						
S1ZES,				36x23x7	42x24x7	48x24x7
The "ROYAL" Porcelain Kitchen Sink, Plate 351-D, as described, .			\$60.00	\$66.00	\$74.00	\$86.00
" London Buff" Porcelain Kitchen Sink, Plate 351-D, as described,	, .		50.00	56.00	64.00	76.00
			43.00	49.00	57.00	69.00
" "Yorkshire" ware, as illustrated, " " " "			39.00	42.00	47.00	52.00

"ROYAL" PORCELAIN KITCHEN SINK.

GLAZED ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 352-D.

PLATE 352-D consists of the "ROYAL" Porcelain Kitchen Sink, Glazed Roll Rim, brass legs, with adjustable wrought-iron frames, brass supply pipes and air chambers, brass trap, and "Em-Ess" Fuller Bibbs. All brass trimmings nickel-plated.


The "ROYAL" Porcelain Kitchen Sinks are made of the same material and have the same finish as the "ROYAL" porcelain baths. It is glazed white inside and over the rim. The outside is glazed light brown, no further finish being required. As in the "ROYAL" porcelain bath the quality is unsurpassed by any other make.

We also offer the "London Buff" Kitchen Sink, of the same quality and make of earthenware as the "ROYAL," but with light brown glaze inside and out.

				PRIC	ES.								
SIZES,										30x20x7	36x23x7	42x24x7	48x24x7
The "ROYAL" Porcelain Kitchen Sink,	Plate 8	352-D,	as desc	cribed,						\$65.00	\$70.00	\$80.00	\$90.00
" "London Buff" Porcelain Kitchen	Sink,	Plate	352-D,	as des	scribed,				٠.	55.00	60.00	70.00	80.00
" " as illustrated, but	with 1	bronze	d iron 1	egs,						48.00	53.00	63.00	72.00
" "Yorkshire" ware, as illustrated,		44	"	" at	ad with	out	supply	pip	es				
or cocks,	. ,			, ,						30.00	35.00	40.00	45.00

THE "ROYAL" PORCELAIN KITCHEN SINK.

GLAZED ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 353-D.

PLATE 353-D consists of the "ROYAL" Porcelain Kitchen Sink, Glazed Roll Rim, brass legs, with adjustable wrought-iron frame, brass trap, and "Em-Ess" Fuller bibbs. All brass trimmings nickel-plated.


The "ROYAL" Porcelain Kitchen Sinks are made of the same material and have the same finish as the "ROYAL" porcelain baths. It is glazed white inside and over the rim. The outside is glazed light brown, no further finish being required. As in the "ROYAL" porcelain bath, the quality is unsurpassed by any other make.

We also offer the "LONDON BUFF" Kitchen Sink, of the same quality and make of earthenware as the "ROYAL," but with light brown glaze inside and out.

	SIZES,												30x20x7	36x23x7	42x24x7	48x24x7
The	"ROYAL"	Porcelai	n Kitche	n Sink,	Plate	353-D,	as de	scrib	ed,				\$55.00	\$60.00	\$66.00	\$76.00
"	" London	Buff" P	orcelain	Kitcher	Sink	, Plate	353-D	, as	descr	ibed,			45.00	50.00	56.00	66.00
4.4	4.4	" as	s illustra	ited, but	with	bronze	d iron	legs	,				38.00	43.00	49.00	59.00
44	" Yorkshi	re" ware	, as illus	strated,	: 4	4.4		"					33,00	35.00	39.00	43.00

THE "ROYAL" PORCELAIN KITCHEN SINK.

GLAZED ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 354-D.

PLATE 34-D consists of the "ROYAL" Porcelain Kitchen Sink, Glazed Roll Rim, with Italian marble back, 18 inches high, brass legs with adjustable wrought-iron frames, brass "Tucker" grease trap, with waste to floor and back-air to wall, and "Em-Ess" Fuller bibbs.

For description of "Tucker" grease trap see page 315.


The "ROYAL" Porcelain Kitchen Sinks are made of the same material and have the same finish as the "ROYAL" porcelain baths. It is glazed white inside and over the rim. The outside is glazed light brown, no further finish being required. As in the "ROYAL" porcelain bath, the quality is unsurpassed by any other make.

We also offer the "London BUFF" Kitchen Sink, of the same quality and make of earthenware as the "ROYAL," but with light brown glaze inside and out.

					PRIC	CES.					
SIZES, .								30x20x7	36x23x7	42x24x7	48x24x7
The "ROYAL" Porce	lain Kitcher	Sink, Pl	ate 354-	D, as de	scribed	, .		\$120.00	\$126.00	\$134.00	\$146.00
" "London Buff	" Porcelain	Kitchen S	ink, Pla	te 354-I), as de	scribed,		110.00	116.00	124.00	136.00
" " "	as illustrat	ed, but w	ith bron	zed iron	legs,			103.00	109.00	117.00	129.00
" "Yorkshire" w	are, as illust	rated,	16 6		" .			99.00	102.00	107.00	112.00
Deduct from above p											. 12.00
	" No.	4 "	44 (, ,,	44	"	44				. 22.50

THE "ROYAL" PORCELAIN KITCHEN SINK.

GLAZED ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 355-D.

PLATE 355-D consists of the "ROYAL" Porcelain Kitchen Sink, Glazed Roll Rim, brass legs, with adjustable wrought-iron frames, brass supply pipes and air chambers, No. 1 brass "Tucker" grease trap with waste to floor and back-air to wall, and "Em-Ess" Fuller bibbs.

For description of "Tucker" grease trap see page 315.

The "ROYAL" Porcelain Kitchen Sinks are made of the same material and have the same finish as the "ROYAL" porcelain baths. It is glazed white inside and over the rim. The outside is glazed light brown, no further finish being required. As in the "ROYAL" porcelain bath, the quality is unsurpassed by any other make.

We also offer the "London Buff" Kitchen Sink, of the same quality and make of earthenware as the "ROYAL," but with light brown glaze inside and out.

PRICES.	
sizes,	48x24x7
The "ROYAL" Porcelain Kitchen Sink, Plate 355-D, as described, \$125.00 \$130.00 \$140.00	\$150.00
"London Buff" Porcelain Kitchen Sink, Plate 355-D, as described, 115.00 120.00 130.00	140.00
" as illustrated, but with bronzed iron legs, 108.00 113.00 123.00	132.00
" "Yorkshire" ware, as illustrated, " " and without supply pipes	
or cocks,	105.00
Deduct from above prices if No. 8 iron "Tucker" grease trap is substituted for brass,	. 12.00
" " No. 4 " " " " " "	. 22.50

THE "ROYAL" PORCELAIN SINK.

FLAT RIM.




PLATE 356-D consists of the "ROYAL" Porcelain Sink, with flat plain rim, two-inch brass coupling, and nickel-plated strainer.

The "ROYAL" Porcelain Sinks are made of the same material and have the same finish as the "ROYAL" porcelain baths. As in the "ROYAL" porcelain bath, the quality is unsurpassed by any other make-

PRICES.

 sizes,
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 <td

THE "MODEL" SLOP SINK.

PATENTED.




PLATE 357-D.

PLATE 357-D consists of the "Model" Slop Sink, with improved pedestal trap, patent brass floor connection, brass supply pipes to the flush rim and nozzle, with "Em-Ess" Fuller cocks. Height from floor to top of sink, 3 feet 1 inch.



PLATE 358-D.

PLATE 358-D consists of the "Model" Slop Sink, with brass supply pipes to the flush rim, with "Em-Ess" Fuller cocks.

Height from floor to top of sink, 1 foot 4 inches.

NOTE.-" VITREAN" WARE.

The "Model" slop sinks now furnished by us are made of a non-porous body designated as "Vitrean" Ware. This ware is practically imperishable from use or age, and will not craze or discolor. Being non-absorbent it is considered superior to any other domestic or imported earthenware.

Two sizes are furnished—namely, 21 1/2 x21 1/2 inches and 18x18 inches.

									PRIC	CES.						
The	" Model"	Slop	Sink,	Plate	357-D,	as d	escrib	ed, .								\$65.00
	6.6															
	th nickel-															
	for Italia															9.00

THE "MODEL" SLOP SINK.

PATENTED.




PLATE 359-D.

PLATE 359-D consists of the "Model" Slop Sink, with improved pedestal trap, brass floor connection, No. 7 copperlined tank, pull and chain, and large "Fuller-Meyer" cock, with nozzle and brace-nickel-plated or polished brass.




PLATE 360-D

PLATE 360-D consists of the "Model" Slop Sink, with No. 7 cabinet-finished tank, bronzed brackets, chain and pull, brass flush pipe, brass supply pipes, with special "Em-Ess" Fuller cock, nozzle and brace—nickel-plated or polished brass.

NOTE.-"VITREAN" WARE.

The "Model" slop sinks now furnished by us are made of a non-porous body designated as "Vitrean" Ware This ware is practically imperishable from use or age, and will not craze or discolor. Being non-absorbent it is considered superior to any other domestic or imported earthenware.

Two sizes are kept in stock, 201/2x201/2 inches and 18x18 inches.

PRICES.

The '	'Model	" Slop	Sink,	Plate	359-D,	as d	lescribed,															\$70.00
44	6.1	4.4	+ 6	"	360-D,	"	**											•				80.00
44				٠.	44	with	h nedesta	1 trai	n. w	ith r	atent	bras	s flo	or fla	nge.	and	bras	s trir	nmin	gs.		90.00

with pedestal trap, with patent brass floor flange, and brass trimmings,

THE "ROYAL" PORCELAIN SLOP SINK.

WITH BRASS FLUSH RIM.




PLATE 361-D.

PLATE 361-D consists of the "ROYAL" Porcelain Slop Sink, with brass flush rim. No. 10 cherry cabinet-finished tank and nickel or brass plated brackets, brass flush pipe, brass supply pipes to double "EM-Ess" Fuller cock with special nozzle and brace, and galvanized-iron frame and legs.




PLATE 362-D.

PLATE 362-D consists of the "ROYAL" Porcelain Slop Sink, with brass flush rim. No. 10 tank, japanned brackets, "Fuller-Meyer" double cock with large nozzle and brace, galvanized-iron frame and legs. (The supply and flush pipes in this apparatus are behind the wall.)

The "ROYAL" Porcelain Slop Sink apparatus, with brass flush rim and tank supply, is indisputably the strongest and most durable of anything of its kind in the market.

The "ROYAL" Porcelain Slop Sink, Plate 361-D, as described,	\$95.00
Add, for brass legs, finished or nickel-plated,	12.00
	10.00
The "ROYAL" Porcelain Slop Sink, Plate 362–D, as described, ,	80.00
Add, for nickel-plating flush rim and double cocks,	5.00

THE "ROYAL" PORCELAIN SLOP SINK.




PLATE 363-D.




PLATE 64-D

PLATE 363-D consists of the "ROYAL" Porcelain Slop Sink, with brass flush rim on galvanized legs and frame, brass supply pipes, with hot and cold "Fuller" cocks to flush rim and to large nozzle, 3-inch brass strainer and coupling

ling.
Size of sink, 1 foot 10 inches long, 1 foot 6 inches wide outside, and 12 inches deep inside; height from floor on legs, 2 feet 4 inches.


PLATE 364-D consists of the "ROYAL" Porcelain Slop Shirk, fitted with hardwood rim with marble back, and hot and cold cocks and large nozzle, galvanized frame and legs, 3-inch brass strainer and coupling.

Size of sink, 1 foot 11 inches long, 1 foot 7 inches wide outside, and 12 inches deep inside; height from floor on legs, 2 feet 5 inches.

The "ROYAL" Porcelain Slop Sink, Plate 363-D, as described,								\$75.00
Add, for nickel-plated flush rim and and supply pipe,			0					10.00
The "Roval" Porcelain Slop Sink, Plate 364-D, as described,	4							50.00


THE "ROYAL" PORCELAIN SLOP SINK

WITH FLUSHING RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited. PLATE 365-D.

PLATE 365-D consists of the "ROYAL" Porcelain Flushing Rim Slop Sink, with design "A" tank, brass brackets, brass flush pipe, brass supply pipes and air chambers, "Em-Ess" Fuller cock for hot and cold water, with special nozzle and brace, and enameled iron trap standard. All brass trimmings nickel-plated or polished brass.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 366-D.

PLATE 366-D consists of the "ROYAL" Porcelain Flushing Rim Slop Sink, with enameled iron trap standard, brass supply pipes and air chambers, with special "EM-Ess" Fuller double cocks supplying hot and cold water to flushing rim and to large nozzle. All brass trimmings nickel-plated or polished brass.

The "ROYAL" Porcelain Slop Sinks are made of the same material and have the same finish as the "ROYAL" porcelain baths. They are glazed white inside and over the rim. As in the "ROYAL" porcelain bath, the quality is unsurpassed by any other make.


PRICES.

The "ROYAL" Porcelain Slop Sink, Plate 365-D, as described, \$100.00 " 366-D,

80.00

THE "ROYAL" PORCELAIN SLOP SINK


ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited

PLATE 367-D.

PLATE 367-D consists of the "ROYAL" Porcelain Slop Sink, supported on an enameled iron trap standard, with brass supply pipes and air chamber, "EM-Ess" Fuller cocks. All brass trimmings nickel-plated or polished brass.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited,

PLATE 368-D.

PLATE 368-D consists of the "ROYAL" Porcelain Slop Sink, supported on an enameled iron trap standard, brass strainers and brass "EM-Ess" Fuller cocks, flanged for iron pipe.

The "ROYAL" Porcelain Slop Sinks are made of the same material and have the same finish as the "ROYAL" porcelain baths. They are glazed white inside and over the rim. As in the "ROYAL" porcelain bath, the quality is unsurpassed by any other make.

The "	ROYAL" PO	orcelair	Slop	Sink, F	late 367-D, as	des	crib	ed,							\$55.00
* *	**		"	61	· 368-D,		"								47.00
The "	'Yorkshire'	ware,	Plate	367-D,	as described,										31.00
	**	44		368-D,	**										23.00

THE "ROYAL" PORCELAIN SLOP SINK.




PLATE 369-D.



PLATE 370-D.

PLATE 369-D consists of the "ROYAL" Porcelain Slop Sink, with 3-inch brass strainer and coupling, galvanized frame and legs.


Size of sink, 1 foot 10 inches long, 1 foot 6 inches wide outside, and 12 inches deep inside; height from floor on legs, 2 feet 4 inches.

PLATE 370-D consists of the "ROYAL" Porcelain Slop Sink, glazed rim, with 3-inch brass strainer and coupling, galvanized frame and legs.

The glazing on this sink extends over the roll rim. Size of sink, 1 foot 11 inches long, 1 foot 7 inche outside, and 12 inches deep inside; height from floor on legs 2 feet 5 inches.

The '	'ROYAL	" Porcelai	n Slop	Sink,	, Plate	e 369-D,	as de	scribe	ed,		0	۰	٠				\$30.00
		6.6		**	"	370-D,		"									35,00
Add	for brass	legs, pol	ished o	or nick	cel-pla	ated, .								,			12 00

GLAZED ROLL RIM.



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 371-D.


PLATE 371-D consists of a set of three of the "Royal" Porcelain Roll Rim Wash Tubs, with bronzed iron standards and adjustable frames, horizontal brass supply pipes, air chambers, "Em-Ess" Fuller bibbs, brass waste pipe, and brass trap, plug, and couplings. All brass trimmings nickel-plated or polished brass.

The "ROYAL" Porcelain Wash Tubs are made of the same material and have the same finish as the "ROYAL" porcelain baths. They are glazed white inside and over the rim. The outside is glazed light brown, no further finish being required. As in the "ROYAL" porcelain bath, the quality is unsurpassed by any other make.

Note.—These laundry tubs are arranged to stand free from the wall, the space back of the tub thus being accessible for dusting or cleaning. All pipes must necessarily be exposed, making the complete apparatus a perfect sanitary fixture.

PRICE	s.							PER SET	PER SET
								OF THREE.	OF TWO.
The "ROYAL" Porcelain Wash Tub, Plate 371-D, as described,			0	۰	۰	۰		\$175.00	\$120.00
" Yorkshire" Wash Tub, with bronzed iron standards only,		۰			٠			48.00	32.00

GLAZED ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 372-D.


PLATE 372-D consists of a set of three of the "ROYAL" Porcelain Roll Rim Wash Tubs, with brouzed iron standards and adjustable frames, "EM-Ess" Fuller cocks, brass waste pipe, and brass trap, plug, and couplings. All brass trimmings are nickel-plated or polished brass.

The "ROYAL" Porcelain Wash Tubs are made of the same material and have the same finish as the "ROYAL" porcelain baths. They are glazed white inside and over the rim. The outside is glazed light brown, no further finish being required. As in the "ROYAL" porcelain bath, the quality is unsurpassed by any other make.

Note.-These laundry tubs are arranged to stand free from the wall, the space back of the tub thus being accessible for dusting or cleaning. All pipes must necessarily be exposed, making the complete apparatus a perfect sanitary fixture.

PRICE	s.						PER SET	PER SET
The "ROYAL" Porcelain Wash Tub, Plate 372-D, as described,			0	۰	۰	۰		\$100.00
" Yorkshire" Wash Tub, with bronzed iron standards only,							48.00	32.00

GLAZED ROLL RIM.



Copyright, 1895, by The Meyer-Sniffen Co., Limited,


PLATE 373-D.

PLATE 373-D consists of a set of three of the "Royal" Porcelain Roll Rim Wash Tubs, with bronzed iron standards and adjustable frames, horizontal brass supply pipes, air chambers, "Em-Ess" Fuller bibbs, brass waste pipe, and brass trap, plug, and couplings, and hardwood cap. All brass trimmings nickel-plated or polished brass.

The "ROYAL" Porcelain Wash Tubs are made of the same material and have the same finish as the "ROYAL" porcelain bath. They are glazed white inside and over the rim. The outside is glazed light brown, no further finish being required. As in the "ROYAL" porcelain bath, the quality is unsurpassed by any other make.

PRICES	3.				PER SET OF THREE.	PER SET OF TWO
The "ROYAL Porcelain Wash Tub, Plate 373-D, as described, .					\$178.00	\$122.50
The "Yorkshire" Wash Tub, with bronzed iron standard only						32.00

GLAZED ROLL RIM.




Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited,

PLATE 374-D.

PLATE 374-D consists of a set of three of the "ROYAL" Porcelain Roll Rim Wash Tubs, with bronzed iron standards and adjustable frames, "EM-Ess" Fuller cocks, brass waste pipe, and brass trap, plug, and coupling, and hardwood cap. All brass trimmings are nickel-plated or polished brass.

The "ROYAL" Porcelain Wash Tubs are made of the same material and have the same finish as the "ROYAL" porcelain baths. They are glazed white inside and over the rim. The outside is glazed light brown, no further finish being required. As in the "ROYAL" porcelain bath, the quality is unsurpassed by any other make.

PRICE	s.							PER SET OF THREE.	
The "ROYAL" Porcelain Wash Tub, Plate 374-D, as described,					9	٠		\$135,00	\$95,00
" "Yorkshire" Wash Tub, with bronzed iron standards only,		۰	0	۰	0			48.00	32.00



Copyright, 1895, by THE MEYER-SNIFFEN Co., Limited.

PLATE 375-D.


PLATE 375-D consists of a set of three of the "Royal" Porcelain Wash Tubs, with bronzed iron standards and ash rim.

The "ROYAL" Porcelain Wash Tubs are made of the same material and have the same finish as the "ROYAL" porcelain baths. As in the "ROYAL" porcelain bath, the quality is unsurpassed by any other make.

PRICES.	PER SET	PER SET			
The "ROYAL" Porcelain Wash Tub, Plate 375-D, as described,				OF THREE. \$66.00	OF TWO.
"Yorkshire" " " " " "					\$44.00
Brass waste plug and stopper, nickel-plated, extra, each, ""EM-Ess" W. T. cocks, """"					1.00
" waste pipe and trap, nickel-plated on the rough, with plug and chain extra	•	•		1.50	1.50
a a a a a a a a a a a a a a a a a a a					11.00
·	•	•		17.50	14.50

THE "SURETY" URINAL.


PATENTED.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 376-D.

The "Surety" Urinal, as the illustration shows, has the trap combined in one piece with the bowl, and is arranged to be connected without any metal parts being exposed. The section of the trap that holds the water-seal is of brass, encased by the earthenware, and is screwed into the waste fitting. This section forms the inlet to the waste and is provided with a flange and bolts for making a perfect junction with the earthenware. The joint between the brass connection and the earthenware, being submerged, or below the water line, is absolutely gas-tight, and is equivalent in security to an all-metal trap, with the added cleanliness of a porcelain one.



SECTIONAL VIEW OF THE "SURETY" URINAL


PLATE 376-D consists of the "Surety" Urinal, with "Em-Ess" design "A" tank, brass brackets, chain and pull, brass flush pipe 2 feet long. All trimmings nickel-plated.

The "Surety" Urinals are made of a non-porous body designated as "Vitrean" ware. This ware is practically imperishable from use or age and will not craze or discolor. Being non-absorbent it is considered superior to any other domestic or imported earthenware.


PRICES. Che "Surety" Urinal, Plate 376-D, as described, each,														
	\$42.00													
	21.00													
Stalls with countersunk floor slab for two urinals, height, 5 feet 6 inches; width inside of stall, 2 feet														
ITALIAN MARBLE.	SLATE.													
	\$70.00													
57.00	30.00													

THE "SURETY" URINAL.

PATENTED.



The "SURETY" Urinal, as the illustration shows, has the trap combined in one piece with the bowl, and is arranged to be connected without any metal parts being exposed. The section of the trap that holds the water-seal is of brass, encased by the earthenware, and is screwed into the waste fitting. This section forms the inlet to the waste and is provided with a flange and bolts for making a perfect junction with the earthenware. The joint between the brass connection and the earthenware, being submerged, or below the water line, is absolutely gastight, and is equivalent in security to an allmetal trap, with the added cleanliness of a porcelain one.



SECTIONAL VIEW OF THE "SURETY" URINAL.

Copyright, 1895, by The Meyer-Sniffen Co., Limited.


PLATE 377-D.

PLATE 377-D consists of the "Surery" Urinal, with "Em-Ess" design "A" Automatic flushing tank, brass brackets, and brass flush pipe 2 feet long. All trimmings nickel-plated.

The "Surety" Urinals are made of a non-porous body designated as "Vitrean" ware. This ware is practically imperishable from use or age and will not craze or discolor. Being non-absorbent it is considered superior to any other domestic or imported earthenware.

											PRICE									
The "	SURET	y" U:	rinal	, P	late 37	7-D, as	describ	ed,												\$42.00
"			"	01	nly wi	th trap	and cor	necti	ons,	as il	llustrate	ed in section	nal	view,						21.00
Two U	rinals	with.	No.	3 8	autom	atic tan	k, bracl	cets,	and	flush	pipe, a	s shown,								63.00
Three		**	"	2	**	"			"	**	"	"								87.00
Four	**			2	**	"	"		"	"	**	**								108.00
Five		4.6		1	"		4.6		• 6	"	**	"								132,00
Six	4.6	4.6	4.4	1	6.6		* 6		64	**	**	"								153.00
					The	above 1	orices d	o no	tino	clude	stalls,	for prices	of	which	see	page	336.			


THE "OXFORD" URINAL.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 378-D.

The "Oxford" Urinal was designed especially for use in connection with a system of local ventilation. As shown in the sectional view, the outlet from the urinal passes through the wall and is fitted to a T, the upper end of which is intended to be connected with a heated flue, and the lower end to the waste pipe, which should be trapped and "backaired" in the usual manner. The outlet in the "OXFORD" has no strainer, is easily kept clean, and being so proportioned to the size of the waste pipe that no stoppage is possible with ordinary use. Several years' experience in railroad depots, hotels, office buildings, etc. has demonstrated its practicability The flush pipe coupling is furnished to connect either behind or in front of the wall. An elbow instead of a T to the waste connection is furnished if desired.




SECTIONAL VIEW OF THE "OXFORD" URINAL.

PLATE 378-D consists of the "Oxford" Urinal and connections, "Em-Ess" design "A" tank, brass brackets, brass flush pipe 2 feet long, brass chain and pull. All brass trimmings nickel-plated.

The "Oxford" Urinals are made of a non-porous body designated as "Vitrean" ware. This ware is practically imperishable from use or age and will not craze or discolor. Being non-absorbent it is considered superior to any other domestic or imported earthenware.

PRICES.		
The "Oxford" Urinal, Plate 378-D, as described, each,		\$34.75
" with connections and thimbles only, as illustrated in sectional view, ,		13.75
Stalls with countersunk floor slab for two urinals, height, 5 feet 6 inches; width inside of stall, 2 feet		
2 inches; depth of end partitions, 2 feet 4 inches; depth of middle partition, 1 foot 8 inches;	ITALIAN MARBLE.	SLATE.
with nickel plated brass standard for middle partition and nickel plated brass angle clamps,	\$140 00	\$70.00
Each additional stall,	57.00	30.00


THE "OXFORD" URINAL.



Copyright, 1895, by The Meyer-Sniffen Co., Limited.

PLATE 379-D.

The "Oxford" Urinal was designed especially for use in connection with a system of local ventilation. As shown in the sectional view, the outlet from the urinal passes through the wall and is fitted to a T, the upper end of which is intended to be connected with a heated flue, and the lower end to the waste pipe, which should be trapped and "backaired" in the usual manner. The outlet in the "Oxford" has no strainer, is easily kept clean, and being so proportioned to the size of the waste pipe that no stoppage is possible with ordinary use. Several years' experience in railroad depots, hotels, office buildings, etc has demonstrated its practicability. The flush pipe coupling is furnished to connect either behind or in front of the wall. An elbow instead of a T to the waste connection is furnished if desired.



SECTIONAL VIEW OF THE "OXFORD" URINAL.


PLATE 379-D consists of the "Oxford" Urmal, with "Em-Ess" design "A" AUTOMATIC flushing tank, brass brackets, and brass flush pipe 2 feet long. All trimmings nickel-plated.

The "Oxford" Urinals are made of a non-porous body designated as "Vitrean" ware. This ware is practically imperishable from use or age and will not craze or discolor. Being non-absorbent it is considered superior to any other domestic or imported earthenware.

										PRICI							
The '	OXFOR	л" U:	rinal	, F	late 379-D.	as d	lescribed,						,			,	\$34.75
	4.6										strated in						
Two	Urinals										as shown,						
Three	e ''	6.4	6.6	2	44		"		: 6	1,,,	"						65.25
Four	**	4.6	+ 6	2	**	4.4		4.6	44	4.3	61						79.00
Five	**	**	"	1	4.4	**	16		"	4.6	44						102.75
Six	**	4.6	6.5	1	* 4		**	"	**	66	66						116.50
					The abov	e pri	ices do no	ot in	clude	stalls	, for price						

THE "EM-ESS PARSONS" SCHOOL WATER-CLOSET.

PATENTED.



The "Em-Ess Parsons" School Water-Closet has been successfully used in schools, factories, etc., for several years past. The arrangement of each basin in the section at a slightly lower level, with its weir or dam toward the outlet, is novel and important, securing an equal flush to each, with a minimum quantity of water—an important consideration when meter rates have to be paid. The flush is automatic at desired intervals.

The "Em-Ess Parsons" School Water-Closet comprises a system of two, three, four, five or six to twelve part wash-out water-closets combined in one apparatus, operated by one tank up to a six-part closet; above six, and up to a twelve-part closet, the apparatus is operated by two tanks, one at each end, but with a single outlet.

Hitherto water-closets for schools, factories, barracks, institutions and similar places have been confined to school-sinks, latrines, or vaults, which retain their filth for stated periods, until their contents are discharged by an attendant. The introduction of the "Parsons" system by us, however, eight years ago, and its unqualified success, leads us to believe that its general adoption in the above-mentioned places, where water-closets are exposed to very rough usage, is only a question of time. The results secured in the design of the "Em-Ess Parsons" School Water-Closet, are the advantage of having a body of water such as is found in a wash-out closet, that may be automatically removed with all its contents at predetermined intervals. The flush tank may be easily regulated to empty its contents with certainty at any given period; the quantity of water, also, may be controlled as desired.

THE "EM-ESS PARSONS" SCHOOL WATER-CLOSET.




PLATE 380-D.

PLATE 380-D consists of a six-part "Em-Ess Parsons" School Water-Closet, with periodical flushing tank and iron standards, showing the water in motion,

Distance between centers of basins, 27 inches,

PRICES.

Plate 380-D, as illustrated, Person. P

THE "EM-ESS PARSONS" SCHOOL WATER-CLOSET.

PATENTED.





PLATE 381-D.


PLATE 381-D consists of a six-person "Em-Ess Parsons" School Water-Closet, with periodical flushing tank and iron standards, fitted up with seats and partitions.


Distance between center of basin, 27 inches,


Plate 381-D, as illustrated, without Person. P


THE "EM-ESS" PARSONS SCHOOL WATER CLOSETS.













SECTIONS SHOWING THE ARRANGE THE 7-8-9-10-11 & 12 PERSON "EM-ES!





ENT OF PARTS AND MEASUREMENTS OF PARSONS" SCHOOL WATER CLOSETS.




PARATE CASTINGS.


THE "EM-ESS" PARSONS SCHOOL WATER CLOSETS.





PLAN OF SIX CLOSET





THE EM-ESS PARSONS" SCHOOL WATER-CLOSET.

PATENTED.




PLATE 382-D consists of a four-person "EM-ESS PARSONS" School Water-Closet, with periodical flushing tank and iron standards, fitted up with partitions, etc., showing the better class of work for which these closets are adapted.

PRICES.

Plate 382-D, as illustrated, Person. P



THESE FAUCETS have been used for the last eighteen years, and although subjected to the most severe usage we have never had a complaint of their sticking open, this result being due to the care exercised in their manufacture and the ingenious application of the double lever.

Numerous imitations have appeared on the market as the natural result of the reputation and popularity these Self-Closing Faucets have acquired, and of our guarantee to keep them in

repair. In New York and vicinity we keep the "EM-Ess" Doherty Faucets in repair for three years without charge.

The curved handles shown in the illustration are a recent improvement (patented) we have adopted. This feature improves the appearance of the Faucet, makes it easier to hold open, as the levers may be grasped in the hand. It also prevents persons so disposed from tying the levers together.

All Faucets that are genuine are will bear the stamp "EM-Ess" Doherty as shown.

If this Self-Closing Faucet is wanted please plainly specify the "EM-ESS" Doherty and look for the stamp as above.

PATENTED.



PLATE 383-D.



PLATE 384-D.



PLATE 385-D.



PLATE 386-D.

(ILLUSTRATIONS ARE ONE-THIRD ACTUAL SIZE.)

													SIZE.	POLISHED		
													SILE.	BRASS.	PLATED.	PLATED.
The '	"EM-Ess	Doherty	Basin	Cock,	Plate	883-D,						per doz.,		\$42.00	\$48.00	\$56.00
44	**	4.4	Plain	Bibb,	"	384-D,						4.6	1/2"	24.00	37.50	40.00
	"	"	"	4.6		"							5∕8"	27.00	40.00	48.00
**	**	"	"		for I	ron Pipe,	Plate	385-	D,			"	1/2"	27.00	40.00	44.00
44	44	"	"	**	4.6	** **	" "	**				"	5∕8"	30.00	45.00	52.00
**	"	"	Hose	* *	Plate	386-D,						44	1/2"	27.00	40.00	44.00
"	c 6	44		4.6	4.6	**						66	5/8"	30.00	45.00	52.00

PATENTED.



PLATE 387-D.



PLATE 388-D.



PLATE 389-D.




PLATE 390-D.

(ILLUSTRATIONS ARE ONE-THIRD ACTUAL SIZE.)

													SIZE.	POLISHED BRASS		SILVER- PLATED,	
The	"EM-Ess"	Doherty	Hose 1	Bibb	for Ir	on Pipe	, Pla	ate 387-1	ο, .			. per doz.,	1/2"	\$30.00	\$45.00	\$48.00	
	**	tr 5	**	4.6	•							. "	5/8"	33.00	48.00	56.00	
"		٠.	Plain	• • •	with l	Flange :	and	Thimble	, Plate	388-1	Ο,	. "	1/2"	34.00	48.00	52.00	
4.6	6.6	44	4.6		4.6	**	4.4	**	4.6			. "	5/8"	37.50	52.00	60.00	
4.4	**	**	Hose	4.4	6.6	**	**	**	"	389-I	Ο,	. "	1/2"	38.00	52.00	57.00	
6.6	**	4.6	4.6	6.6		**	6.4	44	٠:	**		. "	5/8"	41.00	55.00	64.00	
6.	4.0	4.4	Stop-C	lock,	Plate	390-D,						. "	1/2"	24.00	37.50	40.00	
		44			"	**						. "	5/8"	27.00	40.00	48.00	

PATENTED.



PLATE 391-D.



PLATE 393-D.



PLATE 394-D.




PLATE 392-D.

(ILLUSTRATIONS ARE ONE-THIRD ACTUAL SIZE.)

														SIZE.	POLISHED	NICKEL-	SILVER-
														SIZE.	BRASS.	PLATED.	PLATED.
The	"Ем-Ess	Doherty	Stop-Co	ock fo	r Iro	n Pipe	, Plat	te 391	-D, .				per doz.,	1/2"	\$30.00	\$45.00	\$48.00
	**	4.6	**			**	4.4	•	٠.				4.6	5/8"	33.00	48.00	56.00
6.6	"	**	Pantry	Cock	with	Hose I	End,	Plate	392-I), .			4.6		64.00	73.00	76.00
6.6	**	6.6	44	"	44	Plain	4.4	4.4					**		60.00	69.00	72.00
		4.4	Urinal					ate 39	3-D,				4.4		44.00	49.00	66.00
**		4.6	"	4.4	" L	ead "		"	"				44		35.00	45.00	60.00
4.4	**	4.4	"	"	with	Flange	e and	Thin	able, I	Plate 3	93-D	, .			48.00	60.00	72.00
	**	**	Hopper	· Cocl	for :	Iron Pi	pe, F	Plate 8	394-D,			à	**		30.00	42.00	48.00
4.6	4.6	4.4	**	4.6	44]	Lead		4.6	4.6	۰		c	66		28.00	40.00	46.00

THE "EM-ESS" FULLER FAUCETS.

ONSPICUOUS among the water supply fittings regarded as standard articles are the "EM-ESS" Fuller Faucets.

For more than twenty years these faucets have stood the test of popular usage under the most severe conditions, and without regard to the character or temperature of the water passing through them, and they are to-day regarded with the utmost favor by experienced architects, plumbers, and householders, who do not look at first cost merely.

If imitation be an indorsement we have had ample testimony as to their quality and reliability, in the imitations of the "EM-Ess" Fuller Faucets which have been placed upon the market since we succeeded in establishing a reputation for them.

We give a guarantee to keep them in repair in this city for three years, but as there are several imitations, we would respectfully ask, that before sending to us to do repairs to faucets believed to be the "Em-Ess" Fuller, parties will make sure they are the genuine article, bearing our stamp.

For the benefit of those interested, we mention some points of superiority which these faucets have:

They have an elastic valve and a metal seat, and shut with the water pressure, hence, they will not leak.

They have a tapered nut at the end of the stem, to avoid water hammer or concussion in the pipes.


They open and close with extreme ease.

They may be easily repaired, the body of the faucet may be unscrewed with the utmost ease.

They are, all things considered, the most durable faucets made.

To get the genuine article, specify the "EM-ESS" Fuller Work, manufactured by THE MEYER-SNIFFEN Co., Limited, and see that it bears that firm's stamp.


THE "EM-ESS" FULLER FAUCET.



SECTIONAL VIEW.

The valve is conical shaped and closes with the pressure. It is opened by turning the handle in either direction, one-half turn opening it to its full capacity. Its great durability arises from the fact that no amount of turning or twisting the handle creates any extra pressure on the valve. Some time ago we introduced a guide in the stem that completely corrects any tendency to rattle under heavy pressure. The body of the faucet is easily unscrewed, and the valve may be replaced when worn.

THE "EM-ESS" FULLER FAUCETS.






PLATE 396-D.

THE "EM-ESS" FULLER PLAIN BIBB. (FOR LEAD PIPE.)

THE "EM-ESS" FULLER PLAIN BIBB. (FOR IRON PIPE.)




PLATE 397-D.

THE "EM-ESS" FULLER HOSE BIBB. (FOR LEAD PIPE.)

THE "EM-ESS" FULLER HOSE BIBB. (FOR IRON PIPE.)





PLATE 398-D.


	Thomas .														
	SIZES, .						. inc	ch, ½	5/8	3/4	I	11/4	1 1/2	1 3/4	2
The '	· Ем-Ess '	Fuller	Faucet,	Plate	395-I), finished	l, per de	oz. \$14.40	\$16.80	\$21.60	\$28.80	\$54.00	\$72.00	\$108.00	\$124.00
**	"	44	4.6	"	* *	nickel-p	olated,"	20.00	22.00	30.00	37.50				
	**	"	44	44	"	silver		32.40	37.80	48.60	64.80				
6.6	"	+ 6	4.6	"	396-1	D, finished	1, "	16.80	19.20	24.00	32.00	60.00	80.00	116,00	144.00
"	**	**	**	**	4.6	nickel-p	lated,"	22.50	24.50	32.50	42.00				
4.6	44	4.6	66	"	4.6	silver	** **	35.00	40.50	51.30	68.40				
+6	66	6.6	**	44	397-I), finished	1, "	16.80	19.20	24,00	32.00	60.00	80.00	116.00	144.00
6.4	44	44	67	**	64	nickel-p	lated,"	22.50	24.50	32.50	42.00				
64	1.6	64	* *	44	6.6	silver	** **	35.00	40.50	51.30	68.40				
6.6	"	4.6	4.6		398-1), finished	1, "	19.20	21.60	26.40	35.20	66.00	88.00	124.00	164.00
44	44	**	**	* 6	6.4	nickel-p	lated,"	24.80	27.20	36.80	45.00				
"	44	6.6	**	6.6	4.4	silver	** **	37.50	42,50	55,00	75.00				

THE "EM-ESS" FULLER FAUCETS.



THE "EM-ESS" FULLER PLAIN BIBB, FLANGE AND THIMBLE.

THE "EM-ESS" FULLER HOSE BIBB, FLANGE AND THIMBLE,




THE "EM-ESS" FULLER BATH BIBB, FLANGE AND THIMBLE.

THE "EM-ESS" FULLER BATH BIBB, FLANGE, NUT AND BENT COUPLING.

							PRI	CES							
	SIZES,										inch,	1/2	5/8	3/4	I
The '	'EM-Ess	" Fuller	Faucet.	Plate	e 399-D	, finished, .	,			. p	er doz.	\$21.60	\$24.00	\$28.80	\$38.40
**	4.6	**	4.6		**	nickel-plated,					**	28,00	30.00	37,00	47.00
**	"	**	**	**	64	silver "					**	43.20	48.60	59.40	86,40
**	44	+4	**	**	400-E), finished, .					44	24.00	26.40	31.20	41.60
4.6	44	44	44	4.6	4.6	nickel-plated,					**	30.00	32.40	39,50	51.00
	"		**	4.6	4.6	silver "					44	48.60	54.00	65.00	95.00
+ 6	66	4.6	**	4.6	401-D	, finished, .					**	21.60	24.00	28,80	38.40
**	` "		**	**	**	nickel-plated,					44	28,00	30,00	37.00	47.00
4.6	"	"	"	"	ii.	silver "					44	43.20	48.60	59.40	86.40
4.6		**	**	"	402-D	, finished, .					**	32.00	36.80	44.80	
44	**		44	* 6	"	nickel-plated,					"	38.00	40.00	54.00	
66		**	**		6.6	cilver "					44	54 00	61 20	79 90	


THE "EM-ESS" FULLER WASH-TRAY BIBB.

FLANGE AND THIMBLE.




THE "EM-ESS" FULLER WASH-TRAY BIBB.

FLANGE, NUT AND BENT COUPLING.




	SIZES, .										. i1	nch,	1/2	5/8	3/4	i
The '	"EM-Ess"	Fuller	Wash-	Tray	Bibb,	Plate	403-D,	finished,			. per	doz.	\$24.00	\$26.40	\$31.20	\$43.20
								nickel-plated					30.00	32.00	39.50	51.00
	46	10		"	6.6	+6	"	silver "			. "	•	48.00	54.00	65.00	95.00
4.5	44	4.6	**	4.6	6.6		404-D	finished,					34.40	38.40	48.00	
14	**	**	6.6	+ 4	4.4	44	64	nickel-plated	1,	:		•	40.00	47.00	57.50	




No. 1,

The	"EM-Ess"	Fuller	Basin	Cock,	Plate	405-D	, finished, .								per doz.,	\$28.00
16	44	6.6	44									,	 8		per ding.	And.00
						**	nickel-plated								4.1	33.00
44	44	4.0											5	,		00.00
•••	**	6.	•••	**	84	6.6	silver "								16	40.00
							17777 64	,		R	,				**	40.00




No. 2.

The	"EM-Ess"	Fuller	Basin	Cock.	Plate	406-D.	finished, .						per doz.,	
							nickel-plated.							
		"	6.6			"	silver						"	45.00




No. 2½.

The	" Ем-Ess"	Fuller	Basin	Cock,	Plate	407-D,	finished, .							per doz	\$35.00
"	44	**	• 6	"	**	"	nickel-plated,				i.		i.	"	42.00
"	"	"	"	4.6	44	**	silver "		·	Ċ	 Ţ,	Ţ,	•	**	50.00



No. 3.

The "	EM-Ess"	Fuller	Basin	Cock,	Plate	408-D	finished, .						per doz.,	\$38.00
14	4.6	1.1	4.5	"			nickel-plate	d, .					**	45.00
#1	11						silver "							54.00




Made with ring cup if desired.

The '	' Ем-Ess''	Fuller	Basin	Cock,	Plate	409-D	, finished, .							,	per doz.,	\$42,00
4.6	**	"	- 65	**	44	**	nickel-plate	d, .								49.00
6.6	FF	£1	5.6	F.F.	11	11	silver, ,	,		,	,				11	58.00




Made also with the base of same design as No. 4, designated as No. 4%.

							1.1	CICI	<u>.</u>							
The "	Em-Ess"	Fuller	Basin	Cock.	Plate	410-D.	finished,							per doz.,	\$42.00	
"	"	44	"		**	"	nickel-plate	d.						**	49.00	
														"	58 00	



The	"EM-Ess"	Fuller	Basin	Cock,	Plate	411-D,	finished,							per doz.,	\$48.06
	**	"		**	"	**	nickel-plate	ed, .							56.00
	44	**	"		"	**	silver "							44	66.00

THE "EM-ESS" FULLER LOW DOWN BASIN COCK.



The "	EM-Ess"	Fuller	Low	Down	Basin	Cock,	Plate	412-D,	brass, .	4				per doz.,	\$42.00 49.00
"	**	44	66		66	6.6	**	66	nickel-plated,				•	••	
68	5 4								silver "						58.00




Height, $8\frac{1}{4}$ inches. Width of flange, $3\frac{3}{4}$ inches.

POLISHED BRASS, NICKEL OR SILVER PLATED.

PANTRY COCKS SAME STYLE.

The	"EM-Ess"	Fuller	Basin	Cock,	Plate	413-D,	finished, .				- 1		each,	\$16.00
41	**	**	**	**	**	"	nickel-plated	1, .					14	20.00
**	44	"	٤.	44	"	4.6	silver "						4.6	24.00

THE "EM-ESS" FULLER PANTRY COCK.



No. 2.


Nos. 3, 4, and 5 $^{\circ}$ Em-Ess $^{\circ}$ Fuller Pantry Cocks are made with base and handles to correspond with the $^{\circ}$ Em-Ess $^{\circ}$ Fuller basin cock of the same number.

							PRIC	ES.						
The '	EM-Ess"	Fuller	Pantry	Cock,	Plate	414-D,	finished, .						per doz.,	\$38.00
44	44	4.6		4.6	**	4.6	nickel-plated	,					4.6	45.00
66	44	44	**	6.6	**	"	silver "						44	54.00

THE "FULLER-MEYER" DOUBLE BATH COCK.

WITH EBONY OR CELLULOID HANDLES.

PATENTED.



No. 1.

This cock can be taken apart for repairs without disturbing the connections or the bath tub casing by simply unscrewing the nut marked A.


Length over all, 12 inches. 1 inch delivery. Diameter of flanges, 4½ inches.

FURNISHED IN POLISHED BRASS, NICKEL OR SILVER PLATED.

								1 10101	20.											
		R-MEYER'																		
"	**	**	**	**	"	**	"	silver	"									٠	44	24.00
		No. 2.	Same sty	le and	l size a	s abov	e but w	ith smalle	er flang	ges,	with	metal	l han	dles,	with	out s	oap o	up,		
		R-MEYER'																		
44		**	44	4.6	6.6	44	6.6	silver	6.6										**	20.00


THE "EM-ESS" FULLER DOUBLE SHAMPOO COCK.

WITH TUBE AND SPRINKLER.



														LARGE.	SMALL.
The	· ' Ем-Ess ''	Fuller	Double	Shampoo	Cock,	Plate	416-D,	finished	l, .		٠		each,	\$12.00	\$10.00
	**													14.00	12.00
**	44	44	**	6.6	**	**	**	silver					**	21.00	18.00


THE "EM-ESS" FULLER COMBINATION DOUBLE SHAMPOO COCK.



The '	· Ем-Ess"	Fuller	Combination	Double	Shampoo	Cock,	Plate	417-D,	finished, .	٥	•	۰	each,	\$18.00
4.3	**	4.4	**	**	**	**	4.6	**	nickel-plated,				**	21.00
44	**	66	66	**	4.0		"		silver "				4.4	27 00

THE "FULLER-MEYER" DOUBLE BASIN COCK.

PATENTED.



From center to center of inlet, 4% inches. Width over all, 10 inches,

Center of spout, 61/2 inches. Diameter of flanges, 23/4 inches.

SWING SHAMPOO COCK MADE SAME STYLE.

PRICES.


THE "EM-ESS" GROUND KEY FAUCETS.

X / E herewith illustrate a new of the many styles of GROUND KEY FAUCETS which we manufacture. The GROUND KEY work made by us and bearing our stamp, is extra heavy in weight, and so proportioned as to secure the maximum of durability. The very best "steam metal" is used in these faucets; they are carefully ground by hand, and in this city (New York), they are guaranteed against leakage for three or more years, and when silver plated by us the plating is warranted for a like period. For convenience in use, no style of faucets for basins is more appreciated than that known as the "GROUND KEY" or "SWING" FAUCET, and when properly made, none is better where the water is free of grit. Of late years competition, and the desire of some builders to sacrifice everything to low prices, has resulted in this class of work being made of cheap metal, from light and improperly proportioned patterns, and hastily ground by machinery. As a consequence these faucets soon leaked, and all GROUND KEY work was looked on with suspicion. The remark has often been made, "Twenty-five years ago we used to get GROUND KEY work that would outlast anything made; why can't we do it now?" We make work of this character, and are prepared to guarantee it.

When ordering or specifying, describe as the "Em-Ess" Ground Key work made by The Meyer-Sniffen Co., Limited.

THE "EM-ESS" BASIN COCK.

GROUND KEY.



The '	'Eм-Ess"	Basin	Cock,	Plate	419–D,	brass,						per doz.,	\$32.00
**	•••				"	nickel-plated.						**	36,00
* 1		••		**								**	

THE "EM-ESS" BASIN COCK.





PLATE 420-D.

No. 2.

								LKI	JES.							
The	"EM-Ess"	Basin	Cock,	Plate	420-D,	brass,								per doz.,	\$42,00	
														**		
	46													44		

THE "EM-ESS" GROUND KEY FAUCET.



THE "EM-ESS" PLAIN BIBB WITH FLANGE AND THIMBLE.


GROUND KEY.

The illustration is full size of %-inch bibb.

	SIZES, .														inch,	1/2	5/8	3/4	1
The "	'EM-Ess"	Ground	Key	Fauce*	, Plate	421–D,	plain,							. pe	r doz.,	\$22.00	\$26.00	\$30.00	\$40.00
4.4	**	••		44	**	**	nickel-	plate	d,							28.00	32,00	37.00	48.00
4.6		**	6.6	4.6	**	• •	silver	4.4							**	44.00	52.00	60.00	80.00
"	"	+ 4		4.6	44	44	flange,	, nut,	and	bent	coupl	ling,	plair	a,	**	36.00	45.00	57.00	
**	**	**	e r	**	**	4.4	**	**	4.4		"	nick	el-p	lated,		42.00	52.00	64.00	
44	44	44	4.4	64	64	6.6	64	"	6.6	**	"	silv	er	**	"	58.00	71.00	87.00	

THE "EM-ESS" PANTRY COCK.


GROUND KEY.



The	"EM Ess"	Pantry	Cock,	Plate	422-D,	brass,					٠			per doz	\$40.00
"	**	4.6	**	4.4	**	nickel-	plate	d,						**	48.00
+ 4	g.e.	"		4.4	**	silver								44	56,00

THE "EM-ESS" BRACKET BASIN COCK.


GROUND KEY.



The '	· Ем-Ess"	Bracket	Basin	Cock,	Plate	423-D,	brass, .								per doz.,	\$52.00
6.6	**	6.6	6 6				nickel-p	late	ed,					,	4.6	60.00
4.6		4.													4.6	72.00

THE "EM-ESS" BATH COCK.

GROUND KEY.



SIZE, 3/4-INCH.

Extra heavy bath-bibbs, upright pattern, loose flange, bent thimble.

The "	EM-Ess"	Bath	Cock,	Plate	424-D,	brass,									per doz.,	\$44.06
					•••	micket-t	plated	1.								10.00
		•	**	**	**	silver	"			٠					"	64.00

THE "EM-ESS" PLAIN BIBB.

GROUND KEY.




PLATE 425-D.

THE "EM-ESS" PLAIN BIBB (FOR IRON PIPE).

GROUND KEY.





PLATE 426-D.

	SIZE.									0	inch,	1/2	5/8	3/4	I
The	"EM-Ess	' Plain	Bibb,	Plate	425-D	, plain,				۰	per doz.	\$13.50	\$16.00	\$20.00	\$28.00
	* *					nickel-plated,								27.00	36.00
4.6	6.6	**		**	"	silver ''				٥	**	30.00	36.00	44.00	60.00
44	**	16	66	6.6	426-D	, for iron pipe,	,	c			**	16.00	20.00	24.00	33.00
=6	**	4.6	4.6		4.6	nickel-plated,					44	22.00	26.00	31.00	41.00
56	4.6		4.6	64	16	silver					"	32,00	40.00	48.00	66.00


THE "EM-ESS" HOSE BIBB.

GROUND KEY.



THE "EM-SS" HOSE BIBB. (FOR IRON PIPE.)

GROUND KEY.



															1/2	5/8	3/4	1
The	" Ем-Ess"	Hose	Bibb,	Plate	427-D,	plain,			,		۰			per doz.,	\$16.00	\$20.00	\$24.00	\$33.00
4.4	"	"	**	**	"	nickel-p	lated,	٠	-	۰	0	۰	۰	**	21.00	26.00	31.00	41.00
	44	"	**	**	"	silver	**							**	34.00	40.00	48.00	66.00
44	**	44		**	427-D,	for iron	pipe,				۰			44	21.00	24.00	28.00	38.00
44	**	"	44	14	44	nickel-p	lated,					۰	۰	66	27.00	30.00	35.00	46 06
٤.	"	. 44	"	64	"	silver	**	۰	٠	0	۰			4.6	42.00	48.00	56.00	76.00

THE "EM-ESS" PLAIN BIBB.

(FLANGE AND THIMBLE.)

GROUND KEY.





PLATE 429-D.

THE "EM-ESS" HOSE BIBB.

(FLANGE AND THIMBLE.)


GROUND KEY.



	SIZE,															inch,	1/2	5/8	3/4	1
The '	EM-Ess	" Plain	Bibb,	Plate	429-D,	plain,										per doz.	\$22.00	\$26.00	\$30.00	\$40.00
**	4.6	**	66	46	"	nickel-	plated	1,								**	28.00	32.00	37.00	48.00
44	44	66		**	"	silver	**									**	44.00	52.00	60.00	80.00
	**	46	44		6.6	flange	nut,	and	bent	cou	pling	, pl	ain,			6.6	36.00	45.00	57.00	
64	4.6	4.6		4.6		"	**			•		ni	ckel-p	lated	١,	66	42.00	52.00	64.00	
64	44	44	**	66	64	**	**	**	"	4	4	sil	ver	44		**	58.00	71,00	87.00	
44	4.6	44	**	**	430-D	plain,										4.4	24.00	28.00	34.00	44.00
	44	**		٤٠		nickel-	plated	1,								16	30,00	34.00	41.00	52.00
44	4.6	£ 6	4.6		**	silver	• "									"	48 00	56.00	68.00	88.00

THE "EM-ESS" COMPRESSION BASIN COCK.

WITH LARGE NOZZLE.




T-HANDLE.

							finished brass,.						
							nickel-plated, .						27.00
**	**	**	**	"	4.6	"	silver " .					44	39.00

THE "EM-ESS" COMPRESSION BASIN COCK,


WITH LARGE NOZZLE.



PRICES.

THE "EM-ESS" MURDOCK HYDRANT.

PATENTED




It is almost needless to call attention to the merits of this hydrant, which has been so many years known as the best in the market. As there are many imitations, alleged to be just as good, or the same, as the "Murdock," be sure to ask for the "Em-Ess" Murdock, manufactured by the Meyer-Sniffen Co., Limited.

T	P	TC	H	C

	SIZES,							,							feet,	3	4	
The	"EM-Ess"	Murdock	Hydrant,	Plate 4	433–D,										each,	\$10.00	\$11.00	\$12.00
	6.5	**	4.	Self-cl	losing,	Plate	e 434	-D,							. "	12.00	13.00	14.00
4.,	**	+4	Street Wa	asber, l	Plate 4	35-D,									. "	8.50	9.50	10.50
44	**	**	Hitching	Post a	nd Stre	eet W	ashe	er co	mbine	ed,	Plate	436-1	D,		. "	18.00	20.00	22.00















0 021 213 039 4